BIOCHEMICAL JOURNAL

BIJOAK

AUTHOR AND KEYWORD INDEXES

for volumes 361–368 (2002)

The Biochemical Society, London © 2003

Biochemical Society
Symposia Series

ISSN: 0067-8694

Impact Factor 5.95!

Glycogenomics: the Impact of Genomics and Informatics in Glycobiology

No. 69 Edited by A Dell, Imperial College of Science, Technology and Medicine, UK and K Drickamer, Glycobiology Institute, University of Oxford, UK

Glycogenomics: the Impact of Genomics and Informatics in Glycobiology aims to highlight the special challenges of connecting genomic information with the biochemical processes of glycobiology. This book focuses on the biological functions of glycans in relation to their biosynthetic enzymes, the role of lectins and the special tactics that are needed to develop an overview of which glycans are present in an organism and what their functions are. It will be of interest to those involved in the study of glycobiology and the related disciplines of intracellular trafficking and cell adhesion, and to those involved in bio-informatics and functional genomics.

Chapters by H. Schachter, A. Imberty, J.B. Lowe, C.L.R. Merry, K. Drickamer, H.-P. Hauri, P.R. Crocker, F. Poirier, A. Dell, S.M. Haslam, J.C. Paulson and N.V. Bovin

1 85578 154 9 Hardback October 2002 200 pages £65.00

From Protein Folding to New Enzymes

No. 68 Edited by A Berry and S Radford, University of Leeds, UK

From Protein Folding to New Enzymes deals with the structures of proteins, the consequences of misfolding transitions in human disease,and the engineering of structures for new functions. The articles present an up-to-date view of protein folding *in vitro* and *in vivo*, the role of chaperones in folding, and the consequences of protein misfolding, for example in amyloid diseases. In addition, simulations of folding mechanisms, protein design principles, and protein engineering to produce novel enzymes are discussed.

Chapters by C.M. Dobson, P.J. Booth, S.L. Lindquist, F.-U. Hartl, L.M. Gierasch, V. Daggett, A.J. Doig, D.N. Woolfson, M.J. McPherson and N.C. Bruce

1 85578 143 3 Hardback July 2001 166 pages £65.00

Neuronal Signal Transduction and Alzheimer's Disease

No. 67 Edited by C O'Neill, University College, Cork, Ireland and B Anderton, Institute of Psychiatry, London, UK

Neuronal Signal Transduction and Alzheimer's Disease brings together key researchers from diverse biochemical areas to focus upon signal transduction dysfunction in Alzheimer's disease. Although specifically focused upon Alzheimer's the work described in this book has many parallels in other neurodegenerative disorders and will be of interest to those studying neuronal cell development and function in health and disease.

Chapters by D. Allsop, S.D. Yan, K.C. Breen, R.L. Neve, J. Hardy, M. Goedert, B.H. Anderton, J.-P. Brion, P.E. Fraser, W.J. Strittmatter, S. Lovestone, T.G. Ohm, H. von der Kammer, J.C. Barnes, M.P. Mattson, R.F. Cowburn, C. O' Neill and K. Duff

1 85578 133 6 Hardback February 2001 226 pages £65.00

Mitochondria and Cell Death

No. 66 Edited by GC Brown, University of Cambridge, UK, D Nicholls, University of Dundee, UK and C Cooper, University of Essex, UK

This book reviews the involvement of mitochondria in cell death and disease. This is a rapidly expanding field of major importance to both basic biology and medical science. Clear and comprehensive chapters from some of the key researchers in the field cover most aspects of the subject from the molecular to the *in vivo* level. The role of mitochondria in neurodegenerative, inflammatory and ischaemic diseases, as well as in necrosis, apoptosis and ageing is reviewed.

Chapters by G. Kroemer, G.C. Brown, C. Richter, A.N. Murphy, M. Flint Beal, D.G. Nicholls, P. Nicotera, J.M. Dubinsky, J.T. Greenamyre, A.H.V. Schapira, S.M. Rothman, C.E. Cooper, R.G. Hansford, M. Singer, M. Crompton, A.P. Halestrap and J.J. Lemasters

1 85578 125 5 Hardback October 1999 240 pages £65.00

Biochemical Society members save 25%

Orders – Please quote ZPPA 1646 when ordering

Portland Customer Services,
Commerce Way, Colchester,
Essex, CO2 8HP, UK

t: +44 (0)1206 796351
f: +44 (0)1206 799331

e: sales@portland-services.com
www.portlandpress.com/books

Please add £2.50 per book up to £7.50

Published by Portland Press on behalf of the Biochemical Society

Biochemical Journal

AUTHOR AND KEYWORD INDEXES

for volumes

361–368 (2002)

The Biochemical Society, London © 2003

Available from

Portland Customer Services, P.O. Box 32,
Commerce Way, Colchester CO2 8HP, U.K.
Fax (U.K.) 01206 799331
(from overseas) +44 1206 799331
e-mail sales@portland-services.com

All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, this publication may be reproduced, stored or transmitted, in any forms or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Inquiries concerning reproduction outside those terms should be sent to the publishers at the above-mentioned address.

Composed, compiled and printed in Great Britain by the University Press, Cambridge

Author Index

VOLUMES 361—368 (2002)

Aasheim, H.-C. *See* Munthe, E.
Abdel-Wahab, N.
——; Wicks, S. J.; Mason, R. M.; Chantry, A.
Decorin suppresses transforming growth factor-β-induced expression of plasminogen activator inhibitor-1 in human mesangial cells through a mechanism that involves Ca^{2+}-dependent phosphorylation of Smad2 at serine-240, 362:643
——; Wicks, S. J.; Mason, R. M.; Chantry, A.
Decorin suppresses transforming growth factor-β-induced expression of plasminogen activator inhibitor-1 in human mesangial cells through a mechanism that involves Ca^{2+}-dependent phosphorylation of Smad2 at serine-40: Correction, 366:999
Abdullaev, Z. K.
——; Bodrova, M. E.; Chernyak, B. V.; Dolgikh, D. A.; Kluck, R. M.; Pereverzev, M. O.; Arseniev, A. S.; Efremov, R. G.; Kirpichnikov, M. P.; Mokhova, E. N.; Newmeyer, D. D.; Roder, H.; Skulachev, V. P.
A cytochrome *c* mutant with high electron transfer and antioxidant activities but devoid of apoptogenic effect, 362:749
Abdulrazzak, H. *See* Burton, D.
Abousalham, A.
——; Hobman, T. C.; Dewald, J.; Garbutt, M.; Brindley, D. N.
Cell-permeable ceramides preferentially inhibit coated vesicle formation and exocytosis in Chinese hamster ovary compared with Madin–Darby canine kidney cells by preventing the membrane association of ADP-ribosylation factor, 361:653
Abudu, N. *See* Katterle, B.
Abulimiti, A. *See* Feng, X.
Abumrad, N. A. *See* Brinkmann, J. F. F.
Accornero, P. *See* Ramoni, R.
Acerenza, L. *See* Ortega, F.
Acher, F. *See* Houben, R. J. T. J.
Ackermann, I. *See* Eckhardt, M.
Ackland, M. L. *See* Michalczyk, A. A.
Acosta, D. *See* Touz, M. C.
Adachi, M. *See* Turriziani, O.
Adams, B.
——; Lowe, D. J.; Smith, A. T.; Scazzocchio, C.; Demais, S.; Bray, R. C.
Expression of *Drosophila melanogaster* xanthine dehydrogenase in *Aspergillus nidulans* and some properties of the recombinant enzyme, 362:223
Afzal, I.
——; Cunningham, P.; Naftalin, R. J.
Interactions of ATP, oestradiol, genistein and the anti-oestrogens, faslodex (ICI 182780) and tamoxifen, with the human erythrocyte glucose transporter, GLUT1, 365:707
Aghajanian, S.
——; Worrall, D. M.
Identification and characterization of the gene encoding the human phosphopantetheine adenylyltransferase and dephospho-CoA kinase bifunctional enzyme (CoA synthase), 365:13
Agius, L. *See* Latsis, T.
Ahlroth, M. K. *See* Laitinen, O. H.
Ahmad, S.
——; Evans, W. H.
Post-translational integration and oligomerization of connexin 26 in plasma membranes and evidence of formation of membrane pores: implications for the assembly of gap junctions, 365:693
Ahmed, N.
——; Argirov, O. K.; Minhas, H. S.; Cordeiro, C. A. A.; Thornalley, P. J.
Assay of advanced glycation endproducts (AGEs): surveying AGEs by chromatographic assay with derivatization by 6-aminoquinolyl-*N*-hydroxysuccinimidyl-carbamate and applica'ion to N_ϵ-carboxymethyl-lysine- and N_ϵ-(1-carboxyethyl)lysine-modified albumin, 364:1
——; Thornalley, P. J.
Chromatographic assay of glycation adducts in human serum albumin glycated *in vitro* by derivatization with 6-aminoquinolyl-*N*-hydroxysuccinimidyl-carbamate and intrinsic fluorescence, 364:15
Ahn, Y. *See* Kim, S.-H.
Airenne, K. J. *See* Laitinen, O. H.
Aizawa, T. *See* Kato, Y.
Akazawa, R. *See* Okada, T.
Åkerman, K. E. O. *See* Dunér, T.
Akhtar, M. *See* McCarthy, N. E. M.
Akita, H. *See* Fuda, H.
Albericio, F. *See* Bahbouhi, B.
Albillos, A. *See* Montero, M.
Albrecht, II, R. F. *See* Balyasnikova, I. V.
Aleksandrov, A. *See* Gentzsch, M.
Aleksandrov, L. *See* Gentzsch, M.
Alessi, D. R. *See* Sapkota, G. P.
Alfonso, C. *See* Gasset, M.
Alfonso-Jaume, M. A. *See* Cheng, S.
Alhonen, L.
——; Räsänen, T.-L.; Sinervirta, R.; Parkkinen, J. J.; Korhonen, V.-P.; Pietilä, M.; Jänne, J.
Polyamines are required for the initiation of rat liver regeneration, 362:149
Alkema, W. B. L.
——; Prins, A. K.; de Vries, E.; Janssen, D. B.
Role of αArg^{145} and βArg^{263} in the active site of penicillin acylase of *Escherichia coli*, 365:303
Allan, B. B. *See* Benedetti, A.
Allen, J. *See* Michalczyk, A. A.
Allen, J. W. A.
——; Higham, C. W.; Zajicek, R. S.; Watmough, N. J.; Ferguson, S. J.
A novel, kinetically stable, catalytically active, all-ferric, nitrite-bound complex of *Paracoccus pantotrophus* cytochrome cd_1, 366:883
Allen-Baume, V. *See* Ségui, B.
Allevato, G. *See* Faniello, M. C.
Allewell, N. M. *See* Caldovic, L.
Allison, L. *See* Paredes, R.
Allocati, N.
——; Masulli, M.; Casalone, E.; Santucci, S.; Favaloro, B.; Parker, M. W.; Di Ilio, C.
Glutamic acid-65 is an essential residue for catalysis in *Proteus mirabilis* glutathione S-transferase B1-1, 363:189
Alonso, M. T. *See* Montero, M.
Alpert, E.
——; Gruzman, A.; Totary, H.; Kaiser, N.; Reich, R.; Sasson, S.
A natural protective mechanism against hyperglycaemia in vascular endothelial and smooth-muscle cells: role of glucose and 12-hydroxyeicosatetraenoic acid, 362:413
Alphey, L. *See* Parker, L.
Alvarez, J. *See* Montero, M.
Amaral, M. D. *See* Farinha, C. M.
Amizuka, N. *See* Ito, M.
Amoroso, A. *See* Cioffi, A. V.
Amour, A. *See* Lee, M.-H.
Amri, E.-Z. *See* Larsen, L. K.
Anant, S. *See* Thompson, F. J.
Andersen, B. *See* Latsis, T.
——; Westergaard, N.
The effect of glucose on the potency of two distinct glycogen phosphorylase inhibitors, 367:443
Anderson, H. M. *See* Mohamed, A. A. A.
Andersson, K. K. *See* Katterle, B.
Andó, I. *See* Kurucz, E.
Ando, S. *See* Falcone, S.
Andre, J. *See* Turban, S.
André, S. *See* Wu, A. M.
Andreani, M. *See* Antonio, V.
Andreka, P. *See* Dougherty, C. J.
Andrews, R. K. *See* Marshall, S. J.
Andreyev, A. *See* Kushnareva, Y.
Angelucci, S. *See* De Luca, A.
Aniello, F. *See* Cioffi, A. V.
Anthonioz, P. *See* Attucci, S.
Antinozzi, P. A. *See* Rubí, B.
Antonelli, G. *See* Turriziani, O.
Antonio, V.
——; Brouillet, A.; Janvier, B.; Monne, C.; Bereziat, G.; Andreani, M.; Raymondjean, M.
Transcriptional regulation of the rat type IIA phospholipase A_2 gene by cAMP and interleukin-1β in

© 2003 Biochemical Society

vascular smooth muscle cells: interplay of the CCAAT/enhancer binding protein (C/EBP), nuclear factor-κB and Ets transcription factors, 368:415
Antonopoulou, S.
——; Oikonomou, A.; Karantonis, H. C.; Fragopoulou, E.; Pantazidou, A.
Isolation and structural elucidation of biologically active phospholipids from *Scytonema julianum* (cyanobacteria), 367:287
Antonsson, B. *See* Roucou, X.
Aoki, A. *See* Ideguchi, H.
Aouacheria, A. *See* Lalle, P.
Aoyama, C.
——; Ohtani, A.; Ishidate, K.
Expression and characterization of the active molecular forms of choline/ethanolamine kinase-α and -β in mouse tissues, including carbon tetrachloride-induced liver, 363:777
Arand, M. *See* Summerer, S.
——; Golubev, A. M.; Neto, J. R. B.; Polikarpov, I.; Wattiez, R.; Korneeva, O. S.; Eneyskaya, E. V.; Kulminskaya, A. A.; Shabalin, K. A.; Shishliannikov, S. M.; Chepurnaya, O. V.; Neustroev, K. N.
Purification, characterization, gene cloning and preliminary X-ray data of the exo-inulinase from *Aspergillus awamori*, 362:131
Arango, M. E. *See* Komatsu, M.
Arao, Y.
——; Kikuchi, A.; Ikeda, K.; Nomoto, S.; Horiguchi, H.; Kayama, F.
A+U-rich-element RNA-binding factor 1/heterogeneous nuclear ribonucleoprotein D gene expression is regulated by oestrogen in the rat uterus, 361:125
Arase, K. *See* Snell, D. C.
Arbuzova, A.
——; Schmitz, A. A. P.; Vergères, G.
Cross-talk unfolded: MARCKS proteins, 362:1
Arderiu, G.
——; Díaz-Ricart, M.; Buckley, B.; Escolar, G.; Ordinas, A.
Primary arrest of circulating platelets on collagen involves phosphorylation of Syk, cortactin and focal adhesion kinase: studies under flow conditions, 364:65
Aresta, S.
——; de Tand-Heim, M.-F.; Béranger, F.; de Gunzburg, J.
A novel Rho GTPase-activating-protein interacts with Gem, a member of the Ras superfamily of GTPases, 367:57
Argaraña, C. E. *See* Pezza, R. J.
Argirov, O. K. *See* Ahmed, N.
Arii, Y.
——; Hirose, M.
Probing the serpin structural-transition mechanism in ovalbumin mutant R339T by proteolytic-cleavage kinetics of the reactive-centre loop, 363:403
Ariyanayagam, M. R. *See* Oza, S. L.
Armstrong, C. G. *See* Ross, H.
Armugam, A. *See* Ma, D.
Aronheim, A. *See* Katz, S.
Arosio, P. *See* Bou-Abdallah, F.
Arrigoni, G. *See* Facchin, S.
Arseniev, A. S. *See* Abdullaev, Z. K.
Asazuma, N. *See* Wonerow, P.
Ashcroft, A. E. *See* Venter, H.
Ashley, C. *See* Burton, D.
Asins, G. *See* Rubí, B.
Askari, A. *See* Ivanov, A. V.
Assaraf, Y. G. *See* Rothem, L.
Astoul, C. H. *See* Bourne, Y.
Atkins, J.
——; Luthjens, L. H.; Hom, M. L.; Glynn, P.
Monomers of the catalytic domain of human neuropathy target esterase are active in the presence of phospholipid, 361:119
Atlante, A. *See* Valenti, D.
Attaix, D. *See* Combaret, L.
Attucci, S.
——; Korkmaz, B.; Juliano, L.; Hazouard, E.; Girardin, C.; Brillard-Bourdet, M.; Réhault, S.; Anthonioz, P.; Gauthier, F.
Measurement of free and membrane-bound cathepsin G in human neutrophils using new sensitive fluorogenic substrates, 366:965
Au, A.
——; Gupta, A.; Schembri, P.; Cheeseman, C. I.
Rapid insertion of GLUT2 into the rat jejunal brush-border membrane promoted by glucagon-like peptide 2, 367:247
Aubert, J.-P. *See* Escande, F.
Aubier, M. *See* Lanone, S.
Audette, M. *See* Soulet, D.
Augé, N. *See* Duval, C.
August, A. *See* Tao, L.
Aukett, A. *See* van Kuilenburg, A. B. P.
Aussel, C. *See* Rouquette-Jazdanian, A. K.
Avadhani, N. G. *See* Raza, H.
Avidan, O. *See* Oz, I.
Avigliano, L. *See* Catani, M. V.
Avivi, S.
——; Gedanken, A.
S–S bonds are not required for the sonochemical formation of proteinaceous microspheres: the case of streptavidin, 366:705
Avram, D. *See* Czapski, G. A.
——; Fields, A.; Senawong, T.; Topark-Ngarm, A.; Leid, M.
COUP-TF (chicken ovalbumin upstream promoter transcription factor)-interacting protein 1 (CTIP1) is a sequence-specific DNA binding protein, 368:555
Avvedimento, V. E. *See* Faniello, M. C.
Axelsson, K. A. *See* Thomsson, K. A.
Azam, M.
——; Kesarwani, M.; Chakraborty, S.; Natarajan, K.; Datta, A.
Cloning and characterization of the 5′-flanking region of the oxalate decarboxylase gene from *Flammulina velutipes*, 367:67
Azerad, R. *See* Houben, R. J. T. J.

Baaske, H. *See* van Kuilenburg, A. B. P.
Babior, B. M. *See* Catz, S. D.
Bacchi, C. J. *See* Vujcic, S.
Bach, T. J. *See* Hoeffler, J.-F.
Bachelot-Loza, C. *See* Saci, A.
Backx, M. *See* Morgan, K.
Bagshaw, C. R. *See* Bass, M. D.
Bahbouhi, B.
——; Chazal, N.; Seidah, N. G.; Chiva, C.; Kogan, M.; Albericio, F.; Giralt, E.; Bahraoui, E.
Effects of L- and D-REKR amino acid-containing peptides on HIV and SIV envelope glycoprotein precursor maturation and HIV and SIV replication, 366:863
Bahraoui, E. *See* Bahbouhi, B.
Bai, X.-C.
——; Deng, F.; Liu, A.-L.; Zou, Z.-P.; Wang, Y.; Ke, Z.-Y.; Ji, Q.-S.; Luo, S.-Q.
Phospholipase C-γ1 is required for cell survival in oxidative stress by protein kinase C, 363:395
Baici, A. *See* Zwicky, R.
Bailey, C. J. *See* Gault, V. A.
Bailey, L.
——; Wienke, D.; Howard, M.; Knäuper, V.; Isacke, C. M.; Murphy, G.
Investigation of the role of Endo180/urokinase-type plasminogen activator receptor-associated protein as a collagenase 3 (matrix metalloproteinase 13) receptor, 363:67
Baines, D. L.
——; Janes, M.; Newman, D. J.; Best, O. G.
Oxygen-evoked changes in transcriptional activity of the 5′-flanking region of the human amiloride-sensitive sodium channel (αENaC) gene: role of nuclear factor κB, 364:537
Baker, D. S. *See* Ramli, U. S.
Baker, J. R.
——; Dong, S.; Pritchard, D. G.
The hyaluronan lyase of *Streptococcus pyogenes* bacteriophage H4489A, 365:317
Baldwin, S. A. *See* Fryer, L. G. D.
Ballatori, N. *See* Simmons-Willis, T. A.
Balsinde, J.
——;
Roles of various phospholipases A_2 in providing lysophospholipid acceptors for fatty acid phospholipid incorporation and remodelling, 364:695
Balyasnikova, I. V.
——; Karran, E. H.; Albrecht, II, R. F.; Danilov, S. M.
Epitope-specific antibody-induced cleavage of angiotensin-converting enzyme from the cell surface, 362:585
Bambacioni, F. *See* Turriziani, O.
Bame, K. J.
——; Venkatesan, I.; Dehdashti, J.; McFarlane, J.; Burfeind, R.
Characterization of a novel intracellular heparanase that has a FERM domain, 364:265
Bandyopadhyay, G. *See* Sajan, M. P.
Banfic, H. *See* Crljen, V.
Baracca, A.
——; Barogi, S.; Paolini, S.; Lenaz, G.; Solaini, G.
Fluorescence resonance energy transfer

© 2003 Biochemical Society

between coumarin-derived mitochondrial F_1-ATPase γ subunit and pyrenylmaleimide-labelled fragments of IF_1 and c subunit, 362:165
Barańska, S. *See* Potrykus, K.
Barberá, M. J. *See* Schlüter, A.
Barbier, O. *See* Girard, C.
Barbolina, M. V. *See* Demidkina, T. V.
Barbul, A. *See* Zipser, Y.
Bárcena, J. A. *See* Pedrajas, J. R.
Bardová, K. *See* Flachs, P.
Barik, R. *See* Choudhuri, B. S.
Bark, N. *See* Tjernberg, L. O.
Barker, N. *See* Hurlstone, A. F. L.
Barnes, K. *See* Fryer, L. G. D.
Barofsky, E. *See* Peterson, V. J.
Barogi, S. *See* Baracca, A.
Baron, S. *See* Manin, M.
Barone, G. *See* Del Vecchio, P.
Barra, D. *See* Rinaldi, A. C.
Barra, J. L. *See* Pezza, R. J.
Barre, A. *See* Houlès Astoul, C.
Barritt, G. *See* Ong, H. L.
Barritt, G. J. *See* Wang, Y.-J.
Barsukov, I. G. *See* Bass, M. D.
Barth, H. *See* Hahn, A.
Barton, P. J. R. *See* Clerk, A.
Baruffi, S. *See* Moccia, F.
Bass, M. D.
——; Humphries, M. J.
Cytoplasmic interactions of syndecan-4 orchestrate adhesion receptor and growth factor receptor signalling, 368:1
——; Patel, B.; Barsukov, I. G.; Fillingham, I. J.; Mason, R.; Smith, B. J.; Bagshaw, C. R.; Critchley, D. R.
Further characterization of the interaction between the cytoskeletal proteins talin and vinculin, 362:761
Basu, J. *See* Bhattacharyya, A.
Basuroy, S. *See* Rao, R. K.
Batenburg, J. J. *See* ten Brinke, A.
Bates, J. S. *See* Mitchell, J. L. A.
Baudi, F. *See* Faniello, M. C.
Bauer, C. *See* Wachtel, M.
Bauer, S. *See* Knöfler, M.
Baulard, A. *See* Gurcha, S. S.; Kremer, L.
Baumeister, W. *See* Kurucz, E.
Baumruk, F. *See* Flachs, P.
Bauvois, B. *See* Bouman, L.
Baverel, G. *See* Conjard, A.
Baykov, A. A. *See* Zyryanov, A. B.
Beabealashvilli, R. *See* Menshikov, M.
Beaudoin, C. *See* Manin, M.
Beaumont, C. *See* Tchernitchko, D.
Bebrone, C. *See* de Seny, D.
Bedford, M. T. *See* Espejo, A.
Bedini, A. *See* Sestili, P.
Bednarek, A. *See* Espejo, A.
Bégin, A. *See* Van Calsteren, M.-R.
Behnam, R. *See* Zbikowska, H. M.
Behrmann, I. *See* Haan, C.
Bélanger, A. *See* Girard, C.
Béliveau, R. *See* Forget, M.-A.
Bell, C. J. *See* Hers, I.
Benaim, G. *See* Colina, C.
Bendickson, L. *See* Ryon, J.
Bendixen, C. *See* Krogsdam, A.-M.
Benedetti, A. *See* Gamberucci, A.
——; Fulceri, R.; Allan, B. B.; Houston, P.; Sukhodub, A. L.; Marcolongo, P.; Ethell, B.; Burchell, B.; Burchell, A.
Histone 2A stimulates glucose-6-phosphatase activity by permeabilization of liver microsomes, 367:505
Benen, J. A. E. *See* Williams, M. A. K.
Bengtsson, S. H. M.
——; Madeyski-Bengtson, K.; Nilsson, J.; Bjursell, G.
Transcriptional regulation of the human carboxyl ester lipase gene in THP-1 monocytes: an E-box required for activation binds upstream stimulatory factors 1 and 2, 365:481
Bennett, D. *See* Parker, L.
Bennett, N. *See* Bogdanovic, A.
Bentley, N. M.
——; LaDu, M. J.; Rajan, C.; Getz, G. S.; Reardon, C. A.
Apolipoprotein E structural requirements for the formation of SDS-stable complexes with β-amyloid-(1–40): the role of salt bridges, 366:273
Beppu, T. *See* Nishimura, K.
Béranger, F. *See* Aresta, S.
Berenbaum, F. *See* Thomas, B.
Béréziat, G. *See* Antonio, V.; Thomas, B.
Bergamini, C. M. *See* Griffin, M.
Berger, R. *See* Klomp, A. E. M.
Berglund, H. *See* Woestenenk, E. A.
Berks, B. C. *See* Butler, C. S.
Bernardi, F. *See* Toso, R.
Bernardini, F.
——; Warburton, M. J.
Lysosomal degradation of cholecystokinin-(29–33)-amide in mouse brain is dependent on tripeptidyl peptidase-I: implications for the degradation and storage of peptides in classical late-infantile neuronal ceroid lipofuscinosis, 366:521
Berra-Romani, R. *See* Moccia, F.
Berridge, G.
——; Cramer, R.; Galione, A.; Patel, Sandip
Metabolism of the novel Ca^{2+}-mobilizing messenger nicotinic acid–adenine dinucleotide phosphate via a 2′-specific Ca^{2+}-dependent phosphatase, 365:295
Berrie, C. P. *See* Lupi, R.
Berrin, J.-G. *See* Flatman, R.
Bes, M. T. *See* Hernández, J. A.
Besra, G. S. *See* Gurcha, S. S.
Best, D. *See* Marshall, S. J.
Best, O. G. *See* Baines, D. L.
Betel, D. *See* Zhang, W.
Betz, H. *See* El Far, O.
Beugnet, A. *See* Wang, X.
Beullens, M. *See* Parker, L.
Bevers, E. M. *See* Dekkers, D. W. C.
Bevers, L. *See* Govers, R.
Bevilacqua, M. A. *See* Faniello, M. C.
Beyermann, M. *See* Blomenröhr, M.
Bezprozvanny, I. *See* Nosyreva, E.
Bhakta, S. *See* Choudhuri, B. S.
——; Basu, J.
Overexpression, purification and biochemical characterization of a class A high-molecular-mass penicillin-binding protein (PBP), PBP1* and its soluble derivative from *Mycobacterium tuberculosis*, 361:635
Bhandari, B. K. *See* Senthil, D.
Bhattacharyya, A.
——; Pathak, S.; Datta, S.; Chattopadhyay, S.; Basu, J.; Kundu, M.
Mitogen-activated protein kinases and nuclear factor-κB regulate *Helicobacter pylori*-mediated interleukin-8 release from macrophages, 368:121
Biazzo-Ashnault, D. E. *See* Ding, V. D. H.
Bickle, Q. *See* Kantelhardt, S. R.
Bifani, P. *See* Kremer, L.
Bigard, X. *See* Momken, I.
Bilmen, J. G.
——; Wootton, L. L.; Michelangeli, F.
The inhibition of the sarcoplasmic/endoplasmic reticulum Ca^{2+}-ATPase by macrocyclic lactones and cyclosporin A, 366:255
Bindslev, L. *See* Thodeti, C. K.
Binétruy, B. *See* Bost, F.
Binnington, B. *See* Mylvaganam, M.
Biosca, J. A. *See* Larroy, C.
Birss, A. J. *See* Smalley, J. W.
Bishop, B. *See* Murphy, J. J.
Bishopric, N. H. *See* Dougherty, C. J.
Bjursell, G. *See* Bengtsson, S. H. M.
Blackwell, J. M. *See* Mulero, V.
Blair, H. C.
——; Zaidi, M.; Schlesinger, P. H.
Mechanisms balancing skeletal matrix synthesis and degradation, 364:329
Blakey, D.
——; Leech, A.; Thomas, G. H.; Coutts, G.; Findlay, K.; Merrick, M.
Purification of the *Escherichia coli* ammonium transporter AmtB reveals a trimeric stoichiometry, 364:527
Blank, J. L. *See* Burdon, D.
Blank, U. *See* Coppola, T.
Blée, E. *See* Summerer, S.
Blomeley, R. C. *See* Michalczyk, A. A.
Blomenröhr, M.
——; ter Laak, T.; Kühne, R.; Beyermann, M.; Hund, E.; Bogerd, J.; Leurs, R.
Chimaeric gonadotropin-releasing hormone (GnRH) peptides with improved affinity for the catfish (*Clarias gariepinus*) GnRH receptor, 361:515
Blommaart, E. F. C. *See* Dubbelhuis, P. F.
Bloor, D. J. *See* Knöfler, M.
Bloss, G. *See* Kunz, M.
Blumberg, R. S. *See* Zhu, X.
Board, P. G. *See* Coggan, M.
Bobe, R. *See* Wonerow, P.
Bobichon, H. *See* Lalle, P.
Bobik, A. *See* Menshikov, M.
Boczkowski, J. *See* Lanone, S.
Bodnar, R. *See* Niu, J.
Bodrova, M. E. *See* Abdullaev, Z. K.
Bogdanovic, A.
——; Bennett, N.; Kieffer, S.; Louwagie, M.; Morio, T.; Garin, J.; Satre, M.; Bruckert, F.
Syntaxin 7, syntaxin 8, Vti1 and VAMP7 (vesicle-associated membrane protein 7) form an active SNARE complex for early

© 2003 Biochemical Society

macropinocytic compartment fusion in *Dictyostelium discoideum*, 368:29
Bogerd, J. *See* Blomenröhr, M.
Bohlin, L. *See* Li, S.-S.
Böhm, K. J. *See* Sulimenko, V.
Bois-Joyeux, B. *See* Chauvet, C.
Boldt, H. B. *See* Laursen, L. S.
Bollen, M. *See* Parker, L.
Bomalaski, J. S. *See* Thomas, J. B.
Bonday, Z. Q. *See* Varadharajan, S.
Bonen, A. *See* Luiken, J. J. F. P.
Bootsma, A. H. *See* Silva, M. F. B.
Boraston, A. B.
——; Ghaffari, M.; Warren, R. A. J.; Kilburn, D. G.
Identification and glucan-binding properties of a new carbohydrate-binding module family, 361:35
Borensztajn, J. *See* Fu, T.
Born, E. *See* Field, F. J.
Borradaile, N. M.
——; de Dreu, L. E.; Wilcox, L. J.; Edwards, J. Y.; Huff, M. W.
Soya phytoestrogens, genistein and daidzein, decrease apolipoprotein B secretion from HepG2 cells through multiple mechanisms, 366:531
Bosch, F. *See* Riu, E.
Boschetti, A. *See* Invernizzi, C.
Bost, F.
——; Caron, L.; Marchetti, I.; Dani, C.; Le Marchand-Brustel, Y.; Binétruy, B.
Retinoic acid activation of the ERK pathway is required for embryonic stem cell commitment into the adipocyte lineage, 361:621
Botelho, R. J. *See* Vieira, O. V.
Bou-Abdallah, F.
——; Papaefthymiou, G. C.; Scheswohl, D. M.; Stanga, S. D.; Arosio, P.; Chasteen, N. D.
μ-1,2-Peroxobridged di-iron(III) dimer formation in human H-chain ferritin, 364:57
Boudeau, J. *See* Sapkota, G. P.
Bou-Hanna, C. *See* Le Goffe, C.
Bouhin, H. *See* Royer, V.
Bouhours, J.-F. *See* Le Goffe, C.
Boulatnikov, I. *See* Tuganova, A.
Bouman, L.
——; Sancéau, J.; Rouillard, D.; Bauvois, B.
γ-Glutamyl transpeptidase expression in Ewing's sarcoma cells: up-regulation by interferons, 364:719
Bourgeois, M. *See* Tchernitchko, D.
Bouriel, M. *See* D'Andrea, S.
Bourne, Y. *See* Houlès Astoul, C.
——; Astoul, C. H.; Zamboni, V.; Peumans, W. J.; Menu-Bouaouiche, L.; Van Damme, E. J. M.; Barre, A.; Rougé, P.
Structural basis for the unusual carbohydrate-binding specificity of jacalin towards galactose and mannose, 364:173
Bouřová, L. *See* Flachs, P.
Bouvier, J. *See* Corradin, S.
Bowditch, R. D. *See* Tani, P. H.
Bowmaker, J. K. *See* Cowing, J. A.
Boyd, A. P. *See* Taschner, S.
Boyer, T. D. *See* Voss, S. H.
Bozzi, A. *See* Rinaldi, A. C.
Bracale, A.
——; Spalletti-Cernia, D.; Mastronicola, M.; Castaldi, F.; Mannucci, R.; Nitsch, L.; D'Alessio, G.
Essential stations in the intracellular pathway of cytotoxic bovine seminal ribonuclease, 362:553
Bradford, M. D.
——; Soltoff, S. P.
$P2X_7$ receptors activate protein kinase D and p42/p44 mitogen-activated protein kinase (MAPK) downstream of protein kinase C, 366:745
Brady, J. *See* Nekhai, S.
Brand, M. D. *See* Jekabsons, M. B.
——; Pamplona, R.; Portero-Otín, M.; Requena, J. R.; Roebuck, S. J.; Buckingham, J. A.; Clapham, J. C.; Cadenas, S.
Oxidative damage and phospholipid fatty acyl composition in skeletal muscle mitochondria from mice underexpressing or overexpressing uncoupling protein 3, 368:597
Branno, M. *See* Cioffi, A. V.
Brash, A. R. *See* Thuillier, P.
Braulke, T. *See* Muschol, N.
Brautigan, D. L. *See* Deng, J. T.
Bray, R. C. *See* Adams, B.
Brazier, M. *See* Brown, A. P.
Brdička, T. *See* Wonerow, P.
Bredeston, L. M.
——; Rega, A. F.
Pre-steady-state phosphorylation and dephosphorylation of detergent-purified plasma-membrane Ca^{2+}-ATPase, 361:355
Bredin, J.
——; Saint, N.; Malléa, M.; Dé, E.; Molle, G.; Pagès, J.-M.; Simonet, V.
Alteration of pore properties of *Escherichia coli* OmpF induced by mutation of key residues in anti-loop 3 region, 363:521
Breittmayer, J.-P. *See* Rouquette-Jazdanian, A. K.
Brennan, P. J. *See* Kremer, L.
Brenneisen, P.
——; Wlaschek, M.; Schwamborn, E.; Schneider, L.-A.; Ma, W.; Sies, H.; Scharffetter-Kochanek, K.
Activation of protein kinase CK2 is an early step in the ultraviolet B-mediated increase in interstitial collagenase (matrix metalloproteinase-1; MMP-1) and stromelysin-1 (MMP-3) protein levels in human dermal fibroblasts, 365:31
Brereton, H. *See* Ong, H. L.
Briand-Mésange, F. *See* Gueguen, G.
Briassouli, P. *See* Plows, D.
Briat, J.-F. *See* Léon, S.
Brichard, S. M. *See* Delporte, M.-L.
Brillard-Bourdet, M. *See* Attucci, S.
Brindle, K. M. *See* Harper, J. A.
Brindley, D. N. *See* Abousalham, A.
Brinkmann, J. F. F.
——; Abumrad, N. A.; Ibrahimi, A.; Vusse, G. J.; Glatz, J. F. C.
New insights into long-chain fatty acid uptake by heart muscle: a crucial role for fatty acid translocase/CD36, 367:561
Britton, C. *See* Thompson, F. J.
Broadbridge, R. *See* Smith, W. S.
Brock, J. H. *See* Mulero, V.
Brooks, N. D.
——; Grundy, J. E.; Lavigne, N.; Derry, M. C.; Restall, C. M.; MacKenzie, C. R.; Waisman, D. M.; Pryzdial, E. L. G.
Ca^{2+}-dependent and phospholipid-independent binding of annexin 2 and annexin 5, 367:895
Brough, C. *See* Brown, A. P.
Brouillet, A. *See* Antonio, V.
Brouns, S. J. J. *See* Kaper, T.
Brown, A. K. *See* Kremer, L.
Brown, A. P.
——; Carnaby, S.; Brough, C.; Brazier, M.; Slabas, A. R.
Limnanthes douglasii lysophosphatidic acid acyltransferases: immunological quantification, acyl selectivity and functional replacement of the *Escherichia coli plsC* gene, 364:795
Brown, D. R. *See* Thackray, A. M.
Brown, K. D. *See* Pascall, J. C.
Brown, P. R. *See* Novo, C.
Brown, S. E. *See* Semple, J. I.
Brubaker, P. L. *See* Liu, Y.
Bruckert, F. *See* Bogdanovic, A.
Brun, V. *See* Conjard, A.
Brüne, B. *See* Klein, S. D.
Bruni, P. *See* Meacci, E.
Brunk, U. T. *See* Neuzil, J.
Bruschi, S. A. *See* Cooper, A. J. L.
Bu, Z. *See* Tjernberg, L. O.
Buchanan, S. K. *See* Oakhill, J. S.
Buckingham, J. A. *See* Brand, M. D.
Buckland, R. *See* Malaud, E.
Buckley, B. *See* Arderiu, G.
Buckner, F. S.
——; Kateete, D. P.; Lubega, G. W.; Van Voorhis, W. C.; Yokoyama, K.
Trypanosoma brucei prenylated-protein carboxyl methyltransferase prefers farnesylated substrates, 367:809
Buisine, M.-P. *See* Escande, F.
Bujdoso, R. *See* Thackray, A. M.
Bulina, M. E. *See* Fradkov, A. F.
Bulmer, K. *See* Holness, M. J.; Sugden, M. C.
Buntinas, L. *See* Düfer, M.
Burch, J. B. *See* Ryan, C. A.
Burchell, A. *See* Benedetti, A.
Burchell, B. *See* Benedetti, A.
Burdon, D.
——; Patel, R.; Challiss, R. A. J.; Blank, J. L.
Growth inhibition by the muscarinic M_3 acetylcholine receptor: evidence for $p21^{Cip1/Waf1}$ involvement in G_1 arrest, 367:549
Burfeind, R. *See* Bame, K. J.
Burger, H.-J. *See* Dubbelhuis, P. F.
Burgoyne, R. D. *See* Ivings, L.
Burkard, G. *See* Invernizzi, C.
Burke, P. A. *See* Li, X.
Burnol, A.-F. *See* Guillemain, G.
Burton, D.
——; Abdulrazzak, H.; Knott, A.; Elliott, K.; Redwood, C.; Watkins, H.; Marston, S.; Ashley, C.
Two mutations in troponin I that cause hypertrophic cardiomyopathy have contrasting effects on cardiac muscle contractility, 362:443
Busby, S. J. W. *See* El-Robh, M. S.

© 2003 Biochemical Society

Butler, C. S.
——; Fairhurst, S. A.; Ferguson, S. J.; Thomson, A. J.; Berks, B. C.; Richardson, D. J.
Mo(V) co-ordination in the periplasmic nitrate reductase from *Paracoccus pantotrophus* probed by electron nuclear double resonance (ENDOR) spectroscopy, 363:817
Butovich, I. A.
——; Reddy, C. C.
Inhibition of potato lipoxygenase by linoleyl hydroxamic acid: kinetic and EPR spectral evidence for a two-step reaction, 365:865
Butt, J. N. *See* Rasmussen, T.
Butters, T. D. *See* Mellor, H. R.

Cabantchik, Z. I. *See* Kakhlon, O.
Cacan, R. *See* Foulquier, F.
Cadenas, S. *See* Brand, M. D.
Cadwallader, G. *See* Gibson, L. C. D.
Cai, J. *See* Du, X.
Calabresi, L. *See* Eberini, I.
Caldovic, L.
——; Morizono, H.; Yu, X.; Thompson, M.; Shi, D.; Gallegos, R.; Allewell, N. M.; Malamy, M. H.; Tuchman, M.
Identification, cloning and expression of the mouse *N*-acetylglutamate synthase gene, 364:825
Callaway, D. J. E. *See* Tjernberg, L. O.
Callaway, E. C. *See* Zhang, Y.
Callebaut, C. *See* Ginés, S.
Callebert, J. *See* Lanone, S.
Callewaert, G. *See* Sienaert, I.
Cambillau, C. *See* Ramoni, R.
Campbell, R. D. *See* Semple, J. I.
Candelon, T. *See* Le Goffe, C.
Canela, E. I. *See* Ginés, S.
Cannon, B. *See* Thonberg, H.
Cantoni, O. *See* Sestili, P.
Cao, X.
——; Kambe, F.; Miyazaki, T.; Sarkar, D.; Ohmori, S.; Seo, H.
Novel human ZAKI-4 isoforms: hormonal and tissue-specific regulation and function as calcineurin inhibitors, 367:459
Capano, M.
——; Crompton, M.
Biphasic translocation of Bax to mitochondria, 367:169
——; Virji, S.; Crompton, M.
Cyclophilin-A is involved in excitotoxin-induced caspase activation in rat neuronal B50 cells, 363:29
Carde, J.-P. *See* Klostermann, E.
Carignani, G. *See* Facchin, S.
Carlier, E. *See* di Luccio, E.
Carling, D. *See* Fryer, L. G. D.
Carlsson, S. R. *See* Lundmark, R.
Carlstedt, I. *See* Nordman, H.
Carmona, A. K. *See* Cezari, M. H. S.
Carmona, C. *See* Touz, M. C.
Carnaby, S. *See* Brown, A. P.
Carnevalli, L. S. *See* Hashimoto, N. N.
Caron, L. *See* Bost, F.
Carrasco, S. *See* de la Roche, M. A.
Carraway, K. L. *See* Komatsu, M.
Carrega, L. *See* di Luccio, E.
Carrère, S. *See* Kremer, L.
Carroll, J. L. *See* Mallampalli, R. K.
Carroll, M. W. *See* Woods, A. M.
Cartel, N. J.
——; Wang, J.; Post, M.
Platelet-derived growth factor-BB-mediated glycosaminoglycan synthesis is transduced through Akt, 363:19
Carter, S. *See* Wroblewski, L. E.
Cartron, M. L.
——; Roldán, M. D.; Ferguson, S. J.; Berks, B. C.; Richardson, D. J.
Identification of two domains and distal histidine ligands to the four haems in the bacterial *c*-type cytochrome NapC: the prototype connector between quinol/quinone and periplasmic oxido-reductases, 368:425
Casadio, R. *See* Griffin, M.
Casadó, V. *See* Ginés, S.
Casal, M. *See* Paiva, S.
Casalone, E. *See* Allocati, N.
Casciola-Rosen, L. *See* Mahoney, J. A.
Casero, Jr, R. A. *See* Wang, Y.
Cassany, A. *See* Guillemain, G.
Castaldi, F. *See* Bracale, A.
Casteilla, L. *See* Duval, C.
Castelli, L. *See* Moccia, F.
Castilho, B. A. *See* Hashimoto, N. N.
Castoldi, M.
——; Chu, M.-L.
Structural and functional characterization of the human and mouse fibulin-1 gene promoters: role of Sp1 and Sp3, 362:41
Catani, M. V.
——; Costanzo, A.; Savini, I.; Levrero, M.; De Laurenzi, V.; Wang, J. Y. J.; Melino, G.; Avigliano, L.
Ascorbate up-regulates MLH1 (Mut L homologue-1) and p73: implications for the cellular response to DNA damage, 364:441
Catheline, D. *See* D'Andrea, S.
Catterall, J. F. *See* Soler, M.
Catz, S. D.
——; Babior, B. M.; Johnson, J. L.
JFC1 is transcriptionally activated by nuclear factor-κB and up-regulated by tumour necrosis factor α in prostate carcinoma cells, 367:791
Cejudo, F. J. *See* Serrato, A. J.
Celis, J. E. *See* van der Vlies, D.
Cencetti, F. *See* Meacci, E.
Cenni, V.
——; Döppler, H.; Sonnenburg, E. D.; Maraldi, N.; Newton, A. C.; Toker, A.
Regulation of novel protein kinase C ϵ by phosphorylation, 363:537
Cerchia, L. *See* Guagliardi, A.
Cerioni, L. *See* Sestili, P.
Cerniglia, C. E. *See* Cha, C.-J.
Cervino, V. *See* Colina, C.
Cesaro, L. *See* Facchin, S.
Cezari, M. H. S.
——; Puzer, L.; Juliano, M. A.; Carmona, A. K.; Juliano, L.
Cathepsin B carboxydipeptidase specificity analysis using internally quenched fluorescent peptides, 368:365
Cha, C.-J.
——; Kim, S.-J.; Kim, Y.-H.; Stingley, R.; Cerniglia, C. E.
Molecular cloning, expression and characterization of a novel class glutathione S-transferase from the fungus *Cunninghamella elegans*, 368:589
Chakrabarti, P. *See* Choudhuri, B. S.
Chakraborty, S. *See* Azam, M.
Challiss, R. A. J. *See* Burdon, D.
Chanas, S. A.
——; Jiang, Q.; McMahon, M.; McWalter, G. K.; McLellan, L. I.; Elcombe, C. R.; Henderson, C. J.; Wolf, C. R.; Moffat, G. J.; Itoh, K.; Yamamoto, M.; Hayes, J. D.
Loss of the Nrf2 transcription factor causes a marked reduction in constitutive and inducible expression of the glutathione S-transferase *Gsta1*, *Gsta2*, *Gstm1*, *Gstm2*, *Gstm3* and *Gstm4* genes in the livers of male and female mice, 365:405
Chang, J.-Y. *See* Lu, B.-Y.
Chang, W. T. *See* Jain, R. K.
Chang, Z. *See* Feng, X.
Chantry, A. *See* Abdel-Wahab, N.
Chap, H. *See* Gueguen, G.
Chapman, E. R. *See* Tucker, W. C.
Chapman, N. R.
——; Webster, G. A.; Gillespie, P. J.; Wilson, B. J.; Crouch, D. H.; Perkins, N. D.
A novel form of the RelA nuclear factor κB subunit is induced by and forms a complex with the proto-oncogene c-Myc, 366:459
Charest-Gaudreault, R. *See* Soulet, D.
Charrier, L. *See* Le Goffe, C.
Chasteen, N. D. *See* Bou-Abdallah, F.
Chataway, T. *See* Ong, H. L.
Chattopadhyay, D. *See* Recacha, R.
Chattopadhyay, S. *See* Bhattacharyya, A.
Chauhan, R.
——; Mande, S. C.
Site-directed mutagenesis reveals a novel catalytic mechanism of *Mycobacterium tuberculosis* alkylhydroperoxidase C, 367:255
Chauvet, C.
——; Bois-Joyeux, B.; Danan, J.-L.
Retinoic acid receptor-related orphan receptor (ROR) α4 is the predominant isoform of the nuclear receptor RORα in the liver and is up-regulated by hypoxia in HepG2 human hepatoma cells, 364:449
Chayama, K. *See* Sakomoto, M.
Chazal, N. *See* Bahbouhi, B.
Che, F.-Y. *See* Mzhavia, N.
Cheeseman, C. I. *See* Au, A.
Chen, A. *See* Hu, N.-T.
——;
Acetaldehyde stimulates the activation of latent transforming growth factor-β1 and induces expression of the type II receptor of the cytokine in rat cultured hepatic stellate cells, 368:683
——; Zhang, L.; Xu, J.; Tang, J.
The antioxidant (−)-epigallocatechin-3-gallate inhibits activated hepatic stellate cell growth and suppresses acetaldehyde-induced gene expression, 368:695
Chen, C.-S. *See* Johnson, A. J.
Chen, F.
——; Ogawa, K.; Liu, X.; Stringfield, T. M.; Chen, Yan
Repression of Smad2 and Smad3

© 2003 Biochemical Society

transactivating activity by association with a novel splice variant of CCAAT-binding factor C subunit, 364:571
Chen, J. *See* Ong, H. L.
Chen, L. *See* Mei, B.
——; Couchman, J. R.; Smith, J.; Woods, Anne
Molecular characterization of chicken syndecan-2 proteoglycan, 366:481
Chen, L.-Y. *See* Hu, N.-T.
Chen, Q. *See* Zolfaghari, R.
Chen, S.-C. *See* Hu, N.-T.
Chen, X. *See* Jia, J.
Chen, Yan *See* Chen, F.
Chen, Ying
——; Rougé, P.; Peumans, W. J.; Van Damme, E. J. M.
Mutational analysis of the carbohydrate-binding activity of the NeuAc(α-2,6)Gal/GalNAc-specific type 2 ribosome-inactivating protein from elderberry (*Sambucus nigra*) fruits, 364:587
Chen, Y.-M. *See* Yu, C.-J.
Chen, Y.-R. *See* Qian, S. Y.
——; Mason, R. P.
Mechanism in the reaction of cytochrome *c* oxidase with organic hydroperoxides: an ESR spin-trapping investigation, 365:461
Chen, Y.-W. *See* Lang, M. L.
Chen, Z. *See* Inoue, K.
Cheng, H.
——; Yibchok-Anun, S.; Park, S.-C.; Hsu, W. H.
Somatostatin-induced paradoxical increase in intracellular Ca^{2+} concentration and insulin release in the presence of arginine vasopressin in clonal HIT-T15 β-cells, 364:33
Cheng, S.
——; Alfonso-Jaume, M. A.; Mertens, P. R.; Lovett, D. H.
Tumour metastasis suppressor, nm23-β, inhibits gelatinase A transcription by interference with transactivator Y-box protein-1 (YB-1), 366:807
Chepurnaya, O. V. *See* Arand, M.
Chernoff, J. *See* Dadke, S.
Chernyak, B. V. *See* Abdullaev, Z. K.
Cheung, P. C. F. *See* Kimber, W. A.
Chevallet, M. *See* Wagner, E.
Chi, N.-W. *See* Sbodio, J. I.
Chignell, C. F. *See* Qian, S. Y.
Chikazawa, Y. *See* Ono, T.
Chini, C. C. S. *See* Chini, E. N.
Chini, E. N.
——; Chini, C. C. S.; Kato, I.; Takasawa, S.; Okamoto, H.
CD38 is the major enzyme responsible for synthesis of nicotinic acid–adenine dinucleotide phosphate in mammalian tissues, 362:125
Chioato, L. *See* Ward, R. J.
——; de Oliveira, A. H. C.; Ruller, R.; Sá, J. M.; Ward, R. J.
Distinct sites for myotoxic and membrane-damaging activities in the C-terminal region of a Lys^{49}-phospholipase A_2, 366:971
Chir, J.
——; Withers, S.; Wan, C.-F.; Li, Y.-K.
Identification of the two essential groups in the family 3 β-glucosidase from *Flavobacterium meningosepticum* by labelling and tandem mass spectrometric analysis, 365:857
Chirat, F. *See* Foulquier, F.
Chirico, G. *See* Faniello, M. C.
Chitlaru, T.
——; Kronman, C.; Velan, B.; Shafferman, A.
Overloading and removal of N-glycosylation targets on human acetylcholinesterase: effects on glycan composition and circulatory residence time, 363:619
Chiva, C. *See* Bahbouhi, B.
Cho, H. *See* Yoon, G.
Cho, S.-H. *See* Lee, M.
Choe, Y. *See* Singh, A.
Choi, E. *See* Chun, Y.-S.
Choi, E.-C. *See* Park, S.-H.
Choi, K.-Y. *See* Kim, S.-H.
Choi, K. Y. *See* Kang, B. H.
Choudhuri, B. S.
——; Bhakta, S.; Barik, R.; Basu, J.; Kundu, M.; Chakrabarti, P.
Overexpression and functional characterization of an ABC (ATP-binding cassette) transporter encoded by the genes *drrA* and *drrB* of *Mycobacterium tuberculosis*, 367:279
Chouinard, N.
——; Valerie, K.; Rouabhia, M.; Huot, J.
UVB-mediated activation of p38 mitogen-activated protein kinase enhances resistance of normal human keratinocytes to apoptosis by stabilizing cytoplasmic p53, 365:133
Chow, L.-P. *See* Yu, C.-J.
Chowdhury, A. R.
——; Sharma, S.; Mandal, S.; Goswami, A.; Mukhopadhyay, S.; Majumder, H. K.
Luteolin, an emerging anti-cancer flavonoid, poisons eukaryotic DNA topoisomerase I, 366:653
Chrétien, M. *See* Croissandeau, G.
Christensen, B. M. *See* Han, Q.
Christiansen, J. *See* Pedersen, S. K.
Christman, S. A. *See* Kim, H.
Chtarbova, S.
——; Nimmrich, I.; Erdmann, S.; Herter, P.; Renner, M.; Kitajewski, J.; Müller, O.
Murine Nr4a1 and Herpud1 are up-regulated by Wnt-1, but the homologous human genes are independent from β-catenin activation, 367:723
Chu, M.-L. *See* Castoldi, M.
Chuah, M. I. *See* Chung, R. S.
Chumley, M. J. *See* Sprott, K. M.
Chun, Y.-S.
——; Choi, E.; Kim, T.-Y.; Kim, M.-S.; Park, J.-W.
A dominant-negative isoform lacking exons 11 and 12 of the human hypoxia-inducible factor-1α gene, 362:71
Chung, R. S.
——; Holloway, A. F.; Eckhardt, B. L.; Harris, J. A.; Vickers, J. C.; Chuah, M. I.; West, A. K.
Sheep have an unusual variant of the brain-specific metallothionein, metallothionein-III, 365:323, 365:903
Cimino, F. *See* Faniello, M. C.
Cioffi, A. V.
——; Ferrara, D.; Cubellis, M. V.; Aniello, F.; Corrado, M.; Liguori, F.; Amoroso, A.; Fucci, L.; Branno, M.
An open reading frame in intron seven of the sea urchin DNA-methyltransferase gene codes for a functional AP1 endonuclease, 365:833
Claeson, P. *See* Li, S.-S.
Claessens, F. *See* Verrijdt, G.
Clapham, J. C. *See* Brand, M. D.
Claridge, T. D. *See* McNeill, L. A.
Clark, A. R. *See* Dean, J. L. E.
Clark, B. F. C. *See* Mansilla, F.
Clark, I. M. *See* Young, D. A.
Clark, J. B. *See* Sharpe, M. A.
Clark, M. A. *See* Thomas, J. B.
Clarke, S. J. *See* McStay, G. P.
Clarkson, T. W. *See* Simmons-Willis, T. A.
Clauss, A.
——; Lilja, H.; Lundwall, A.
A locus on human chromosome 20 contains several genes expressing protease inhibitor domains with homology to whey acidic protein, 368:233
Claustre, A. *See* Combaret, L.
Clemens, J. C. *See* Muda, M.
Clemente, A. *See* Novo, C.
Clementi, E. *See* Falcone, S.
Clerk, A.
——; Kemp, T. J.; Harrison, J. G.; Mullen, A. J.; Barton, P. J. R.; Sugden, P. H.
Up-regulation of c-*jun* mRNA in cardiac myocytes requires the extracellular signal-regulated kinase cascade, but c-Jun N-terminal kinases are required for efficient up-regulation of c-Jun protein, 368:101
Clevers, H. *See* Hurlstone, A. F. L.
Clifton, I. J. *See* Elkins, J. M.
Clish, C. B. *See* Zhang, Y.-Y.
Closs, E. I. *See* Wolf, S.
Cockcroft, S. *See* Ségui, B.
Coddington-Lawson, S. J. *See* Lott, J. S.
Coggan, M.
——; Flanagan, J. U.; Parker, M. W.; Vichai, V.; Pearson, W. R.; Board, P. G.
Identification and characterization of GSTT3, a third murine Theta class glutathione transferase, 366:323
Cohen, P. *See* Hospital, V.
Colacino, J. *See* Du, M. X.
Colantuoni, V. *See* Faniello, M. C.
Colas, P. *See* Lalle, P.
Cole, S. P. C. *See* Lok, C.-N.
Colina, C.
——; Cervino, V.; Benaim, G.
Ceramide and sphingosine have an antagonistic effect on the plasma-membrane Ca^{2+}-ATPase from human erythrocytes, 362:247
Collard, F. *See* Delpierre, G.
Collins, C. *See* Giles, G. I.
Combadière, C. *See* Garin, A.
Combaret, L.
——; Tilignac, T.; Claustre, A.; Voisin, L.; Taillandier, D.; Obled, C.; Tanaka, Keiji; Attaix, D.
Torbafylline (HWA 448) inhibits

© 2003 Biochemical Society

enhanced skeletal muscle ubiquitin–proteasome-dependent proteolysis in cancer and septic rats, 361:185
Combrinck, J. M. *See* Egan, T. J.
Comfurius, P. *See* Dekkers, D. W. C.
Compton, S. J.
——; Sandhu, S.; Wijesuriya, S. J.; Hollenberg, M. D.
Glycosylation of human proteinase-activated receptor-2 ($hPAR_2$): role in cell surface expression and signalling, 368:495
Conjard, A.
——; Brun, V.; Martin, M.; Baverel, G.; Ferrier, B.
Effect of starvation on glutamine ammoniagenesis and gluconeogenesis in isolated mouse kidney tubules, 368:301
Conley, A. A. *See* Kaczynski, J. A.
Conlon, J. M. *See* Dunér, T.
Conover, C. A. *See* Laursen, L. S.
Conzelmann, E. *See* Cuebas, D. A.
Cook, S. J. *See* Squires, M. S.
Cooke, F. T. *See* Desrivières, S.
Cooper, A. J. L.
——; Bruschi, S. A.; Iriarte, A.; Martinez-Carrion, M.
Mitochondrial aspartate aminotransferase catalyses cysteine S-conjugate β-lyase reactions, 368:253
Cooper, C. E. *See* Voevodskaya, N. V.
Cooper, M. A. *See* Krugmann, S.
Coort, S. L. M. *See* Luiken, J. J. F. P.
Coppola, T.
——; Perret-Menoud, V.; Gattesco, S.; Magnin, S.; Pombo, I.; Blank, U.; Regazzi, R.
The death domain of Rab3 guanine nucleotide exchange protein in GDP/GTP exchange activity in living cells, 362:273
Corda, D. *See* Lupi, R.
Cordat, E. *See* Quilty, J. A.
Cordeiro, C. A. A. *See* Ahmed, N.
Cornah, J. E.
——; Roper, J. M.; Singh, D. P.; Smith, A. G.
Measurement of ferrochelatase activity using a novel assay suggests that plastids are the major site of haem biosynthesis in both photosynthetic and non-photosynthetic cells of pea (*Pisum sativum* L.), 362:423
Corradin, G. *See* Corradin, S.
Corradin, S.
——; Ransijn, A.; Corradin, G.; Bouvier, J.; Delgado, M. B.; Fernandez-Carneado, J.; Mottram, J. C.; Vergères, G.; Mauël, J.
Novel peptide inhibitors of *Leishmania* gp63 based on the cleavage site of MARCKS (myristoylated alanine-rich C kinase substrate)-related protein, 367:761
Corrado, M. *See* Cioffi, A. V.
Costa, M. *See* Gonelle-Gispert, C.
Costanzo, A. *See* Catani, M. V.
Costanzo, F. *See* Faniello, M. C.
Costanzo, M. J. *See* Recacha, R.
Costello, C. E. *See* Gurcha, S. S.
Côté, G. P. *See* de la Roche, M. A.
Côté, J. *See* Espejo, A.
Cottam, D. M. *See* Siviter, R. J.
Couchman, J. R. *See* Chen, L.
Coumans, W. A. *See* Luiken, J. J. F. P.
Cousin, J.-L. *See* Rouquette-Jazdanian, A. K.
Coutts, G. *See* Blakey, D.
Covassin, L. *See* Soulet, D.
Cowell, J. K. *See* Lauffart, B.
Cowing, J. A.
——; Poopalasundaram, S.; Wilkie, S. E.; Robinson, P. R.; Bowmaker, J. K.; Hunt, D. M.
The molecular mechanism for the spectral shifts between vertebrate ultraviolet- and violet-sensitive cone visual pigments, 367:129
Craik, C. S. *See* Singh, A.
Cramer, R. *See* Berridge, G.
Cremo, C. *See* Pearson, D. S.
Crick, D. C. *See* Gurcha, S. S.
Critchley, D. R. *See* Bass, M. D.
Crljen, V.
——; Volinia, S.; Banfic, H.
Hepatocyte growth factor activates phosphoinositide 3-kinase C2β in renal brush-border plasma membranes, 365:791
Croft, K. D. *See* Morton, L. W.
Croissandeau, G.
——; Chrétien, M.; Mbikay, M.
Involvement of matrix metalloproteinases in the adipose conversion of 3T3-L1 preadipocytes, 364:739
Crompton, M. *See* Capano, M.
Crouch, D. H. *See* Chapman, N. R.; Kelly, V. P.
Crouch, E. C. *See* Hartshorn, K. L.
Csortos, C. *See* Kiss, E.
Cubellis, M. V. *See* Cioffi, A. V.
Cuchillo-Ibáñez, I. *See* Montero, M.
Cuda, G. *See* Faniello, M. C.
Cuebas, D. A.
——; Phillips, C.; Schmitz, W.; Conzelmann, E.; Novikov, D. K.
The role of α-methylacyl-CoA racemase in bile acid synthesis, 363:801
Cuezva, J. M. *See* Ricart, J.
Culbert, A. A. *See* Hurd, T. W.
Culotta, V. C. *See* Portnoy, M. E.
Cummings, R. *See* Wang, L.
Cunningham, A. C.
——; Hasty, K. A.; Enghild, J. J.; Mast, A. E.
Structural and functional characterization of tissue factor pathway inhibitor following degradation by matrix metalloproteinase-8, 367:451
Cunningham, P. *See* Afzal, I.
Curtis, M.
——; Nikolopoulos, S. N.; Turner, C. E.
Actopaxin is phosphorylated during mitosis and is a substrate for cyclin B1/cdc2 kinase, 363:233
Czapski, G. A.
——; Avram, D.; Sakharov, D. V.; Wirtz, K. W. A.; Strosznajder, J. B.; Pap, E. H. W.
Activated neutrophils oxidize extracellular proteins of endothelial cells in culture: effect of nitric oxide donors, 365:897
Czyż, A. *See* Słomińska, M.
Dadke, S.
——; Chernoff, J.
Interaction of protein tyrosine phosphatase (PTP) 1B with its substrates is influenced by two distinct binding domains, 364:377
Dahiya, M. *See* Rajamohan, G.
Dahl, E. L. *See* Moran, J. A.
D'Alessio, G. *See* Bracale, A.
Danan, J.-L. *See* Chauvet, C.
D'Andrea, S.
——; Guillou, H.; Jan, S.; Catheline, D.; Thibault, J.-N.; Bouriel, M.; Rioux, V.; Legrand, P.
The same rat Δ6-desaturase not only acts on 18- but also on 24-carbon fatty acids in very-long-chain polyunsaturated fatty acid biosynthesis, 364:49
Dangelmaier, C. *See* Quinton, T. M.
Dani, C. *See* Bost, F.
Dani, M. P. *See* Siviter, R. J.
Dani, N. *See* Lupi, R.
Daniel, J. L. *See* Quinton, T. M.
Daniel, T.
——; Carling, D.
Expression and regulation of the AMP-activated protein kinase–SNF1 (sucrose non-fermenting 1) kinase complexes in yeast and mammalian cells: studies using chimaeric catalytic subunits, 365:629
Danilov, S. M. *See* Balyasnikova, I. V.
Darbon, H. *See* Ferrat, G.
Dargan, S. L.
——; Lea, E. J. A.; Dawson, A. P.
Modulation of type-1 Ins(1,4,5)P_3 receptor channels by the FK506-binding protein, FKBP12, 361:401
Darley-Usmar, V. M. *See* Moellering, D. R.
Dashper, S. G. *See* Veith, P. D.
Datta, A. *See* Azam, M.
Datta, S. *See* Bhattacharyya, A.
Daull, P. *See* Doyon, Y.
Davidson, M. M. *See* Salviati, L.
Davidson, N. O. *See* Thompson, F. J.
Davidson-Moncada, J. K.
——; Lopez-Lluch, G.; Segal, A. W.; Dekker, L. V.
Involvement of protein kinase D in Fcγ-receptor activation of the NADPH oxidase in neutrophils, 363:95
Davies, J. R. *See* Nordman, H.
Davies, M. J. *See* Shaw, D. M.
Davies, P. L. *See* Dutt, P.
Davis, A. *See* Niu, J.
Dawson, A. P. *See* Dargan, S. L.
Dawson, M. I. *See* Peterson, V. J.
Dé, E. *See* Bredin, J.
Deák, F. *See* Piecha, D.
Deak, M. *See* Sapkota, G. P.
Dean, J. L. E.
——; Sully, G.; Wait, R.; Rawlinson, L.; Clark, A. R.; Saklatvala, J.
Identification of a novel AU-rich-element-binding protein which is related to AUF1, 366:709
de Bari, L. *See* Valenti, D.
——; Atlante, A.; Guaragnella, N.; Principato, G.; Passarella, S.
D-Lactate transport and metabolism in rat liver mitochondria, 365:391
de Bolós, C. *See* Nordman, H.

© 2003 Biochemical Society

Debré, P. *See* Garin, A.
de Bree, P. *See* Govers, R.
De Bus, M. *See* Van Dijck, P.
de Dreu, L. E. *See* Borradaile, N. M.
Degala, G. D. *See* Šimkovič, M.
de Groot, H. *See* Lehnen-Beyel, I.
de Gunzburg, J. *See* Aresta, S.
Dehdashti, J. *See* Bame, K. J.
Deinzer, M. L. *See* Peterson, V. J.
de Jesus, N. *See* Saumet, A.
Dekker, L. V. *See* Davidson-Moncada, J. K.
Dekkers, D. W. C.
——; Comfurius, P.; Bevers, E. M.; Zwaal, R. F. A.
Comparison between Ca^{2+}-induced scrambling of various fluorescently labelled lipid analogues in red blood cells, 362:741
de Kruijff, B. *See* Walz, A.-C.
Delannoy, P. *See* Foulquier, F.
de la Roche, M. A.
——; Smith, J. L.; Rico, M.; Carrasco, S.; Merida, I.; Licate, L.; Côté, G. P.; Egelhoff, T. T.
Dictyostelium discoideum has a single diacylglycerol kinase gene with similarity to mammalian θ isoforms, 368:809
De Laurenzi, V. *See* Catani, M. V.
Deléage, G. *See* Lalle, P.
DeLéan, A. *See* Poirier, H.
Delehedde, M.
——; Lyon, M.; Gallagher, J. T.; Rudland, P. S.; Fernig, D. G.
Fibroblast growth factor-2 binds to small heparin-derived oligosaccharides and stimulates a sustained phosphorylation of p42/44 mitogen-activated protein kinase and proliferation of rat mammary fibroblasts, 366:235
Delgado, M. B. *See* Corradin, S.
Delgado, S. M. *See* Kaczynski, J. A.
Dell, A. *See* Kremer, L.
del Mar Francés, M. *See* Ñeco, P.
Delpierre, G.
——; Collard, F.; Fortpied, J.; Van Schaftingen, E.
Fructosamine 3-kinase is involved in an intracellular deglycation pathway in human erythrocytes, 365:801
Delplace, F.
——; Maes, E.; Lemoine, J.; Strecker, G.
Species specificity of O-linked carbohydrate chains of the oviducal mucins in amphibians: structural analysis of neutral oligosaccharide alditols released by reductive β-elimination from the egg-jelly coats of *Rana clamitans*, 363:457
Delporte, M.-L.
——; Funahashi, T.; Takahashi, M.; Matsuzawa, Y.; Brichard, S. M.
Pre- and post-translational negative effect of β-adrenoceptor agonists on adiponectin secretion: *in vitro* and *in vivo* studies, 367:677
De Luca, A.
——; Favaloro, B.; Angelucci, S.; Sacchetta, P.; Di Ilio, C.
Mu-class glutathione transferase from *Xenopus laevis*: molecular cloning, expression and site-directed mutagenesis, 365:685
Del Vecchio, P.
——; Graziano, G.; Granata, V.; Barone, G.; Mandrich, L.; Rossi, M.; Manco, G.
Denaturing action of urea and guanidine hydrochloride towards two thermophilic esterases, 367:857
Demais, S. *See* Adams, B.
Demant, E. J. F.
——; Richieri, G. V.; Kleinfeld, A. M.
Stopped-flow kinetic analysis of long-chain fatty acid dissociation from bovine serum albumin, 363:809
Demel, R. A. *See* Walz, A.-C.
Demidkina, T. V.
——; Barbolina, M. V.; Faleev, N. G.; Sundararaju, B.; Gollnick, P. D.; Phillips, R. S.
Threonine-124 and phenylalanine-448 in *Citrobacter freundii* tyrosine phenol-lyase are necessary for activity with L-tyrosine, 363:745
Deng, F. *See* Bai, X.-C.
Deng, H.
——; Huang, A.; So, S.-P.; Lin, Y.-Z.; Ruan, K.-H.
Substrate access channel topology in membrane-bound prostacyclin synthase, 362:545
Deng, J. T. *See* Murányi, A.
——; Sutherland, C.; Brautigan, D. L.; Eto, M.; Walsh, M. P.
Phosphorylation of the myosin phosphatase inhibitors, CPI-17 and PHI-1, by integrin-linked kinase, 367:517
Dennis, A. L. *See* Nes, W. D.
Dennis, M. S. *See* Roberge, M.
Dennis, R. D. *See* Kantelhardt, S. R.
Dennison, C. *See* Pillay, C. S.
Denton, A. *See* Siviter, R. J.
Denton, M. *See* Dong, Z.
Denton, R. M. *See* Hers, I.
de Oliveira, A. H. C. *See* Ward, R. J.
De Pietri Tonelli, D. *See* Schnurbus, R.
Derham, B. K.
——; Harding, J. J.
Effects of modifications of α-crystallin on its chaperone and other properties, 364:711
——; Harding, J. J.
Enzyme activity after resealing within ghost erythrocyte cells, and protection by α-crystallin against fructose-induced inactivation, 368:865
de Rose, G. *See* Falcone, S.
Derry, M. C. *See* Brooks, N. D.
Deschênes, J. *See* Poirier, H.
Deschermeier, C. *See* Nalaskowski, M. M.
de Seny, D.
——; Prosperi-Meys, C.; Bebrone, C.; Rossolini, G. M.; Page, M. I.; Noel, P.; Frère, J.-M.; Galleni, M.
Mutational analysis of the two zinc-binding sites of the *Bacillus cereus* 569/H/9 metallo-β-lactamase, 363:687
DesGroseillers, L. *See* Luo, M.
de Smedt, H. *See* Sienaert, I.
Desnoyers, S. *See* Gagnon, S. N.
de Souza, E. S. *See* Pimenta, D. C.
Desrivières, S.
——; Cooke, F. T.; Morales-Johansson, H.; Parker, P. J.; Hall, M. N.
Calmodulin controls organization of the actin cytoskeleton via regulation of phosphatidylinositol (4,5)-bisphosphate synthesis in *Saccharomyces cerevisiae*, 366:945
Desrosiers, R. R. *See* Forget, M.-A.
de Tand-Heim, M.-F. *See* Aresta, S.
Deterding, L. J. *See* Qian, S. Y.
Deterre, P. *See* Garin, A.
Deutzmann, R. *See* Hejazi, M.
Devaney, E. *See* Thompson, F. J.
Devereux, W. *See* Murray-Stewart, T.
Devi, L. A. *See* Mzhavia, N.
de Vos, W. M. *See* Kaper, T.; Verhees, C. H.
de Vries, E. *See* Alkema, W. B. L.
de Vries, R. P.
——; van Kuyk, P. A.; Kester, H. C. M.; Visser, J.
The *Aspergillus niger faeB* gene encodes a second feruloyl esterase involved in pectin and xylan degradation and is specifically induced in the presence of aromatic compounds, 363:377
de Waard, M. *See* di Luccio, E.
Dewald, J. *See* Abousalham, A.
Dgany, O.
——; Wides, R.
The *Drosophila odz/ten-m* gene encodes a type II, multiply cleaved heterodimeric transmembrane protein, 363:633
Dhanasekaran, S. *See* Varadharajan, S.
Diamantini, G. *See* Sestili, P.
Díaz, A. *See* Irigoín, F.
Díaz-Ricart, M. *See* Arderiu, G.
Díaz-Rodríguez, E. *See* Montero, J. C.
Dickinson, D. A. *See* Moellering, D. R.
Dickinson, K. *See* Harper, J. A.
Dickinson, R. J.
——; Williams, D. J.; Slack, D. N.; Williamson, J.; Seternes, O.-M.; Keyse, S. M.
Characterization of a murine gene encoding a developmentally regulated cytoplasmic dual-specificity mitogen-activated protein kinase phosphatase, 364:145
di Domenico, C. *See* Villani, G. R. D.
Diegelman, P. *See* Vujcic, S.
Dietrich, A. *See* Lupi, R.
Dietz, F. *See* Schestag, F.
——; Franken, S.; Yoshida, K.; Nakamura, H.; Kappler, J.; Gieselmann, V.
The family of hepatoma-derived growth factor proteins: characterization of a new member HRP-4 and classification of its subfamilies, 366:491
Di Girolamo, M. *See* Lupi, R.
Di Giulio, A. *See* Rinaldi, A. C.
Di Ilio, C. *See* Allocati, N.
Dijkema, C. *See* Verhees, C. H.
Dikic, I. *See* Sajan, M. P.
Dikshit, K. L. *See* Rajamohan, G.
Di Liegro, C. M. *See* Ricart, J.
di Luccio, E.
——; Matavel, A.; Opi, S.; Regaya, I.; Sandoz, G.; M'Barek, S.; Carlier, E.; Estève, E.; Carrega, L.; Fajloun, Z.; Rochat, H.; Loret, E.; de Waard, M.; Sabatier, J.-M.
Evolution of maurotoxin conformation and blocking efficacy towards

© 2003 Biochemical Society

Shaker B channels during the course of folding and oxidation *in vitro*, 361:409
Di Mauro, S. *See* Salviati, L.
di Natale, P. *See* Villani, G. R. D.
Ding, H. *See* Han, Q.
Ding, V. D. H.
——; Qureshi, S. A.; Szalkowski, D.; Li, Z.; Biazzo-Ashnault, D. E.; Xie, D.; Liu, K.; Jones, A. B.; Moller, D. E.; Zhang, B. B.
Regulation of insulin signal transduction pathway by a small-molecule insulin receptor activator, 367:301
di Rienzo, M. *See* Maccarrone, M.
Dirr, H. *See* Sayed, Y.
Dixon, J. E. *See* Muda, M.
Dixon, S. J. *See* Holmes, M. E.
Djurdjevic-Pahl, A. *See* Lowther, J.
——; Hewage, C.; Malthouse, J. P. G.
^{13}C-NMR study of the inhibition of δ-chymotrypsin by a tripeptide-glyoxal inhibitor, 362:339
Doan, L. X. *See* Elkins, J. M.
Dobritzsch, D. *See* van Kuilenburg, A. B. P.
Dobrowsky, R. T. *See* Sprott, K. M.
Dodds, P. *See* Lee, M.-H.
Doenhoff, M. J. *See* Kantelhardt, S. R.
Dolgikh, D. A. *See* Abdullaev, Z. K.
Domino, S. E. *See* Thomsson, K. A.
Donati, C. *See* Meacci, E.
Dong, C.-Z.
——; Romieu, A.; Mounier, C. M.; Heymans, F.; Roques, B. P.; Godfroid, J.-J.
Total direct chemical synthesis and biological activities of human group IIA secretory phospholipase A_2, 365:505
Dong, S. *See* Baker, J. R.
Dong, Z.
——; Nishiyama, J.; Yi, X.; Venkatachalam, M. A.; Denton, M.; Gu, S.; Li, S.; Qiang, M.
Gene promoter of apoptosis inhibitory protein IAP2: identification of enhancer elements and activation by severe hypoxia, 364:413
Döppler, H. *See* Cenni, V.
Dorsam, R. T. *See* Quinton, T. M.
Douce, R. *See* Mouillon, J.-M.
Dougherty, C. J.
——; Kubasiak, L. A.; Prentice, H.; Andreka, P.; Bishopric, N. H.; Webster, K. A.
Activation of c-Jun N-terminal kinase promotes survival of cardiac myocytes after oxidative stress, 362:561
Douglas, P.
——; Sapkota, G. P.; Morrice, N.; Yu, Y.; Goodarzi, A. A.; Merkle, D.; Meek, K.; Alessi, D. R.; Lees-Miller, S. P.
Identification of *in vitro* and *in vivo* phosphorylation sites in the catalytic subunit of the DNA-dependent protein kinase, 368:243
Dover, L. G. *See* Kremer, L.
Dowden, J. *See* Yang, J.
Downes, C. P. *See* Watt, S. A.
Downs, T. *See* Ong, H. L.
Doyon, Y.
——; Home, W.; Daull, P.; LeBel, D.
Effect of C-domain N-glycosylation and deletion on rat pancreatic α-amylase secretion and activity, 362:259
Dráber, P. *See* Sulimenko, V.
Drenckhahn, D. *See* Hübner, S.
Drews, G. *See* Düfer, M.
Drobny, H. *See* Hohenegger, M.
Drost gen. Helling, I. *See* Klostermann, E.
Drucker, D. J. *See* Liu, Y.
Druey, K. M. *See* Niu, J.
Du, M. X.
——; Johnson, R. B.; Sun, X.-L.; Staschke, K. A.; Colacino, J.; Wang, Q. M.
Comparative characterization of two DEAD-box RNA helicases in superfamily II: human translation-initiation factor 4A and hepatitis C virus non-structural protein 3 (NS3) helicase, 363:147
Du, X. *See* Niu, J.
——; Cai, J.; Zhou, J-z.; Stevens, V. L.; Low, M. G.
Tolerance of glycosylphosphatidylinositol (GPI)-specific phospholipase D overexpression by Chinese hamster ovary cell mutants with aberrant GPI biosynthesis, 361:113
Duarte, M.
——; Pópulo, H.; Videira, A.; Friedrich, T.; Schulte, U.
Disruption of iron-sulphur cluster N2 from NADH:ubiquinone oxidoreductase by site-directed mutagenesis, 364:833
Dubbelhuis, P. F.
——; Van Sluijters, D. A.; Blommaart, E. F. C.; Gustafson, L. A.; Van Woerkom, G. M.; Herling, A. W.; Burger, H.-J.; Meijer, A. J.
Inhibition of autophagic proteolysis by inhibitors of phosphoinositide 3-kinase can interfere with the regulation of glycogen synthesis in isolated hepatocytes, 368:827
Dubernard, V. *See* Saumet, A.
Duchaîne, T. F. *See* Luo, M.
Düfer, M.
——; Krippeit-Drews, P.; Buntinas, L.; Siemen, D.; Drews, G.
Methyl pyruvate stimulates pancreatic β-cells by a direct effect on K_{ATP} channels, and not as a mitochondrial substrate, 368:817
Duffin, K. L. *See* Levin, G.
Duley, J. A. *See* van Kuilenburg, A. B. P.
Dulin, N. O. *See* Niu, J.
Dumont-Miscopein, A. *See* Lalle, P.
Dunér, T.
——; Conlon, J. M.; Kukkonen, J. P.; Åkerman, K. E. O.; Yan, Y.-L.; Postlethwait, J. H.; Larhammar, D.
Cloning, structural characterization and functional expression of a zebrafish bradykinin B2-related receptor, 364:817
Duran, M. *See* Silva, M. F. B.
Durrant, C.
——; Moore, S. E. H.
Perturbation of free oligosaccharide trafficking in endoplasmic reticulum glucosidase I-deficient and castanospermine-treated cells, 365:239
Dutt, P.
——; Spriggs, C. N.; Davies, P. L.; Jia, Z.; Elce, J. S.
Origins of the difference in Ca^{2+} requirement for activation of μ- and m-calpain, 367:263
Duval, C.
——; Augé, N.; Frisach, M.-F.; Casteilla, L.; Salvayre, R.; Nègre-Salvayre, A.
Mitochondrial oxidative stress is modulated by oleic acid via an epidermal growth factor receptor-dependent activation of glutathione peroxidase, 367:889
Duvet, S. *See* Foulquier, F.
Dwek, R. A. *See* Mellor, H. R.

Ealick, S. E. *See* Pugmire, M. J.
East, J. M. *See* Smith, W. S.
Eaton, J. W. *See* Neuzil, J.
Eaton, S. S. *See* Šimkovič, M.
Eberini, I. *See* Gianazza, E.
——; Calabresi, L.; Wait, R.; Tedeschi, G.; Pirillo, A.; Puglisi, L.; Sirtori, C. R.; Gianazza, E.
Macrophage metalloproteinases degrade high-density-lipoprotein-associated apolipoprotein A-I at both the N- and C-termini, 362:627
Ebizuka, Y. *See* Funa, N.
Echtay, K. S. *See* Jekabsons, M. B.
Eckhardt, B. L. *See* Chung, R. S.
Eckhardt, M.
——; Fewou, S. N.; Ackermann, I.; Gieselmann, V.
N-glycosylation is required for full enzymic activity of the murine galactosylceramide sulphotransferase, 368:317
Edwards, D. R. *See* Young, D. A.
Edwards, J. Y. *See* Borradaile, N. M.
Edwardson, J. M. *See* Kalus, I.
Efremov, R. G. *See* Abdullaev, Z. K.
Egan, J. *See* Egan, T. J.
Egan, T. J.
——; Combrinck, J. M.; Egan, J.; Hearne, G. R.; Marques, H. M.; Ntenteni, S.; Sewell, B. T.; Smith, P. J.; Taylor, D.; van Schalkwyk, D. A.; Walden, J. C.
Fate of haem iron in the malaria parasite *Plasmodium falciparum*, 365:343
Egashira, Y. *See* Tanabe, A.
Egelhoff, T. T. *See* de la Roche, M. A.
Eggleston, I. *See* Houston, D. R.
Ehler, E. *See* Wachtel, M.
Eichler, J. *See* Konrad, Z.
Eijsink, V. G. H. *See* Houston, D. R.
Eis, C.
——; Nidetzky, B.
Substrate-binding recognition and specificity of trehalose phosphorylase from *Schizophyllum commune* examined in steady-state kinetic studies with deoxy and deoxyfluoro substrate analogues and inhibitors, 363:335
Elce, J. S. *See* Dutt, P.
Elcombe, C. R. *See* Chanas, S. A.
El Far, O.
——; Betz, H.
G-protein-coupled receptors for

© 2003 Biochemical Society

neurotransmitter amino acids: C-terminal tails, crowded signalosomes, 365:329
Elizarova, E. *See* Menshikov, M.
Elkins, J. M.
——; Clifton, I. J.; Hernández, H.; Doan, L. X.; Robinson, C. V.; Schofield, C. J.; Hewitson, K. S.
Oligomeric structure of proclavaminic acid amidino hydrolase: evolution of a hydrolytic enzyme in clavulanic acid biosynthesis, 366:423
Elliott, E. *See* Pillay, C. S.
Elliott, K. *See* Burton, D.
Ellis, P. D.
——; Martin, K. M.; Rickman, C.; Metcalfe, J. C.; Kemp, P. R.
Increased actin polymerization reduces the inhibition of serum response factor activity by Yin Yang 1, 364:547
Ellison, P. *See* Pearson, D. S.
El-Robh, M. S.
——; Busby, S. J. W.
The *Escherichia coli* cAMP receptor protein bound at a single target can activate transcription initiation at divergent promoters: a systematic study that exploits new promoter probe plasmids, 368:835
Eneyskaya, E. V. *See* Arand, M.
Engberts, J. B. F. N. *See* Shi, F.
Enghild, J. J. *See* Cunningham, A. C.
En-Nia, A.
——; Reisdorff, J.; Stefanidis, I.; Floege, J.; Heinrich, P. C.; Mertens, P. R.
Mesangial cell gelatinase A synthesis is attenuated by oscillating hyperbaric pressure, 362:693
Ensor, C. M. *See* Thomas, J. B.
Entin-Meer, M.
——; Sevilya, Z.; Hizi, A.
The role of phenylalanine-119 of the reverse transcriptase of mouse mammary tumour virus in DNA synthesis, ribose selection and drug resistance, 367:381
Epand, R. F. *See* Epand, R. M.
——; Martinou, J.-C.; Montessuit, S.; Epand, R. M.
Membrane perturbations induced by the apoptotic Bax protein, 367:849
Epand, R. M. *See* Epand, R. F.
——; Epand, R. F.
Thermal denaturation of influenza virus and its relationship to membrane fusion, 365:841
Erbel, P. J. A.
——; Haseley, S. R.; Kamerling, J. P.; Vliegenthart, J. F. G.
Studies on the relevance of the glycan at Asn-52 of the α-subunit of human chorionic gonadotropin in the $\alpha\beta$ dimer, 364:485
Erdmann, R. *See* Rottensteiner, H.
Erdmann, S. *See* Chtarbova, S.
Erdődi, F. *See* Kiss, E.; Murányi, A.
Errington, N. *See* Walters, C.
Esaki, H. *See* Matsunaga, Y.
Escande, F.
——; Porchet, N.; Aubert, J.-P.; Buisine, M.-P.
The mouse *Muc5b* mucin gene: cDNA and genomic structures, chromosomal localization and expression, 363:589
Escolar, G. *See* Arderiu, G.
Esparís-Ogando, A. *See* Montero, J. C.
Espejo, A.
——; Côté, J.; Bednarek, A.; Richard, S.; Bedford, M. T.
A protein-domain microarray identifies novel protein–protein interactions, 367:697
Estève, E. *See* di Luccio, E.
Ethell, B. *See* Benedetti, A.
Eto, M. *See* Deng, J. T.
Ettema, T. J. G. *See* Verhees, C. H.
Evans, G. J. O.
——; Morgan, A.
Phosphorylation-dependent interaction of the synaptic vesicle proteins cysteine string protein and synaptotagmin I, 364:343
Evans, R. W. *See* Oakhill, J. S.
Evans, W. H. *See* Ahmad, S.

Facchin, S.
——; Lopreiato, R.; Stocchetto, S.; Arrigoni, G.; Cesaro, L.; Marin, O.; Carignani, G.; Pinna, L. A.
Structure–function analysis of yeast piD261/Bud32, an atypical protein kinase essential for normal cell life, 364:457
Facchini, A. *See* Ghelli, A.
Færgeman, N. J. *See* Wadum, M. C. T.
——; Knudsen, J.
Acyl-CoA binding protein is an essential protein in mammalian cell lines, 368:679
Fairbanks, L. D.
——; Jacomelli, G.; Micheli, V.; Slade, T.; Simmonds, H. A.
Severe pyridine nucleotide depletion in fibroblasts from Lesch–Nyhan patients, 366:265
Fairhurst, S. A. *See* Butler, C. S.
Fairlamb, A. H. *See* Oza, S. L.
Faisal, A. *See* Kisielow, M.
Fajloun, Z;. *See* di Luccio, E.
Falany, C. N. *See* Falany, J. L.
Falany, J. L.
——; Greer, H.; Kovacs, T.; Sorscher, E. J.; Falany, C. N.
Elevation of hepatic sulphotransferase activities in mice with resistance to cystic fibrosis, 364:115
Falcone, S.
——; Mauro, L.; de Rose, G.; Paolucci, C.; Sciorati, C.; Ando, S.; Clementi, E.
Nitric oxide regulates oestrogen-activated signalling pathways at multiple levels through cyclic GMP-dependent recruitment of insulin receptor substrate 1, 366:165
Faleev, N. G. *See* Demidkina, T. V.
Fang, H.-M.
——; Wang, Yue
Characterization of iron-binding motifs in *Candida albicans* high-affinity iron permease CaFtr1p by site-directed mutagenesis, 368:641
Fang, J. *See* Han, Q.
——; Hsu, B. Y. L.; MacMullen, C. M.; Poncz, M.; Smith, T. J.; Stanley, C. A.
Expression, purification and characterization of human glutamate dehydrogenase (GDH) allosteric regulatory mutations, 363:81
Fang, J-k. *See* Raza, H.
Fanick, W. *See* Nalaskowski, M. M.
Faniello, M. C.
——; Chirico, G.; Quaresima, B.; Cuda, G.; Allevato, G.; Bevilacqua, M. A.; Baudi, F.; Colantuoni, V.; Cimino, F.; Venuta, S.; Avvedimento, V. E.; Costanzo, F.
An alternative model of H ferritin promoter transactivation by c-Jun, 363:53
Fann, Y. C. *See* Qian, S. Y.
Farese, R. V. *See* Sajan, M. P.
Farinha, C. M.
——; Nogueira, P.; Mendes, F.; Penque, D.; Amaral, M. D.
The human DnaJ homologue (Hdj)-1/heat-shock protein (Hsp) 40 co-chaperone is required for the *in vivo* stabilization of the cystic fibrosis transmembrane conductance regulator by Hsp70, 366:797
Farkas, A. *See* Schád, E.
Farnaud, S. *See* Novo, C.
Farris, J. *See* Kim, H.
Fasold, H. *See* Schlatter, H.
Faussat, A.-M. *See* Guillemain, G.
Favaloro, B. *See* De Luca, A.
Feddersen, S. *See* Wadum, M. C. T.
Fedorchuk, V. V. *See* Serov, A. E.
Fehlberg, S.
——; Trautwein, S.; Göke, A.; Göke, R.
Bisphenol A diglycidyl ether induces apoptosis in tumour cells independently of peroxisome proliferator-activated receptor-γ, in caspase-dependent and -independent manners, 362:573
Fei, Y.-J. *See* Inoue, K.
Feldmann, G. *See* Sadji-Ouatas, Z.
Felenbok, B. *See* Flipphi, M.
Feng, K.-C. *See* Peterson, V. J.
Feng, X.
——; Huang, S.; Fu, X.; Abulimiti, A.; Chang, Z.
The reassembling process of the nonameric *Mycobacterium tuberculosis* small heat-shock protein Hsp16.3 occurs via a stepwise mechanism, 363:329
Feng, Y. *See* Mzhavia, N.
Fensome, A. C.
——; Josephs, M.; Katan, M.; Rodrigues-Lima, F.
Biochemical identification of a neutral sphingomyelinase 1 (NSM1)-like enzyme as the major NSM activity in the DT40 B-cell line: absence of a role in the apoptotic response to endoplasmic reticulum stress, 365:69
Ferguson, S. J. *See* Butler, C. S.
Fernandes, J. M. O.
——; Kemp, G. D.; Molle, M. G.; Smith, V. J.
Anti-microbial properties of histone H2A from skin secretions of rainbow trout, *Oncorhynchus mykiss*, 368:611
Fernandez, A. *See* Nekhai, S.
Fernández, C. *See* Irigoín, F.
——; Suárez, Y.; Ferruelo, A. J.; Gómez-Coronado, D.; Lasunción, M. A.
Inhibition of cholesterol biosynthesis

© 2003 Biochemical Society

by Δ^{22}-unsaturated phytosterols via competitive inhibition of sterol Δ^{24}-reductase in mammalian cells, 366:109
Fernández, M. R. *See* Larroy, C.
Fernandez-Carneado, J. *See* Corradin, S.
Fernández de Mattos, S.
——; Lam, E. W.-F.; Tauler, A.
An E2F-binding site mediates the activation of the proliferative isoform of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase by phosphatidylinositol 3-kinase, 368:283
Fernandez Zapico, M. *See* Kaczynski, J. A.
Fernig, D. G. *See* Delehedde, M.
Ferrara, D. *See* Cioffi, A. V.
Ferrat, G.
——; Renisio, J.-G.; Morelli, X.; Slootstra, J.; Meloen, R.; Cambillau, C.; Darbon, H.
A peptide mimic of an antigenic loop of α-human chorionic gonadotropin hormone: solution structure and interaction with a llama V_{HH} domain, 366:415
Ferré, P. *See* Foufelle, F.; Turban, S.
Ferre, T. *See* Riu, E.
Ferreira, F. *See* Irigoín, F.
Ferrier, B. *See* Conjard, A.
Ferruelo, A. J. *See* Fernández, C.
Fewou, S. N. *See* Eckhardt, M.
Field, F. J.
——; Born, E.; Murthy, S.; Mathur, S. N.
Polyunsaturated fatty acids decrease the expression of sterol regulatory element-binding protein-1 in CaCo-2 cells: effect on fatty acid synthesis and triacylglycerol transport, 368:855
Fields, A. *See* Avram, D.
Fillat, M. F. *See* Hernández, J. A.
Fillingham, I. J. *See* Bass, M. D.
Finazzi-Agrò, A. *See* Maccarrone, M.
Finbow, M. E. *See* Gibson, L. C. D.
Findlay, J. B. C. *See* Sundaram, M.
Findlay, K. *See* Blakey, D.
Fingerhut, A. *See* Grasberger, H.
Fischer, S. M. *See* Thuillier, P.
Fisher, R. J. *See* Liu, Y.
Fjeldstad, K. *See* Kolset, S. O.
Flachs, P.
——; Novotný, J.; Baumruk, F.; Bardová, K.; Bouřová, L.; Mikšík, I.; Šponarová, J.; Svoboda, P.; Kopecký, J.
Impaired noradrenaline-induced lipolysis in white fat of aP2-*Ucp1* transgenic mice is associated with changes in G-protein levels, 364:369
Flamigni, F. *See* Ghelli, A.
Flanagan, J. U. *See* Coggan, M.
Flatley, R. M. *See* Whetstine, J. R.
Flatman, R.
——; McLauchlan, W. R.; Juge, N.; Furniss, C.; Berrin, J.-G.; Hughes, R. K.; Manzanares, P.; Ladbury, J. E.; O'Brien, R.; Williamson, G.
Interactions defining the specificity between fungal xylanases and the xylanase-inhibiting protein XIP-I from wheat, 365:773
Flatt, P. R. *See* Gault, V. A.
Fleet, G. W. J. *See* Mellor, H. R.
Fleming, I. N. *See* Watt, S. A.
Flintoff, W. F. *See* Sadlish, H.
Flipphi, M.
——; Kocialkowska, J.; Felenbok, B.
Characteristics of physiological inducers of the ethanol utilization (*alc*) pathway in *Aspergillus nidulans*, 364:25
Floege, J. *See* En-Nia, A.
Flores-Jasso, C. F. *See* Romero-Ávila, M. T.
Fluckiger, R. *See* Salih, E.
Focher, F. *See* Turriziani, O.
Foka, P. *See* Ramji, D. P.
Follenzi, A. *See* Villani, G. R. D.
Forget, M.-A.
——; Desrosiers, R. R.; Gingras, D.; Béliveau, R.
Phosphorylation states of Cdc42 and RhoA regulate their interactions with Rho GDP dissociation inhibitor and their extraction from biological membranes, 361:243
Forman, H. J. *See* Moellering, D. R.
Formigli, L. *See* Meacci, E.
Forouhar, F. *See* Yu, C.-J.
Forsberg, A. *See* Henriksson, M. L.
Forse, R. A. *See* Li, X.
Forstner, J. F. *See* Wang, R.
Fortin, D. *See* Momken, I.
Fortpied, J. *See* Delpierre, G.
Fosang, A. J. *See* Stanton, H.
Foster, D. N. *See* Kim, H.
Foster, L. K. *See* Kim, H.
Foufelle, F. *See* Fryer, L. G. D.
——; Ferré, P.
New perspectives in the regulation of hepatic glycolytic and lipogenic genes by insulin and glucose: a role for the transcription factor sterol regulatory element binding protein-1c, 366:377
Foulquier, F.
——; Harduin-Lepers, A.; Duvet, S.; Marchal, I.; Mir, A. M.; Delannoy, P.; Chirat, F.; Cacan, R.
The unfolded protein response in a dolichyl phosphate mannose-deficient Chinese hamster ovary cell line points out the key role of a demannosylation step in the quality-control mechanism of N-glycoproteins, 362:491
Fowler, K. *See* Lamb, D. C.
Fox, P. L. *See* Parat, M.-O.
Frade, R. *See* Jean, D.
Fradkov, A. F.
——; Verkhusha, V. V.; Staroverov, D. B.; Bulina, M. E.; Yanushevich, Y. G.; Martynov, V. I.; Lukyanov, S.; Lukyanov, K. A.
Far-red fluorescent tag for protein labelling, 368:17
Fragopoulou, E. *See* Antonopoulou, S.
Fraichard, S. *See* Royer, V.
Franceschini, G. *See* Gianazza, E.
Francini, F. *See* Meacci, E.
Franckhauser, S. *See* Riu, E.
Franco, R. *See* Ginés, S.
Frank, S. *See* Strauss, J. G.
Franke, P. *See* Politz, O.
Franken, S. *See* Dietz, F.
Franklyn, J. A. *See* Zhang, X.
Fransen, M. *See* Ghys, K.
Fraser, A. V.
——; Woster, P. M.; Wallace, H. M.
Induction of apoptosis in human leukaemic cells by IPENSpm, a novel polyamine analogue and anti-metabolite, 367:307
Fredriksson, J. M. *See* Thonberg, H.
Frei, K. *See* Wachtel, M.
Freichel-Blomquist, A. *See* Rümenapp, U.
Frère, J.-M. *See* de Seny, D.
Frerman, F. E. *See* Šimkovič, M.
Fricker, L. D. *See* Mzhavia, N.
Friedrich, M. *See* Grahnert, A.
Friedrich, P. *See* Schád, E.
Friedrich, T. *See* Duarte, M.
Friis, I. *See* Mansilla, F.
Frisach, M.-F. *See* Duval, C.
Frison, N.
——; Marceau, P.; Roche, A.-C.; Monsigny, M.; Mayer, R.
Oligolysine-based saccharide clusters: synthesis and specificity, 368:111
Fritz, R. *See* Mueller, S.
Fry, A. M. *See* Hames, R. S.
Frydman, B. *See* Mitchell, J. L. A.
Fryer, L. G. D.
——; Foufelle, F.; Barnes, K.; Baldwin, S. A.; Woods, Angela; Carling, D.
Characterization of the role of the AMP-activated protein kinase in the stimulation of glucose transport in skeletal muscle cells, 363:167
Fu, T.
——; Borensztajn, J.
Macrophage uptake of low-density lipoprotein bound to aggregated C-reactive protein: possible mechanism of foam-cell formation in atherosclerotic lesions, 366:195
Fu, X. *See* Feng, X.
Fucci, L. *See* Cioffi, A. V.
Fuchs, M. *See* Müller, O.
Fuda, H. *See* Shimizu, C.
——; Shimizu, C.; Lee, Y. C.; Akita, H.; Strott, C. A.
Characterization and expression of human bifunctional 3′-phosphoadenosine 5′-phosphosulphate synthase isoforms, 365:497
Fujii, A. *See* Matsunaga, Y.
Fujita, H. *See* Tanaka, H.
Fujiwara, H. *See* Levin, G.
Fukuchi-Shimogori, T. *See* Nishimura, K.
Fukuda, M.
——;
The C2A domain of synaptotagmin-like protein 3 (Slp3) is an atypical calcium-dependent phospholipid-binding machine: comparison with the C2A domain of synaptotagmin I, 366:681
——; Ogata, Y.; Saegusa, C.; Kanno, E.; Mikoshiba, K.
Alternative splicing isoforms of synaptotagmin VII in the mouse, rat and human, 365:173
Fukuda, M. N. *See* Nadano, D.
Fukuhara, S. *See* Tomoo, K.
Fukuoka, S.-I. *See* Tanabe, A.
Fukuta, Y. *See* Suizu, F.
Fukuzawa, K. *See* Tokumura, A.
Fulceri, R. *See* Benedetti, A.

© 2003 Biochemical Society

Funa, N.
——; Ohnishi, Y.; Ebizuka, Y.; Horinouchi, S.
Alteration of reaction and substrate specificity of a bacterial type III polyketide synthase by site-directed mutagenesis, 367:781
Funahashi, T. *See* Delporte, M.-L.
Furlong, S. T. *See* Nes, W. D.
Furniss, C. *See* Flatman, R.
Furuta, S.
——; Ortiz, F.; Zhu Sun, X.; Wu, H.-H.; Mason, A.; Momand, J.
Copper uptake is required for pyrrolidine dithiocarbamate-mediated oxidation and protein level increase of p53 in cells, 365:639

Gabarra-Niecko, V.
——; Keely, P. J.; Schaller, M. D.
Characterization of an activated mutant of focal adhesion kinase: 'SuperFAK', 365:591
Gabius, H.-J. *See* Wu, A. M.
Gaggero, D. *See* Sparatore, B.
Gagnon, S. N.
——; Hengartner, M. O.; Desnoyers, S.
The genes *pme-1* and *pme-2* encode two poly(ADP-ribose) polymerases in *Caenorhabditis elegans*, 368:263
Gailani, D. *See* Sinha, D.
Gaillard, J. *See* Stoppin-Mellet, V.
Gaits, F. *See* Gueguen, G.
Galiñanes, M.
——; Matata, B. M.
Protein nitration is predominantly mediated by a peroxynitrite-dependent pathway in cultured human leucocytes, 367:467
Galione, A. *See* Berridge, G.
Gallacher, D. V. *See* Harmer, A. R.
Gallagher, C. *See* Laitinen, O. H.
Gallagher, J. T. *See* Delehedde, M.
Gallegos, R. *See* Caldovic, L.
Galleni, M. *See* de Seny, D.
Gallimore, P. H. *See* Zhang, X.
Gamberucci, A.
——; Giurisato, E.; Pizzo, P.; Tassi, M.; Giunti, R.; McIntosh, D. P.; Benedetti, A.
Diacylglycerol activates the influx of extracellular cations in T-lymphocytes independently of intracellular calcium-store depletion and possibly involving endogenous *TRP6* gene products, 364:245
——; Giurisato, E.; Pizzo, P.; Tassi, M.; Giunti, R; McIntosh, D. P.; Benedetti, A.
Diacylglycerol activates the influx of extracellular cations in T-lymphocytes independently of intracellular calcium-store depletion and possibly involving endogenous *TRP6* gene products: Correction, 366:999
Gampel, A.
——; Mellor, H.
Small interfering RNAs as a tool to assign Rho GTPase exchange-factor function *in vivo*, 366:393
Ganapathy, V. *See* Inoue, K.
Gangar, A.
——; Raychaudhuri, S.; Rajasekharan, R.
Alteration in the cytosolic triacylglycerol biosynthetic machinery leads to decreased cell growth and triacylglycerol synthesis in oleaginous yeast, 365:577
Gao, H. *See* Lang, M. L.
Gao, Z.
——; Young, R. A.; Trucco, M. M.; Greene, S. R.; Hewlett, E. L.; Matschinsky, F. M.; Wolf, B. A.
Protein kinase A translocation and insulin secretion in pancreatic β-cells: studies with adenylate cyclase toxin from *Bordetella pertussis*, 368:397
Garbay, C. *See* Saci, A.
Garbe, J. H. O.
——; Göhring, W.; Mann, K.; Timpl, R.; Sasaki, T.
Complete sequence, recombinant analysis and binding to laminins and sulphated ligands of the N-terminal domains of laminin α3B and α5 chains, 362:213
Garber, M. B. *See* Woestenenk, E. A.
Garbutt, M. *See* Abousalham, A.
García-Reyero, N. *See* Marín, S.
García-Sáinz, J. A. *See* Romero-Ávila, M. T.
Garin, A.
——; Pellet, P.; Deterre, P.; Debré, P.; Combadière, C.
Cloning and functional characterization of the human fractalkine receptor promoter regions, 368:753
Garin, J. *See* Bogdanovic, A.
Garrett, M. D. *See* Plows, D.
Garthwaite, J. *See* Griffiths, C.
Gasset, M.
——; Alfonso, C.; Neira, J. L.; Rivas, G.; Pajares, M. A.
Equilibrium unfolding studies of the rat liver methionine adenosyltransferase III, a dimeric enzyme with intersubunit active sites, 361:307
Gassmann, M. *See* Wachtel, M.
Gattesco, S. *See* Coppola, T.
Gault, V. A.
——; Flatt, P. R.; Bailey, C. J.; Harriott, P.; Greer, B.; Mooney, M. H.; O'Harte, F. P. M.
Enhanced cAMP generation and insulin-releasing potency of two novel Tyr^1-modified enzyme-resistant forms of glucose-dependent insulinotropic polypeptide is associated with significant antihyperglycaemic activity in spontaneous obesity-diabetes, 367:913
Gauthier, F. *See* Attucci, S.
Ge, S. *See* Li, Y.
Gedanken, A. *See* Avivi, S.
Geelen, M. J. H. *See* Houweling, M.
Geerling, A. C. M. *See* Kaper, T.
Geetha, C. *See* Jain, R. K.
Geeves, M. A. *See* Pearson, D. S.
Geeves, M. A. *See* Nyitrai, M.
Geib, S.
——; Sandoz, G.; Mabrouk, K.; Matavel, A.; Marchot, P.; Hoshi, T.; Villaz, M.; Ronjat, M.; Miquelis, R.; Lévêque, C.; de Waard, M.
Use of a purified and functional recombinant calcium-channel β_4 subunit in surface-plasmon resonance studies, 364:285
Gellert, N. *See* Neuzil, J.
Gendler, S. J. *See* Thomsson, K. A.
Gentzsch, M.
——; Aleksandrov, A.; Aleksandrov, L.; Riordan, J. R.
Functional analysis of the C-terminal boundary of the second nucleotide binding domain of the cystic fibrosis transmembrane conductance regulator and structural implications, 366:541
Geourjon, C. *See* Lalle, P.
Gergely, P. *See* Kiss, E.
Gerin, I. *See* Van Schaftingen, E.
Geserick, C.
——; Weiss, B.; Schleuning, W.-D.; Haendler, B.
OTEX, an androgen-regulated human member of the *paired*-like class of homeobox genes, 366:367
Getz, G. S. *See* Bentley, N. M.
Geyer, R. *See* Kantelhardt, S. R.
Ghaffari, M. *See* Boraston, A. B.
Ghelli, A.
——; Porcelli, A. M.; Facchini, A.; Hrelia, S.; Flamigni, F.; Rugolo, M.
Phospholipase D1 is threonine-phosphorylated in human-airway epithelial cells stimulated by sphingosine-1-phosphate by a mechanism involving Src tyrosine kinase and protein kinase Cδ, 366:187
Ghose, R. *See* Westmark, C. J.
Ghosh, S. K. *See* Yellaturu, C. R.
Ghosh Choudhury, G. *See* Senthil, D.
Ghys, K.
——; Fransen, M.; Mannaerts, G. P.; Van Veldhoven, P. P.
Functional studies on human Pex7p: subcellular localization and interaction with proteins containing a peroxisome-targeting signal type 2 and other peroxins, 365:41
Gianazza, E. *See* Eberini, I.
——; Eberini, I.; Sirtori, C. R.; Franceschini, G.; Calabresi, L.
Size is a major determinant of dissociation and denaturation behaviour of reconstituted high-density lipoproteins, 366:245
Gibbons, G. F. *See* Holness, M. J.; Sugden, M. C.
Gibson, L. C. D.
——; Cadwallader, G.; Finbow, M. E.
Evidence that there are two copies of subunit c'' in V_0 complexes in the vacuolar H^+-ATPase, 366:911
Gierschik, P. *See* Lupi, R.
Gieselmann, V. *See* Schestag, F.
Gil, A. *See* Neco, P.
Gil, M. *See* Seong, H.-A.
Gilbert, H. J. *See* McKie, V. A.
Giles, G. I.
——; Tasker, K. M.; Collins, C.; Giles, N. M.; O'Rourke, E.; Jacob, C.
Reactive sulphur species: an *in vitro* investigation of the oxidation properties of disulphide S-oxides, 364:579
Giles, N. M. *See* Giles, G. I.
Gillespie, D. A. F. *See* Wiltshire, C.
Gillespie, P. J. *See* Chapman, N. R.
Gillet, G. *See* Lalle, P.

© 2003 Biochemical Society

Gillitzer, R. *See* Kunz, M.
Ginés, S.
——; Mariño, M.; Mallol, J.; Canela, E. I.; Morimoto, C.; Callebaut, C.; Hovanessian, A.; Casadó, V.; Lluis, C.; Franco, R.
Regulation of epithelial and lymphocyte cell adhesion by adenosine deaminase–CD26 interaction, 361:203
Gingras, D. *See* Forget, M.-A.
Giralt, E. *See* Bahbouhi, B.
Giralt, M. *See* Schlüter, A.
Girard, C.
——; Barbier, O.; Turgeon, D.; Bélanger, A.
Isolation and characterization of the monkey *UGT2B30* gene that encodes a uridine diphosphate-glucuronosyltransferase enzyme active on mineralocorticoid, glucocorticoid, androgen and oestrogen hormones, 365:213
Girardin, C. *See* Attucci, S.
Giroux, L. M. *See* Malaud, E.
Giudice, L. C. *See* Laursen, L. S.
Giudici, M. L. *See* Hinchliffe, K. A.
Giunti, R. *See* Gamberucci, A.
Giunti, R *See* Gamberucci, A.
Giurisato, E. *See* Gamberucci, A.
Glatz, J. F. C. *See* Brinkman, J. F. F.; Luiken, J. J. F. P.
Gloor, S. M. *See* Wachtel, M.
Glouchankova, L. *See* Nosyreva, E.
Glynn, P. *See* Atkins, J.
Go, Y.-M. *See* Moellering, D. R.
Godfroid, J.-J. *See* Dong, C.-Z.
Goebeler, M. *See* Kunz, M.
Goerdt, S. *See* Politz, O.
Göhring, W. *See* Garbe, J. H. O.
Göke, A. *See* Fehlberg, S.
Göke, R. *See* Fehlberg, S.
Golcher, H. M. B. *See* Grasberger, H.
Goldring, M. B. *See* Thomas, B.
Gollnick, P. D. *See* Demidkina, T. V.
Golubev, A. M. *See* Arand, M.
Gómez-Coronado, D. *See* Fernández, C.
Gómez del Pulgar, T.
——; Velasco, G.; Sánchez, C.; Haro, A.; Guzmán, M.
De novo-synthesized ceramide is involved in cannabinoid-induced apoptosis, 363:183
Gonelle-Gispert, C.
——; Costa, M.; Takahashi, M.; Sadoul, K.; Halban, P.
Phosphorylation of SNAP-25 on serine-187 is induced by secretagogues in insulin-secreting cells, but is not correlated with insulin secretion, 368:223
Gongadze, G. M. *See* Woestenenk, E. A.
González, E. *See* Larroy, C.
Gonzalez, G. *See* Reyes-Reyes, M.
González-Segura, L.
——; Velasco-García, R.; Muñoz-Clares, R. A.
Modulation of the reactivity of the essential cysteine residue of betaine aldehyde dehydrogenase from *Pseudomonas aeruginosa*, 361:577
Goodarzi, A. A. *See* Douglas, P.
Goossen, H. J. A. M. *See* Steenbakkers, P. J. M.
Goossens, K. *See* Manin, M.
Gopinathan, K. P. *See* Sehrawat, S.
Goppelt-Struebe, M. *See* Hahn, A.
Gorr, S.-U. *See* Jain, R. K.
Gorringe, A. R. *See* Oakhill, J. S.
Goswami, A. *See* Chowdhury, A. R.
Gottfridsson, E. *See* Kolset, S. O.
Gottlieb, R. A. *See* Williams, S. D.
Govers, R.
——; Bevers, L.; de Bree, P.; Rabelink, T. J.
Endothelial nitric oxide synthase activity is linked to its presence at cell–cell contacts, 361:193
Govindraj, P. *See* Pandit, S. G.
Graeff, R.
——; Lee, H. C.
A novel cycling assay for cellular cADP-ribose with nanomolar sensitivity, 361:379
——; Lee, H. C.
A novel cycling assay for nicotinic acid–adenine dinucleotide phosphate with nanomolar sensitivity, 367:163
Graf, F. *See* Testenière, O.
Graham, C. *See* Liu, Y.
Grahnert, A.
——; Friedrich, M.; Pfister, M.; Haag, F.; Koch-Nolte, F.; Hauschildt, S.
Mono-ADP-ribosyltransferases in human monocytes: regulation by lipopolysaccharide, 362:717
Granata, V. *See* Del Vecchio, P.
Granci, V. *See* Gueguen, G.
Grand, R. J. A. *See* Zhang, X.
Granier, C. *See* Rouby, J.
Graninger, M. *See* Steindl, C.
Grasberger, H.
——; Golcher, H. M. B.; Fingerhut, A.; Janssen, O. E.
Loop variants of the serpin thyroxine-binding globulin: implications for hormone release upon limited proteolysis, 365:311
Gratchev, A. *See* Politz, O.
Gray, A. *See* Kimber, W. A.
Graziano, G. *See* Del Vecchio, P.
Greenberg, M. L. *See* Koshkin, V.
Greene, S. R. *See* Gao, Z.
Greer, B. *See* Gault, V. A.
Greer, H. *See* Falany, J. L.
Gregoire, F. *See* Perret, J.
Gregory, R. B. *See* Wang, Y.-J.
Grieben, U. *See* Thiel, C.
Griffin, M.
——; Casadio, R.; Bergamini, C. M.
Transglutaminases: Nature's biological glues, 368:377
Griffiths, C.
——; Yamini, B.; Hall, C.; Garthwaite, J.
Nitric oxide inactivation in brain by a novel O_2-dependent mechanism resulting in the formation of nitrate ions, 362:459
——; Yamini, B.; Hall, C.; Garthwaite, J.
Nitric oxide inactivation in brain by a novel O_2-dependent mechanism resulting in the formation of nitrate ions, 362:839
Grinstein, S. *See* Vieira, O. V.
Grohovaz, F. *See* Schnurbus, R.
Grolli, S. *See* Ramoni, R.
Gros, C. *See* Rose, C.
Groschner, K. *See* Wagner, S.
Grosdemange-Billiard, C. *See* Hoeffler, J.-F.
Gross, G. *See* Kunz, M.
Gross, S. *See* Parker, L.
Grover, A. K. *See* Holmes, M. E.
Gruenbaum, Y. *See* Kakhlon, O.
Grundy, J. E. *See* Brooks, N. D.
Gruzman, A. *See* Alpert, E.
Gscheidlinger, R. *See* Hohenegger, M.
Gu, S. *See* Dong, Z.
Guagliardi, A.
——; Cerchia, L.; Rossi, M.
An intracellular protease of the crenarchaeon *Sulfolobus solfataricus*, which has sequence similarity to eukaryotic peptidases of the CD clan, 368:357
Guaragnella, N. *See* de Bari, L.
Gubenšek, F. *See* Petan, T.
Gueguen, G.
——; Granci, V.; Rogalle, P.; Briand-Mésange, F.; Wilson, M.; Klaébé, A.; Tercé, F.; Chap, H.; Salles, J.-P.; Simon, M.-F.; Gaits, F.
A lysophosphatidic acid analogue is revealed as a potent inhibitor of phosphatidylcholine synthesis, inducing apoptosis, 368:447
Guerre-Millo, M. *See* Turban, S.
Guialis, A. *See* Kafasla, P.
Guidarelli, A.
——; Cantoni, O.
Pivotal role of superoxides generated in the mitochondrial respiratory chain in peroxynitrite-dependent activation of phospholipase A_2, 366:307
Guillaume, N. *See* Jean, D.
Guillaume-Rousselet, N.
——; Jean, D.; Frade, R.
Cloning and characterization of anti-cathepsin L single chain variable fragment whose expression inhibits procathepsin L secretion in human melanoma cells, 367:219
Guillemain, G.
——; Muñoz-Alonso, M. J.; Cassany, A.; Loizeau, M.; Faussat, A.-M.; Burnol, A.-F.; Leturque, A.
Karyopherin α2: a control step of glucose-sensitive gene expression in hepatic cells, 364:201
Guillemette, J. G. *See* Lett, C. M.
Guillot, P. *See* Politz, O.
Guillou, H. *See* D'Andrea, S.
Gullbo, J. *See* Li, S.-S.
Guo, J.
——; Zimniak, L.; Zimniak, P.; Orchard, J. L.; Singh, S. V.
Cloning and expression of a novel Mu class murine glutathione transferase isoenzyme, 366:817
Guppy, M.
——; Leedman, P.; Zu, X. L.; Russell, V.
Contribution by different fuels and metabolic pathways to the total ATP turnover of proliferating MCF-7 breast cancer cells, 364:309
Gupta, A. *See* Au, A.
Gurcha, S. S. *See* Kremer, L.
——; Baulard, A. R.; Kremer, L.; Locht, C.; Moody, D. B.; Muhlecker, W.; Costello, C. E.; Crick, D. C.; Brennan, P. J.; Besra, G. S.
Ppm1, a novel polyprenol monophosphomannose synthase from *Mycobacterium tuberculosis*, 365:441

© 2003 Biochemical Society

Gurvitz, A. *See* Rottensteiner, H.
Gustafson, L. A. *See* Dubbelhuis, P. F.
Gut, J. *See* Singh, A.
Gutiérrez, J. *See* Paredes, R.
Gutiérrez, L. M. *See* Ñeco, P.
Gutierrez, S. *See* Paredes, R.
Gutiérrez-González, L. H.
——; Ludwig, C.; Hohoff, C.; Rademacher, M.; Hanhoff, T.; Rüterjans, H.; Spener, F.; Lücke, C.
Solution structure and backbone dynamics of human epidermal-type fatty acid-binding protein (E-FABP), 364:725
Gutmann, D. H. *See* Yu, T.
Guzmán, M. *See* Gómez del Pulgar, T.
Gvozdev, R. I. *See* Katterle, B.

Ha, H. *See* Seong, H.-A.
Haag, F. *See* Grahnert, A.
Haagsman, H. P. *See* ten Brinke, A.
Haan, C.
——; Heinrich, P. C.; Behrmann, I.
Structural requirements of the interleukin-6 signal transducer gp130 for its interaction with Janus kinase 1: the receptor is crucial for kinase activation, 361:105
Haasjes, J. *See* van Kuilenburg, A. B. P.
Habetha, M. *See* Schestag, F.
Haelens, A. *See* Verrijdt, G.
Haendler, B. *See* Geserick, C.
Hagiwara, E. *See* Ideguchi, H.
Hahn, A.
——; Barth, H.; Kress, M.; Mertens, P. R.; Goppelt-Struebe, M.
Role of Rac and Cdc42 in lysophosphatidic acid-mediated cyclo-oxygenase-2 gene expression, 362:33
Hainault, I. *See* Turban, S.
Haines, D. C. *See* Wimalasena, D. S.
Haist, J. V. *See* Holmes, M. E.
Halban, P. *See* Gonelle-Gispert, C.
Hale, M. L. *See* Stiles, B. G.
Halestrap, A. P. *See* McStay, G. P.
Hall, C. *See* Griffiths, C.
Hall, M. N. *See* Desrivières, S.
Hallberg, B. *See* Henriksson, M. L.
Hames, R. S.
——; Fry, A. M.
Alternative splice variants of the human centrosome kinase Nek2 exhibit distinct patterns of expression in mitosis, 361:77
Hamilton, B. *See* Rottensteiner, H.
Hammond, D. *See* Zbikowska, H. M.
Hampoelz, B. *See* Schlick, P.
Han, Q.
——; Fang, J.; Ding, H.; Johnson, J. K.; Christensen, B. M.; Li, J.
Identification of *Drosophila melanogaster* yellow-f and yellow-f2 proteins as dopachrome-conversion enzymes, 368:333
Hanaka, H.
——; Shimizu, T.; Izumi, T.
Nuclear-localization-signal-dependent and nuclear-export-signal-dependent mechanisms determine the localization of 5-lipoxygenase, 361:505
Hanano, A. *See* Summerer, S.
Hanefeld, F. *See* Thiel, C.
Hanhoff, T. *See* Gutiérrez-González, L. H.
Hansen, H. C. *See* Mylvaganam, M.
Hansen, S. *See* Hartshorn, K. L.
Hansen, T. v. O. *See* Pedersen, S. K.
Hanson, J. M. *See* Sprott, K. M.
Hansson, G. C. *See* Thomsson, K. A.
Härd, T. *See* Woestenenk, E. A.
Hardie, D. G. *See* Pan, D. A.
Harding, J. J. *See* Derham, B. K.
Harding, S. E. *See* Walters, C.
Hardingham, T. E. *See* Raynal, B. D. E.
Harduin-Lepers, A. *See* Foulquier, F.
Hardwick, J. M. *See* Ryan, C. A.
Hardy, D. *See* Soler, M.
Hardy, M. P.
——; Hertzog, P. J.; Owczarek, C. M.
Multiple regions within the promoter of the murine *Ifnar-2* gene confer basal and inducible expression, 365:355
Harmer, A. R.
——; Gallacher, D. V.; Smith, P. M.
Correlations between the functional integrity of the endoplasmic reticulum and polarized Ca^{2+} signalling in mouse lacrimal acinar cells: a role for inositol 1,3,4,5-tetrakisphosphate, 367:137
Harmon, A. W.
——; Patel, Y. M.; Harp, J. B.
Genistein inhibits CCAAT/enhancer-binding protein β (C/EBPβ) activity and 3T3-L1 adipogenesis by increasing C/EBP homologous protein expression, 367:203
Haro, A. *See* Gómez del Pulgar, T.
Haro, D. *See* Nadal, A.
Harp, J. B. *See* Harmon, A. W.
Harper, J. A.
——; Stuart, J. A.; Jekabsons, M. B.; Roussel, D.; Brindle, K. M.; Dickinson, K.; Jones, R. B.; Brand, M. D.
Artifactual uncoupling by uncoupling protein 3 in yeast mitochondria at the concentrations found in mouse and rat skeletal-muscle mitochondria, 361:49
Harriott, P. *See* Gault, V. A.
Harris, J. A. *See* Chung, R. S.
Harrison, J. G. *See* Clerk, A.
Harthill, J. E.
——; Pozuelo Rubio, M.; Milne, F. C.; MacKintosh, C.
Regulation of the 14-3-3-binding protein p39 by growth factors and nutrients in rat PC12 pheochromocytoma cells, 368:565
Hartig, A. *See* Rottensteiner, H.
Hartshorn, K. L.
——; Holmskov, U.; Hansen, S.; Zhang, P.; Meschi, J.; Mogues, T.; White, M. R.; Crouch, E. C.
Distinctive anti-influenza properties of recombinant collectin 43, 366:87
Hartshorne, D. J. *See* Murányi, A.
Harwood, J. L. *See* Rutter, A. J.
Hasegawa, H. *See* Tomoo, K.
Haseley, S. R. *See* Erbel, P. J. A.
Hashimoto, N. N.
——; Carnevalli, L. S.; Castilho, B. A.
Translation initiation at non-AUG codons mediated by weakened association of eukaryotic initiation factor (eIF) 2 subunits, 367:359
Hasilik, M. *See* Thiel, C.
Hasnain, S. *See* Krupa, J. C.
Hassell, J. R. *See* Pandit, S. G.
Hassid, A. *See* Yellaturu, C. R.
Hasty, K. A. *See* Cunningham, A. C.
Haswell, S. J. *See* Thackray, A. M.
Hatanaka, Y. *See* Yang, J.
Hatayama, I. *See* Ikeda, H.
Hauschildt, S. *See* Grahnert, A.
Hawkins, C. L.
——; Pattison, D. I.; Davies, M. J.
Reaction of protein chloramines with DNA and nucleosides: evidence for the formation of radicals, protein–DNA cross-links and DNA fragmentation, 365:605
Hawkins, P. T. *See* Krugmann, S.
Hayashi, H. *See* Oda, M.
Haydon, C. E. *See* Knebel, A.
Hayes, J. D. *See* Chanas, S. A.
Haystead, T. A. J. *See* Murányi, A.
Hazouard, E. *See* Attucci, S.
He, W.-j. *See* Liu, R.-s.
Hearne, G. R. *See* Egan, T. J.
Hecker, A. *See* Testenière, O.
Heering, H. A.
——; Smith, A. T.; Smulevich, G.
Spectroscopic characterization of mutations at the Phe^{41} position in the distal haem pocket of horseradish peroxidase C: structural and functional consequences, 363:571
Hegardt, F. G. *See* Rubí, B.
Hein, G. *See* van Kuilenburg, A. B. P.
Heino, S. *See* Laitinen, O. H.
Heinrich, P. C. *See* Haan, C.
Hejazi, A. *See* Morgan, K.
Hejazi, M.
——; Piotukh, K.; Mattow, J.; Deutzmann, R.; Volkmer-Engert, R.; Lockau, W.
Isoaspartyl dipeptidase activity of plant-type asparaginases, 364:129
Helledie, T. *See* Krogsdam, A.-M.
Hemingway, J. *See* Vontas, J. G.
Hemmerlin, A. *See* Hoeffler, J.-F.
Henderson, C. J. *See* Chanas, S. A.
Henderson, P. J. F. *See* Venter, H.
Henderson, R. J. *See* Rutter, A. J.
Hengartner, M. O. *See* Gagnon, S. N.
Henriksson, M. L.
——; Sundin, C.; Jansson, A. L.; Forsberg, A.; Palmer, R. H.; Hallberg, B.
Exoenzyme S shows selective ADP-ribosylation and GTPase-activating protein (GAP) activities towards small GTPases *in vivo*, 367:617
Henson, M. A.
——; Müller, D.; Reuss, M.
Cell population modelling of yeast glycolytic oscillations, 368:433
Henttinen, T. *See* Yegutkin, G. G.
Herbert, D. *See* Rutter, A. J.
Herbert, R. B. *See* Venter, H.
Herling, A. W. *See* Dubbelhuis, P. F.
Herman-Antosiewicz, A. *See* Iwanicki, A.
Hernández, H. *See* Elkins, J. M.
Hernández, J. A.
——; Bes, M. T.; Fillat, M. F.; Neira, J. L.; Peleato, M. L.
Biochemical analysis of the recombinant Fur (ferric uptake regulator) protein from *Anabaena* PCC 7119: factors affecting its oligomerization state, 366:315
Hernandez-Rosa, E. *See* Salviati, L.

© 2003 Biochemical Society

Herrero, L. *See* Rubí, B.
Herrmann, A. *See* Pohl, A.
Hers, I.
——; Bell, C. J.; Poole, A. W.; Jiang, D.; Denton, R. M.; Schaefer, E.; Tavaré, J. M.
Reciprocal feedback regulation of insulin receptor and insulin receptor substrate tyrosine phosphorylation by phosphoinositide 3-kinase in primary adipocytes, 368:875
Herter, P. *See* Chtarbova, S.
Hertzog, P. J. *See* Hardy, M. P.
Hewage, C. *See* Lowther, J.
Hewitson, K. S. *See* McNeill, L. A.
Hewlett, E. L. *See* Gao, Z.
Heymans, F. *See* Dong, C.-Z.
Hidalgo, A. *See* Riu, E.
High, K. A. *See* Toso, R.
Higham, C. W. *See* Allen, J. W. A.
Hikasa, Y. *See* Tamahara, S.
Hillgartner, F. B. *See* Wang, Y.
Hiltunen, J. K. *See* Kiema, T.-R.
Hinchliffe, K. A.
——; Giudici, M. L.; Letcher, A. J.; Irvine, R. F.
Type IIα phosphatidylinositol phosphate kinase associates with the plasma membrane via interaction with type I isoforms, 363:563
Hinojosa-Kurtzberg, M. *See* Thomsson, K. A.
Hiramoto, K. *See* Kasahara, E.
Hirose, M. *See* Arii, Y.
Hishinuma, S. *See* Mita, M.
Hitchen, P. G. *See* Kremer, L.
Hizi, A. *See* Entin-Meer, M.
Hobby, P. *See* Murphy, J. J.
Hobman, T. C. *See* Abousalham, A.
Hodel, A. *See* Kalus, I.
Hoeffler, J.-F.
——; Hemmerlin, A.; Grosdemange-Billiard, C.; Bach, T. J.; Rohmer, M.
Isoprenoid biosynthesis in higher plants and in *Escherichia coli*: on the branching in the methylerythritol phosphate pathway and the independent biosynthesis of isopentenyl diphosphate and dimethylallyl diphosphate, 366:573
Hoekstra, D. *See* Shi, F.
Hogan, A. *See* Young, D. A.
Hogue, D. L.
——; Nash, C.; Ling, V.; Hobman, T. C.
Lysosome-associated protein transmembrane 4α (LAPTM4α) requires two tandemly arranged tyrosine-based signals for sorting to lysosomes, 365:721
Hohenegger, M.
——; Suko, J.; Gscheidlinger, R.; Drobny, H.; Zidar, A.
Nicotinic acid-adenine dinucleotide phosphate activates the skeletal muscle ryanodine receptor, 367:423
Hohoff, C. *See* Gutiérrez-González, L. H.
Højrup, P. *See* Wadum, M. C. T.
Hollenberg, M. D. *See* Compton, S. J.
Holloway, A. F. *See* Chung, R. S.
Holman, G. D. *See* Yang, J.
Holmes, M. E.
——; Mwanjewe, J.; Samson, S. E.; Haist, J. V.; Wilson, J. X.; Dixon, S. J.; Karmazyn, M.; Grover, A. K.
Dehydroascorbic acid uptake by coronary artery smooth muscle: effect of intracellular acidification, 362:507
Holmskov, U. *See* Hartshorn, K. L.
Holness, M. J. *See* Sugden, M. C.
——; Bulmer, K.; Gibbons, G. F.; Sugden, M. C.
Up-regulation of pyruvate dehydrogenase kinase isoform 4 (PDK4) protein expression in oxidative skeletal muscle does not require the obligatory participation of peroxisome-proliferator-activated receptor α (PPARα), 366:839
——; Smith, N. D.; Bulmer, K.; Hopkins, T.; Gibbons, G. F.; Sugden, M. C.
Evaluation of the role of peroxisome-proliferator-activated receptor α in the regulation of cardiac pyruvate dehydrogenase kinase 4 protein expression in response to starvation, high-fat feeding and hyperthyroidism, 364:687
Holst, D. *See* Krogsdam, A.-M.
Holterman, L. *See* Joët, T.
Holtermann, G. *See* Pearson, D. S.
Holtorff, M. S. *See* Mitchell, J. L. A.
Holtsberg, F. W. *See* Thomas, J. B.
Hölzl, H. *See* Kurucz, E.
Hom, M. L. *See* Atkins, J.
Home, W. *See* Doyon, Y.
Hong, S. H. *See* Kim, W. J.
Hooper, N. M. *See* Ofner, L. D.
Hopkins, T. *See* Holness, M. J.
Hopmann, K. H. *See* Laursen, L. S.
Hopper, D. J.
——; Kaderbhai, M. A.; Marriott, S. A.; Young, M.; Rogozinski, J.
Cloning, sequencing and heterologous expression of the gene for lupanine hydroxylase, a quinocytochrome *c* from a *Pseudomonas* sp., 367:483
Hořejší, V. *See* Wonerow, P.
Horiguchi, H. *See* Arao, Y.
Horinouchi, S. *See* Funa, N.
Hornby, J. A. T. *See* Sayed, Y.
Hornemann, T. *See* Stolz, M.
Horsfall, L. E. *See* McNeill, L. A.
Hoshi, T. *See* Geib, S.
Hoshino, E. *See* Tanaka, A.
Hoshino, H. *See* Kato, Y.
Hosoya, H. *See* Suizu, F.
Hospital, V.
——; Nishi, E.; Klagsbrun, M.; Cohen, P.; Seidah, N. G.; Prat, A.
The metalloendopeptidase nardilysin (NRDc) is potently inhibited by heparin-binding epidermal growth factor-like growth factor (HB-EGF), 367:229
Hou, W. *See* Qian, X.
Houben, R. J. T. J.
——; Rijkers, D. T. S.; Stanley, T. B.; Acher, F.; Azerad, R.; Käkönen, S.-M.; Vermeer, C.; Soute, B. A. M.
Characteristics and composition of the vitamin K-dependent γ-glutamyl carboxylase-binding domain on osteocalcin, 364:323
Houchi, H. *See* Tsuchiya, K.
Houlès Astoul, C.
——; Peumans, W. J.; van Damme, E. J. M.; Barre, A.; Bourne, Y.; Rougé, P.
The size, shape and specificity of the sugar-binding site of the jacalin-related lectins is profoundly affected by the proteolytic cleavage of the subunits, 367:817
Hounsell, E. F. *See* Shaw, D. M.
Hourton, D. *See* Malaud, E.
Houston, D. R.
——; Eggleston, I.; Synstad, B.; Eijsink, V. G. H.; van Aalten, D. M. F.
The cyclic dipeptide CI-4 [*cyclo*-(L-Arg-D-Pro)] inhibits family 18 chitinases by structural mimicry of a reaction intermediate, 368:23
Houston, P. *See* Benedetti, A.
Houweling, M.
——; Klein, W.; Geelen, M. J. H.
Regulation of phosphatidylcholine and phosphatidylethanolamine synthesis in rat hepatocytes by 5-aminoimidazole-4-carboxamide ribonucleoside (AICAR), 362:97
Hovanessian, A. *See* Ginés, S.
Howard, M. *See* Bailey, L.
Howell, S. J. *See* Lauffart, B.
Hrelia, S. *See* Ghelli, A.
Hruska-Hageman, A. M.
——; Wemmie, J. A.; Price, M. P.; Welsh, M. J.
Interaction of the synaptic protein PICK1 (protein interacting with C kinase 1) with the non-voltage gated sodium channels BNC1 (brain Na^+ channel 1) and ASIC (acid-sensing ion channel), 361:443
Hrzenjak, A. *See* Strauss, J. G.
Hsu, A.-L. *See* Johnson, A. J.
Hsu, B. Y. L. *See* Fang, J.
Hsu, W. H. *See* Cheng, H.
Hu, M. *See* Li, Y.
Hu, N.-T. *See* Tsai, R.-T.
——; Leu, W.-M.; Lee, M.-S.; Chen, A.; Chen, S.-C.; Song, Y.-L.; Chen, L.-Y.
XpsG, the major pseudopilin in *Xanthomonas campestris* pv. campestris, forms a pilus-like structure between cytoplasmic and outer membranes, 365:205
Huang, A. *See* Zhang, Y.-Y.
Huang, S. *See* Feng, X.
Huang, W. *See* Inoue, K.
Huang, X.
——; Hutchins, B.; Patel, R. C.
The C-terminal, third conserved motif of the protein activator PACT plays an essential role in the activation of double-stranded-RNA-dependent protein kinase (PKR), 366:175
Huber, P. W. *See* Westmark, C. J.
Hübner, S.
——; Jans, D. A.; Xiao, C.-Y.; John, A. P.; Drenckhahn, D.
Signal- and importin-dependent nuclear targeting of the kidney anion exchanger 1-binding protein kanadaptin, 361:287
Hudmon, A.
——; Schulman, H.
Structure–function of the multifunctional Ca^{2+}/calmodulin-dependent protein kinase II, 364:593
Huff, M. W. *See* Borradaile, N. M.
Hughes, R. K. *See* Flatman, R.
Hui, C.-F. *See* Sun, H.-W.
Humbert, L. *See* Thomas, B.
Hummert, S. L. *See* Levin, G.

© 2003 Biochemical Society

Humphries, M. J. *See* Bass, M. D.
Hund, E. *See* Blomenröhr, M.
Hunt, D. M. *See* Cowing, J. A.
Huot, J. *See* Chouinard, N.
Hurd, T. W.
——; Culbert, A. A.; Webster, K. J.; Tavaré, J. M.
Dual role for mitogen-activated protein kinase (Erk) in insulin-dependent regulation of Fra-1 (*fos*-related antigen-1) transcription and phosphorylation, 368:573
Hurlstone, A. F. L.
——; Olave, I. A.; Barker, N.; van Noort, M.; Clevers, H.
Cloning and characterization of hELD/OSA1, a novel BRG1 interacting protein, 364:255
Husslein, P. *See* Knöfler, M.
Hutchins, B. *See* Huang, X.
Hutchinson, J. *See* Syed, S.-e-H.
Huth, W.
——; Rolle, S.; Wunderlich, I.
Turnover of matrix proteins in mammalian mitochondria, 364:275
Hytönen, V. P. *See* Laitinen, O. H.

Ibrahimi, A. *See* Brinkmann, J. F. F.
Ichijo, H. *See* Saeki, Koichi
Ideguchi, H.
——; Ueda, A.; Tanaka, M.; Yang, J.; Tsuji, T.; Ohno, S.; Hagiwara, E.; Aoki, A.; Ishigatsubo, Y.
Structural and functional characterization of the USP11 deubiquitinating enzyme, which interacts with the RanGTP-associated protein RanBPM, 367:87
Ifergan, I. *See* Rothem, L.
Igarashi, K. *See* Nishimura, K.
——; Momohara, I.; Nishino, T.; Samejima, M.
Kinetics of inter-domain electron transfer in flavocytochrome cellobiose dehydrogenase from the white-rot fungus *Phanerochaete chrysosporium*, 365:521
Iglesias, R. *See* Schlüter, A.
Iino, M. *See* Nosyreva, E.
Ikeda, H.
——; Serria, M. S.; Kakizaki, I.; Hatayama, I.; Satoh, K.; Tsuchida, S.; Muramatsu, M.; Nishi, S.; Sakai, M.
Activation of mouse Pi-class glutathione S-transferase gene by Nrf2 (NF-E2-related factor 2) and androgen, 364:563
Ikeda, K. *See* Arao, Y.
Imagawa, M. *See* Nishizuka, M.
Imayama, S. *See* Kita, K.
Imhof, J. *See* Invernizzi, C.
Imschenetzky, M. *See* Paredes, R.
Inaba, M. *See* Tamahara, S.
Inagaki, M. *See* Kita, K.
Inazawa, Y. *See* Saeki, Koichi
Inoue, K.
——; Fei, Y.-J.; Huang, W.; Zhuang, L.; Chen, Z.; Ganapathy, V.
Functional identity of *Drosophila melanogaster* Indy as a cation-independent, electroneutral transporter for tricarboxylic acid-cycle intermediates, 367:313
Inoue, M. *See* Kasahara, E.
Invernizzi, C.
——; Imhof, J.; Burkard, G.; Schmid, K.; Boschetti, A.
Effects of mutations at the two processing sites of the precursor for the small subunit of ribulose-bisphosphate carboxylase in *Chlamydomonas reinhardtii*, 366:989
Iordanidou, P. *See* Murphy, J. J.
Irani, K. *See* Wang, L.
Iriarte, A. *See* Cooper, A. J. L.
Irie, K. *See* Nezu, A.
Irigoín, F.
——; Ferreira, F.; Fernández, C.; Sim, R. B.; Díaz, A.
myo-Inositol hexakisphosphate is a major component of an extracellular structure in the parasitic cestode *Echinococcus granulosus*, 362:297
Irvine, R. F. *See* Hinchliffe, K. A.
Isaac, R. E. *See* Siviter, R. J.
Isacke, C. M. *See* Bailey, L.
Isemura, M. *See* Saeki, Koichi
Ishida, H. *See* Ohara-Imaizumi, M.
Ishida, T. *See* Tomoo, K.
Ishidate, K. *See* Aoyama, C.
Ishigatsubo, Y. *See* Ideguchi, H.
Ishiguro, M. *See* Kawahara, K.
Ishihara, H. *See* Rubí, B.
Ishikawa, M. *See* Tomoo, K.
Itano, N. *See* Munesue, S.
Ito, A. S. *See* Pimenta, D. C.
Ito, M. *See* Kita, K.
——; Amizuka, N.; Ozawa, H.; Oda, K.
Retention at the *cis*-Golgi and delayed degradation of tissue-non-specific alkaline phosphatase with an Asn^{153}→Asp substitution, a cause of perinatal hypophosphatasia, 361:473
Itoh, K. *See* Chanas, S. A.
Itoh, N. *See* Kanekiyo, M.
Iturriaga, G. *See* Van Dijck, P.
Iturrioz, X. *See* Srivastava, J.
Ivanov, A. V.
——; Modyanov, N. N.; Askari, A.
Role of the self-association of β subunits in the oligomeric structure of Na^+/K^+-ATPase, 364:293
Ivings, L.
——; Pennington, S. R.; Jenkins, R.; Weiss, J. L.; Burgoyne, R. D.
Identification of Ca^{2+}-dependent binding partners for the neuronal calcium sensor protein neurocalcin δ: interaction with actin, clathrin and tubulin, 363:599
Iwahashi, H.
——; Nishizaki, K.; Takagi, I.
Cytochrome *c* catalyses the formation of pentyl radical and octanoic acid radical from linoleic acid hydroperoxide, 361:57
Iwanicki, A.
——; Herman-Antosiewicz, A.; Pierechod, M.; Séror, S. J.; Obuchowski, M.
PrpE, a PPP protein phosphatase from *Bacillus subtilis* with unusual substrate specificity, 366:929
Iwasaki, T. *See* Suizu, F.
Izquierdo, J. M. *See* Ricart, J.
Izumi, T. *See* Hanaka, H.

Jacob, C. *See* Giles, G. I.
Jacomelli, G. *See* Fairbanks, L. D.
Jadidi, M. *See* Mansilla, F.
Jaffer, M. A. *See* Kirsch, R.
Jain, R. K.
——; Chang, W. T.; Geetha, C.; Joyce, P. B. M.; Gorr, S.-U.
In vitro aggregation of the regulated secretory protein chromogranin A, 368:605
Jakobs, C. *See* Silva, M. F. B.
Jakobs, K. H. *See* Rümenapp, U.
Jalkanen, S. *See* Yegutkin, G. G.
Jambon, M. *See* Lalle, P.
Jan, S. *See* D'Andrea, S.
Janes, M. *See* Baines, D. L.
Janmaat, M. *See* Wang, X.
Jänne, J. *See* Alhonen, L.
Jänne, O. A. *See* Tian, S.
Jans, D. A. *See* Hübner, S.
Jansen, G. *See* Rothem, L.
Janssen, D. B. *See* Alkema, W. B. L.
Janssen, O. E. *See* Grasberger, H.
Jansson, A. L. *See* Henriksson, M. L.
Janvier, B. *See* Antonio, V.
Janzen, A. *See* Wolf, S.
Jarva, H. *See* Taskinen, S.
Jarvis, G. E. *See* Snell, D. C.
Javier, R. T. *See* Kimber, W. A.
Jayatillake, S. P. *See* Wimalasena, D. S.
Jean, C. *See* Manin, M.
Jean, D. *See* Guillaume-Rousselet, N.
——; Guillaume, N.; Frade, R.
Characterization of human cathepsin L promoter and identification of binding sites for NF-Y, Sp1 and Sp3 that are essential for its activity, 361:173
JeBailey, L. *See* Wang, C.
Jefferson, L. S. *See* Shah, O. J.
Jekabsons, M. B. *See* Harper, J. A.
——; Echtay, K. S.; Brand, M. D.
Nucleotide binding to human uncoupling protein-2 refolded from bacterial inclusion bodies, 366:565
Jékely, G. *See* Schád, E.
Jenkins, R. *See* Ivings, L.
Jennings, L. K. *See* Yellaturu, C. R.
Jensen, L. T. *See* Portnoy, M. E.
Jeyaseelan, K. *See* Ma, D.
Ji, Q.-S. *See* Bai, X.-C.
Jia, J.
——; Xu, F.; Chen, X.; Chen, L.; Jin, Y.; Wang, D. T. P.
Two essential regions for tRNA recognition in *Bacillus subtilis* tryptophanyl-tRNA synthetase, 365:749
Jia, Z. *See* Dutt, P.
Jiang, D. *See* Hers, I.
Jiang, Q. *See* Chanas, S. A.
Jin, J. *See* Quinton, T. M.
Jin, Y. *See* Jia, J.
Joannou, C. L. *See* Oakhill, J. S.
Joe, E.-H. *See* Lee, M.
Joët, T.
——; Holterman, L.; Stedman, T. T.; Kocken, C. H. M.; van der Wel, A.; Thomas, A. W.; Krishna, S.
Comparative characterization of hexose transporters of *Plasmodium knowlesi*, *Plasmodium yoelii* and *Toxoplasma gondii* highlights functional differences within the apicomplexan family, 368:923
Johansson, Sophie *See* Politz, O.
Johansson, Staffan *See* Politz, O.
John, A. P. *See* Hübner, S.

© 2003 Biochemical Society

Johnson, A. J.
——; Hsu, A.-L.; Lin, H.-P.; Song, X.; Chen, C.-S.
The cyclo-oxygenase-2 inhibitor celecoxib perturbs intracellular calcium by inhibiting endoplasmic reticulum Ca^{2+}-ATPases: a plausible link with its anti-tumour effect and cardiovascular risks, 366:831
Johnson, J. K. *See* Han, Q.
Johnson, J. L. *See* Catz, S. D.
Johnson, M. S. *See* Laitinen, O. H.
Johnson, R. B. *See* Du, M. X.
Jones, A. B. *See* Ding, V. D. H.
Jones, R. B. *See* Harper, J. A.
Jones, R. L. *See* Zhang, L.
Joseph, J. *See* Wang, S.
Josephs, M. *See* Fensome, A. C.
Joubert, D. *See* Leverrier, S.
Joyce, P. B. M. *See* Jain, R. K.
Juang, Y.-T. *See* Tolnay, M.
Juge, N. *See* Flatman, R.
Juliano, L. *See* Cezari, M. H. S.; Pimenta, D. C.
Juliano, M. A. *See* Pimenta, D. C.
Julien, S. *See* Sadji-Ouatas, Z.
Jung, B. D. *See* Kitamura, T.
Jungermann, K. *See* Roth, U.
Jupp, O. J. *See* Mohamed, A. A. A.

Kabir, J.
——; Lobo, M.; Zachary, I.
Staurosporine induces endothelial cell apoptosis via focal adhesion kinase dephosphorylation and focal adhesion disassembly independent of focal adhesion kinase proteolysis, 367:145
Kaczynski, J. A.
——; Conley, A. A.; Fernandez Zapico, M.; Delgado, S. M.; Zhang, J.-S.; Urrutia, R.
Functional analysis of basic transcription element (BTE)-binding protein (BTEB) 3 and BTEB4, a novel Sp1-like protein, reveals a subfamily of transcriptional repressors for the BTE site of the *cytochrome P4501A1* gene promoter, 366:873
Kaderbhai, M. A. *See* Hopper, D. J.
Kaestner, K. H. *See* Liu, Y.
Kafasla, P.
——; Patrinou-Georgoula, M.; Lewis, J. D.; Guialis, A.
Association of the 72/74-kDa proteins, members of the heterogeneous nuclear ribonucleoprotein M group, with the pre-mRNA at early stages of spliceosome assembly, 363:793
Kaiser, N. *See* Alpert, E.
Kakeya, H. *See* Takahashi-Ando, N.
Kakhlon, O.
——; Gruenbaum, Y.; Cabantchik, Z. I.
Ferritin expression modulates cell cycle dynamics and cell responsiveness to H-ras-induced growth via expansion of the labile iron pool, 363:431
Kakizaki, I. *See* Ikeda, H.
Käkönen, S.-M. *See* Houben, R. J. T. J.
Kalhoff, H. *See* van Kuilenburg, A. B. P.
Kalivendi, S. *See* Wang, S.
Kalsheker, N. *See* Morgan, K.
Kaltner, H. *See* Wu, A. M.
Kalus, I.
——; Hodel, A.; Koch, A.; Kleene, R.; Edwardson, J. M.; Schrader, M.
Interaction of syncollin with GP-2, the major membrane protein of pancreatic zymogen granules, and association with lipid microdomains, 362:433
Kalyanaraman, B. *See* Vásquez-Vivar, J.
Kambe, F. *See* Cao, X.
Kamerling, J. P. *See* Erbel, P. J. A.
Kanekiyo, M.
——; Itoh, N.; Kawasaki, A.; Matsuyama, A.; Matsuda, K.; Nakanishi, T.; Tanaka, Keiichi
Metallothionein modulates lipopolysaccharide-stimulated tumour necrosis factor expression in mouse peritoneal macrophages, 361:363
Kang, B. H.
——; Ko, E.; Kwon, O.-K.; Choi, K. Y.
The structure of procaspase 6 is similar to that of active mature caspase 6, 364:629
Kannicht, C. *See* Politz, O.
Kanno, E. *See* Fukuda, M.
Kanoh, Y. *See* Sajan, M. P.
Kantelhardt, S. R.
——; Wuhrer, M.; Dennis, R. D.; Doenhoff, M. J.; Bickle, Q.; Geyer, R.
Fuc(α1→3)GalNAc-: the major antigenic motif of *Schistosoma mansoni* glycolipids implicated in infection sera and keyhole-limpet haemocyanin cross-reactivity, 366:217
Kaouass, M. *See* Soulet, D.
Kapelari, B. *See* Kurucz, E.
Kaper, T.
——; Brouns, S. J. J.; Geerling, A. C. M.; De Vos, W. M.; Van der Oost, J.
DNA family shuffling of hyperthermostable β-glycosidases, 368:461
Kappler, J. *See* Dietz, F.
Karantonis, H. C. *See* Antonopoulou, S.
Karlsson, N. G. *See* Schulz, B. L.
Karmazyn, M. *See* Holmes, M. E.
Karnaky, Jr, K. J. *See* Rao, R. K.
Karran, E. H. *See* Balyasnikova, I. V.
Kasahara, E.
——; Sato, E. F.; Miyoshi, M.; Konaka, R.; Hiramoto, K.; Sasaki, J.; Tokuda, M.; Nakano, Y.; Inoue, M.
Role of oxidative stress in germ cell apoptosis induced by di(2-ethylhexyl)phthalate, 365:849
Kasai, N. *See* Oda, M.
Kashiwagi, K. *See* Nishimura, K.
Kashman, Y. *See* Loya, S.
Kasinath, B. S. *See* Senthil, D.
Katan, M. *See* Fensome, A. C.
Kateete, D. P. *See* Buckner, F. S.
Kato, I. *See* Chini, E. N.
Kato, Y.
——; Aizawa, T.; Hoshino, H.; Kawano, K.; Nitta, K.; Zhang, H.
abf-1 and *abf-2*, ASABF-type antimicrobial peptide genes in *Caenorhabditis elegans*, 361:221
Katoh, H. *See* Tanaka, H.
Katsuta, H. *See* Ohara-Imaizumi, M.
Katsuya, Y. *See* Tomoo, K.
Katterle, B.
——; Gvozdev, R. I.; Abudu, N.; Ljones, T.; Andersson, K. K.
A continuous-wave electron–nuclear double resonance (X-band) study of the Cu^{2+} sites of particulate methane mono-oxygenase of *Methylococcus capsulatus* (strain M) in membrane and pure dopamine β-mono-oxygenase of the adrenal medulla, 363:677
Katz, S.
——; Aronheim, A.
Differential targeting of the stress mitogen-activated protein kinases to the c-Jun dimerization protein 2, 368:939
Käufer, N. F. *See* Tang, Z.
Kaufman, Y. *See* Rothem, L.
Kawahara, K.
——; Kuniyasu, A.; Masuda, K.; Ishiguro, M.; Nakayama, H.
Efficient identification of photolabelled amino acid residues by combining immunoaffinity purification with MS: revealing the semotiadil-binding site and its relevance to binding sites for myristates in domain III of human serum albumin, 363:223
Kawano, K. *See* Kato, Y.
Kawasaki, A. *See* Kanekiyo, M.
Kayama, F. *See* Arao, Y.
Ke, Z.-Y. *See* Bai, X.-C.
Keaney, Jr, J. F. *See* Upston, J. M.
Keely, P. J. *See* Gabarra-Niecko, V.
Keen, J. N. *See* Venter, H.
Kehrer, J. P. *See* Thuillier, P.
Kehrl, J. *See* Niu, J.
Keith, R. A. *See* Nes, W. D.
Keller, W. *See* Oberer, M.
Kellett, E. *See* Ramsay, D.
Kelly, D. E. *See* Lamb, D. C.
Kelly, J. M. *See* Wilkinson, S. R.
Kelly, Sharon L. *See* Kirsch, R.
Kelly, Steven L. *See* Lamb, D. C.
Kelly, V. P.
——; Sherratt, P. J.; Crouch, D. H.; Hayes, J. D.
Novel homodimeric and heterodimeric rat γ-hydroxybutyrate synthases that associate with the Golgi apparatus define a distinct subclass of aldo-keto reductase 7 family proteins, 366:847
Kemp, G. D. *See* Fernandes, J. M. O.
Kemp, P. R. *See* Ellis, P. D.
Kemp, T. J. *See* Clerk, A.
Kesarwani, M. *See* Azam, M.
Kester, H. C. M. *See* de Vries, R. P.
Keyse, S. M. *See* Dickinson, R. J.
Khaspekov, G. *See* Menshikov, M.
Khatri, I. A. *See* Wang, R.
Kieffer, S. *See* Bogdanovic, A.
Kieloch, A. *See* Sapkota, G. P.
Kiema, T.-R.
——; Taskinen, J. P.; Pirilä, P. L.; Koivuranta, K. T.; Wierenga, R. K.; Hiltunen, J. K.
Organization of the multifunctional enzyme type 1: interaction between N- and C-terminal domains is required for the hydratase-1/isomerase activity, 367:433
Kieser, T. *See* Lamb, D. C.
Kietzmann, T. *See* Roth, U.

© 2003 Biochemical Society

Kihlken, M. A.
——; Leech, A. P.; Le Brun, N. E.
Copper-mediated dimerization of CopZ, a predicted copper chaperone from *Bacillus subtilis*, 368:729
Kikuchi, A. *See* Arao, Y.
Kilburn, D. G. *See* Boraston, A. B.
Kim, A.-R. *See* Park, J.-B.
Kim, C.-M. *See* Park, S.-H.
Kim, H.
——; Farris, J.; Christman, S. A.; Kong, B.-W.; Foster, L. K.; O'Grady, S. M.; Foster, D. N.
Events in the immortalizing process of primary human mammary epithelial cells by the catalytic subunit of human telomerase, 365:765
Kim, H.-E. *See* Park, S.-H.
Kim, H.-J. *See* Yoon, G.
Kim, J. *See* Park, J.-B.
Kim, J.-H. *See* Lee, M.
Kim, J.-S. *See* Park, J.-B.
Kim, K.-S. *See* Kim, S.-H.
Kim, K.-T. *See* Seong, H.-A.
Kim, M.-S. *See* Chun, Y.-S.
Kim, S. *See* Quinton, T. M.
Kim, S.-H.
——; Kwon, H.-B.; Kim, Y.-S.; Ryu, J.-H.; Kim, K.-S.; Ahn, Y.; Lee, W.-J.; Choi, K.-Y.
Isolation and characterization of a *Drosophila* homologue of mitogen-activated protein kinase phosphatase-3 which has a high substrate specificity towards extracellular-signal-regulated kinase, 361:143
Kim, S.-J. *See* Seong, H.-A.
Kim, T.-Y. *See* Chun, Y.-S.
Kim, W. J.
——; Lee, H.; Park, E. J.; Hong, S. H.; Park, S. D.
Role of ATP-binding motifs on DNA-binding activity and biological function of Rhp51, a Rad51 homologue in fission yeast, 364:869
Kim, Y.-H. *See* Cha, C.-J.
Kim, Y.-S. *See* Kim, S.-H.
Kimball, S. R. *See* Shah, O. J.
Kimber, S. J. *See* Knöfler, M.
Kimber, W. A.
——; Trinkle-Mulcahy, L.; Cheung, P. C. F.; Deak, M.; Marsden, L. J.; Kieloch, A.; Watt, S.; Javier, R. T.; Gray, A.; Downes, C. P.; Lucocq, J. M.; Alessi, D. R.
Evidence that the tandem-pleckstrin-homology-domain-containing protein TAPP1 interacts with Ptd(3,4)P_2 and the multi-PDZ-domain-containing protein MUPP1 *in vivo*, 361:525
Kimura, K. *See* Kitamura, T.
Kimura, M. *See* Takahashi-Ando, N.
Kinnunen, P. K. J. *See* Rinaldi, A. C.
Kirchhofer, D. *See* Roberge, M.
Kirima, K. *See* Tsuchiya, K.
Kirk, J. M. *See* van Kuilenburg, A. B. P.
Kirkham, S.
——; Sheehan, J. K.; Knight, D.; Richardson, P. S.; Thornton, D. J.
Heterogeneity of airways mucus: variations in the amounts and glycoforms of the major oligomeric mucins MUC5AC and MUC5B, 361:537
Kirkpatrick, A. *See* Underwood, P. A.
Kirpichnikov, M. P. *See* Abdullaev, Z. K.
Kirsch, R.
——; Jaffer, M. A.; Woodburne, V. E.; Sewell, T.; Kelly, Sharon L.; Kirsch, R. E.; Shephard, E. G.
Fibrinogen is degraded and internalized during incubation with neutrophils, and fibrinogen products localize to electron lucent vesicles, 364:403
Kirsch, R. E. *See* Kirsch, R.
Kishimoto, S. *See* Tokumura, A.
Kisielow, M.
——; Kleiner, S.; Nagasawa, M.; Faisal, A.; Nagamine, Y.
Isoform-specific knockdown and expression of adaptor protein ShcA using small interfering RNA, 363:1
Kiso, M. *See* Kita, K.
Kiss, E. *See* Murányi, A.
——; Murányi, A.; Csortos, C.; Gergely, P.; Ito, M.; Hartshorne, D. J.; Erdődi, F.
Integrin-linked kinase phosphorylates the myosin phosphatase target subunit at the inhibitory site in platelet cytoskeleton, 365:79
Kita, K.
——; Sueyoshi, N.; Okino, N.; Inagaki, M.; Ishida, H.; Kiso, M.; Imayama, S.; Nakamura, T.; Ito, M.
Activation of bacterial ceramidase by anionic glycerophospholipids: possible involvement in ceramide hydrolysis on atopic skin by *Pseudomonas* ceramidase, 362:619
Kitajewski, J. *See* Chtarbova, S.
Kitamura, K. *See* Tomoo, K.
Kitamura, T.
——; Kimura, K.; Jung, B. D.; Makondo, K.; Sakane, N.; Yoshida, T.; Saito, M.
Proinsulin C-peptide activates cAMP response element-binding proteins through the p38 mitogen-activated protein kinase pathway in mouse lung capillary endothelial cells, 366:737
Klaébé, A. *See* Gueguen, G.
Klagsbrun, M. *See* Hospital, V.
Kleczkowski, L. A. *See* Martz, F.
Kleene, R. *See* Kalus, I.
Klein, R. A. *See* Schestag, F.
Klein, S. D.
——; Brüne, B.
Heat-shock protein 70 attenuates nitric oxide-induced apoptosis in RAW macrophages by preventing cytochrome *c* release, 362:635
Klein, W. *See* Houweling, M.
Kleiner, S. *See* Kisielow, M.
Kleinfeld, A. M. *See* Demant, E. J. F.
Klimacek, M.
——; Nidetzky, B.
A catalytic consensus motif for D-mannitol 2-dehydrogenase, a member of a polyol-specific long-chain dehydrogenase family, revealed by kinetic characterization of site-directed mutants of the enzyme from *Pseudomonas fluorescens*, 367:13
Klomp, A. E. M.
——; Tops, B. B. J.; van den Berg, I. E. T.; Berger, R.; Klomp, L. W. J.
Biochemical characterization and subcellular localization of human copper transporter 1 (hCTR1), 364:497
Klomp, L. W. J. *See* Klomp, A. E. M.
Klostermann, E.
——; Drost gen. Helling, I.; Carde, J.-P.; Schünemann, D.
The thylakoid membrane protein ALB3 associates with the cpSecY-translocase in *Arabidopsis thaliana*, 368:777
Kluck, R. M. *See* Abdullaev, Z. K.
Knäuper, V. *See* Bailey, L.
Knebel, A.
——; Haydon, C. E.; Morrice, N.; Cohen, P.
Stress-induced regulation of eukaryotic elongation factor 2 kinase by SB 203580-sensitive and -insensitive pathways, 367:525
Knight, B. L. *See* Sugden, M. C.
Knight, D. *See* Kirkham, S.
Knight, K.
——; Scrutton, N. S.
Stopped-flow kinetic studies of electron transfer in the reductase domain of neuronal nitric oxide synthase: re-evaluation of the kinetic mechanism reveals new enzyme intermediates and variation with cytochrome P450 reductase, 367:19
Knight, R. *See* Thackray, A. M.
Knöfler, M.
——; Meinhardt, G.; Bauer, S.; Loregger, T.; Vasicek, R.; Bloor, D. J.; Kimber, S. J.; Husslein, P.
Human Hand1 basic helix-loop-helix (bHLH) protein: extra-embryonic expression pattern, interaction partners and identification of its transcriptional repressor domains, 361:641
Knott, A. *See* Burton, D.
Knowles, P. F. *See* Saysell, C. G.
Knudsen, C. R. *See* Mansilla, F.
Knudsen, J. *See* Wadum, M. C. T.
Ko, E. *See* Kang, B. H.
Kobayashi, N. *See* Saeki, Koichi
Koch, A. *See* Kalus, I.
Koch-Nolte, F. *See* Grahnert, A.
Kocialkowska, J. *See* Flipphi, M.
Kocken, C. H. M. *See* Joët, T.
Koff, A. *See* Mahoney, J. A.
Kogan, M. *See* Bahbouhi, B.
Kogure, K. *See* Tokumura, A.
Koh, A. S. *See* Simmons-Willis, T. A.
Koivuranta, K. T. *See* Kiema, T.-R.
Kolenko, V. *See* Niu, J.
Kolset, S. O.
——; Prydz, K.; Fjeldstad, K.; Safaiyan, F.; Vuong, T. T.; Gottfridsson, E.; Salmivirta, M.
Effect of brefeldin A on heparan sulphate biosynthesis in Madin–Darby canine kidney cells, 362:359
Komatsu, M.
——; Arango, M. E.; Carraway, K. L.
Synthesis and secretion of Muc4/sialomucin complex: implication of intracellular proteolysis, 368:41
Konaka, R. *See* Kasahara, E.
Kone, B. C. *See* Yu, Z.
Kong, B.-W. *See* Kim, H.

© 2003 Biochemical Society

Konopa, G. *See* Słomińska, M.
Konorev, E. *See* Wang, S.
Konrad, Z.
——; Eichler, J.
Lipid modification of proteins in Archaea: attachment of a mevalonic acid-based lipid moiety to the surface-layer glycoprotein of *Haloferax volcanii* follows protein translocation, 366:959
Koot, D. G. M. *See* Verhees, C. H.
Kopecký, J. *See* Flachs, P.
Korenstein, R. *See* Zipser, Y.
Koretke, K. K. *See* Petit, C. M.
Korhonen, V.-P. *See* Alhonen, L.
Korkmaz, B. *See* Attucci, S.
Korneeva, O. S. *See* Arand, M.
Körner, C. *See* Thiel, C.
Korzeniewski, B.
——; Zoladz, J. A.
Influence of rapid changes in cytosolic pH on oxidative phosphorylation in skeletal muscle: theoretical studies, 365:249
Koshkin, V.
——; Greenberg, M. L.
Cardiolipin prevents rate-dependent uncoupling and provides osmotic stability in yeast mitochondria, 364:317
Kosower, N. S. *See* Zipser, Y.
Kostner, G. M. *See* Strauss, J. G.
Kotamraju, S. *See* Wang, S.
Kotera, J. *See* Sasaki, T.
Koterasawa, M. *See* Mima, S.
Koumanov, K. S.
——; Momchilova, A. B.; Quinn, P. J.; Wolf, C.
Ceramides increase the activity of the secretory phospholipase A_2 and alter its fatty acid specificity, 363:45
Kovacs, T. *See* Falany, J. L.
Kovanen, P. T. *See* Taskinen, S.
Kragelund, B. B. *See* Wadum, M. C. T.
Kramer, D. L. *See* Vujcic, S.
Kratky, D. *See* Strauss, J. G.
Kremer, L. *See* Gurcha, S. S.
——; Dover, L. G.; Carrère, S.; Nampoothiri, K. M.; Lesjean, S.; Brown, A. K.; Brennan, P. J.; Minnikin, D. E.; Locht, C.; Besra, G. S.
Mycolic acid biosynthesis and enzymic characterization of the β-ketoacyl-ACP synthase A-condensing enzyme from *Mycobacterium tuberculosis*, 364:423
——; Gurcha, S. S.; Bifani, P.; Hitchen, P. G.; Baulard, A.; Morris, H. R.; Dell, A.; Brennan, P. J.; Besra, G. S.
Characterization of a putative α-mannosyltransferase involved in phosphatidylinositol trimannoside biosynthesis in *Mycobacterium tuberculosis*, 363:437
Kress, M. *See* Hahn, A.
Krippeit-Drews, P. *See* Düfer, M.
Krishna, S. *See* Joët, T.
Kristiansen, K. *See* Krogsdam, A.-M.
Križaj, I. *See* Petan, T.
Krogsdam, A.-M.
——; Nielsen, C. A. F.; Neve, S.; Holst, D.; Helledie, T.; Thomsen, B.; Bendixen, C.; Mandrup, S.; Kristiansen, K.
Nuclear receptor corepressor-dependent repression of peroxisome-proliferator-activated receptor δ-mediated transactivation, 363:157
Kronman, C. *See* Chitlaru, T.
Kronovetr, J. *See* Schlick, P.
Kruckeberg, A. L. *See* Paiva, S.
Krugmann, S.
——; Cooper, M. A.; Williams, D. H.; Hawkins, P. T.; Stephens, L. R.
Mechanism of the regulation of type IB phosphoinositide 3OH-kinase by G-protein $\beta\gamma$ subunits, 362:725
Krupa, J. C.
——; Hasnain, S.; Nägler, D. K.; Ménard, R.; Mort, J. S.
S_2' substrate specificity and the role of His^{110} and His^{111} in the exopeptidase activity of human cathepsin B, 361:613
Kubasiak, L. A. *See* Dougherty, C. J.
Kubrina, L. N. *See* Voevodskaya, N. V.
Kühne, R. *See* Blomenröhr, M.
Kuhnt-Moore, S. *See* Zhao, D.
Kukkonen, J. P. *See* Dunér, T.
Kular, G. *See* Watt, S. A.
Kulminskaya, A. A. *See* Arand, M.
Kulomaa, M. S. *See* Laitinen, O. H.
Kumar, A. *See* Nekhai, S.
Kumar, P.
——; Walsh, D. A.
A dual-specificity isoform of the protein kinase inhibitor PKI produced by alternate gene splicing, 362:533
Kunapuli, S. P. *See* Quinton, T. M.
Kundu, M. *See* Bhattacharyya, A.
Kung, J. *See* Ruan, K.-H.
Kuniyasu, A. *See* Kawahara, K.
Kunz, M.
——; Bloss, G.; Gillitzer, R.; Gross, G.; Goebeler, M.; Rapp, U. R.; Ludwig, S.
Hypoxia/reoxygenation induction of monocyte chemoattractant protein-1 in melanoma cells: involvement of nuclear factor-κB, stimulatory protein-1 transcription factors and mitogen-activated protein kinase pathways, 366:299
Kurokawa, T. *See* Takahashi, S.
Kurucz, E.
——; Andó, I.; Sümegi, M.; Hölzl, H.; Kapelari, B.; Baumeister, W.; Udvardy, A.
Assembly of the *Drosophila* 26 S proteasome is accompanied by extensive subunit rearrangements, 365:527
Kusano, Y. *See* Munesue, S.
Kushnareva, Y.
——; Murphy, A. N.; Andreyev, A.
Complex I-mediated reactive oxygen species generation: modulation by cytochrome *c* and $NAD(P)^+$ oxidation–reduction state, 368:545
Kuver, R. *See* Lee, J.
Kwon, H.-B. *See* Kim, S.-H.
Kwon, O.-K. *See* Kang, B. H.
Kzhyshkowska, J. *See* Politz, O.

Laboisse, C. L. *See* Le Goffe, C.
Labrecque, J. *See* Poirier, H.
Ladbury, J. E. *See* Flatman, R.
LaDu, M. J. *See* Bentley, N. M.
Lage, H. *See* Pohl, A.
Lahti, R. *See* Zyryanov, A. B.
Lai, L.
——; Tan, T. M. C.
Role of glutathione in the multidrug resistance protein 4 (MRP4/ABCC4)-mediated efflux of cAMP and resistance to purine analogues, 361:497
Laitinen, O. H.
——; Hytönen, V. P.; Ahlroth, M. K.; Pentikäinen, O. T.; Gallagher, C.; Nordlund, H. R.; Ovod, V.; Marttila, A. T.; Porkka, E.; Heino, S.; Johnson, M. S.; Airenne, K. J.; Kulomaa, M. S.
Chicken avidin-related proteins show altered biotin-binding and physicochemical properties as compared with avidin, 363:609
Lalle, P.
——; Aouacheria, A.; Dumont-Miscopein, A.; Jambon, M.; Venet, S.; Bobichon, H.; Colas, P.; Deléage, G.; Geourjon, C.; Gillet, G.
Evidence for crucial electrostatic interactions between Bcl-2 homology domains BH3 and BH4 in the anti-apoptotic Nr-13 protein, 368:213
Lam, E. W.-F. *See* Fernández de Mattos, S.
Lamb, D. C.
——; Fowler, K.; Kieser, T.; Manning, N.; Podust, L. M.; Waterman, M. R.; Kelly, D. E.; Kelly, Steven L.
Sterol 14α-demethylase activity in *Streptomyces coelicolor* A3(2) is associated with an unusual member of the CYP51 gene family, 364:555
Lamb, N. J. C. *See* Nekhai, S.
Lane, W. S. *See* Nekhai, S.
Lang, A. J. *See* Lok, C.-N.
Lang, G. A. *See* Lang, M. L.
Lang, M. L.
——; Chen, Y.-W.; Shen, L.; Gao, H.; Lang, G. A.; Wade, T. K.; Wade, W. F.
IgA Fc receptor (FcαR) cross-linking recruits tyrosine kinases, phosphoinositide kinases and serine/threonine kinases to glycolipid rafts, 364:517
Langer, I. *See* Perret, J.
Langer, T. *See* Schlatter, H.
Lanone, S.
——; Manivet, P.; Callebert, J.; Launay, J.-M.; Payen, D.; Aubier, M.; Boczkowski, J.; Mebazaa, A.
Inducible nitric oxide synthase (NOS2) expressed in septic patients is nitrated on selected tyrosine residues: implications for enzymic activity, 366:399
Larhammar, D. *See* Dunér, T.
Larroy, C.
——; Fernández, M. R.; González, E.; Parés, X.; Biosca, J. A.
Characterization of the *Saccharomyces cerevisiae YMR318C* (*ADH6*) gene product as a broad specificity NADPH-dependent alcohol dehydrogenase: relevance in aldehyde reduction, 361:163
Larsen, L. K.
——; Amri, E.-Z.; Mandrup, S.; Pacot, C.; Kristiansen, K.
Genomic organization of the mouse

© 2003 Biochemical Society

peroxisome proliferator-activated receptor β/δ gene: alternative promoter usage and splicing yield transcripts exhibiting differential translational efficiency, 366:767
Larsen, M. R. *See* Pedersen, S. K.
Larsson, R. *See* Li, S.-S.
Lasfer, M. *See* Sadji-Ouatas, Z.
Lasunción, M. A. *See* Fernández, C.
Latsis, T.
——; Andersen, B.; Agius, L.
Diverse effects of two allosteric inhibitors on the phosphorylation state of glycogen phosphorylase in hepatocytes, 368:309
Lauffart, B.
——; Howell, S. J.; Tasch, J. E.; Cowell, J. K.; Still, I. H.
Interaction of the transforming acidic coiled-coil 1 (TACC1) protein with ch-TOG and GAS41/NuBI1 suggests multiple TACC1-containing protein complexes in human cells, 363:195
Launay, J.-M. *See* Lanone, S.
Laursen, L. S.
——; Overgaard, M. T.; Nielsen, C. G.; Boldt, H. B.; Hopmann, K. H.; Conover, C. A.; Sottrup-Jensen, L.; Giudice, L. C.; Oxvig, C.
Substrate specificity of the metalloproteinase pregnancy-associated plasma protein-A (PAPP-A) assessed by mutagenesis and analysis of synthetic peptides: substrate residues distant from the scissile bond are critical for proteolysis, 367:31
Lavigne, N. *See* Brooks, N. D.
Lazarus, R. A. *See* Roberge, M.
Lazou, A. *See* Markou, T.
Le Bonniec, B. *See* Pimenta, D. C.
Lea, E. J. A. *See* Dargan, S. L.
LeBel, D. *See* Doyon, Y.
Le Brun, N. E. *See* Kihlken, M. A.
Leco, K. J. *See* Young, D. A.
Lee, A. G. *See* Smith, W. S.
Lee, A. S. *See* Luo, S.
Lee, B.-J. *See* Park, S.-H.
Lee, G.-C.
——; Lee, L.-C.; Sava, V.; Shaw, J.-F.
Multiple mutagenesis of non-universal serine codons of the *Candida rugosa LIP2* gene and biochemical characterization of purified recombinant LIP2 lipase overexpressed in *Pichia pastoris*, 366:603
Lee, H. *See* Kim, W. J.
Lee, H. B. *See* Park, S. W.
Lee, H. C. *See* Graeff, R.
Lee, J.
——; Shirk, A.; Oram, J. F.; Lee, S. P.; Kuver, R.
Polarized cholesterol and phospholipid efflux in cultured gall-bladder epithelial cells: evidence for an ABCA1-mediated pathway, 364:475
Lee, J.-H. *See* Yoon, G.
Lee, J.-R.
——; Makise, M.; Takenaka, H.; Takahashi, N.; Yamaguchi, Y.; Tsuchiya, T.; Mizushima, T.
Inhibitory effects of acidic phospholipids on the binding of origin-recognition complex to origin DNA, 362:395
Lee, J.-Y. *See* Park, J.-B.
Lee, L.-C. *See* Lee, G.-C.
Lee, M.
——; You, H.-J.; Cho, S.-H.; Woo, C.-H.; Yoo, M.-H.; Joe, E.-H.; Kim, J.-H.
Implication of the small GTPase Rac1 in the generation of reactive oxygen species in response to β-amyloid in C6 astroglioma cells, 366:937
Lee, M.-H.
——; Verma, V.; Maskos, K.; Nath, D.; Knäuper, V.; Dodds, P.; Amour, A.; Murphy, G.
Engineering N-terminal domain of tissue inhibitor of metalloproteinase (TIMP)-3 to be a better inhibitor against tumour necrosis factor-α-converting enzyme, 364:227
Lee, M.-S. *See* Hu, N.-T.
Lee, S.-H. *See* Yu, C.-J.
Lee, S. P. *See* Lee, J.
Lee, W.-J. *See* Kim, S.-H.
Lee, Y. C. *See* Shimizu, C.
Leech, A. *See* Blakey, D.; Kihlken, M. A.
Leedman, P. *See* Guppy, M.
Lees-Miller, S. P. *See* Sapkota, G. P.
Leesnitzer, L. M. *See* Thuillier, P.
Le Goffe, C.
——; Vallette, G.; Charrier, L.; Candelon, T.; Bou-Hanna, C.; Bouhours, J.-F.; Laboisse, C. L.
Metabolic control of resistance of human epithelial cells to H_2O_2 and NO stresses, 364:349
Legrand, C. *See* Saumet, A.
Legrand, P. *See* D'Andrea, S.
le Gurun, S. *See* Testenière, O.
Lehle, L. *See* Thiel, C.
Lehnen-Beyel, I.
——; de Groot, H.; Rauen, U.
Enhancement of iron toxicity in L929 cells by D-glucose: accelerated (re-)reduction, 368:517
Leid, M. *See* Avram, D.
Leize-Wagner, E. *See* Wagner, E.
Le Marchand-Brustel, Y. *See* Bost, F.
Lemoine, J. *See* Delplace, F.
Lenaz, G. *See* Baracca, A.
Lencer, W. I. *See* Zhu, X.
Leng, J. *See* Marchenko, G. N.
Lensen, M. *See* Petrat, F.
Leo, A. *See* Wonerow, P.
Léon, S.
——; Touraine, B.; Briat, J.-F.; Lobréaux, S.
The *AtNFS2* gene from *Arabidopsis thaliana* encodes a NifS-like plastidial cysteine desulphurase, 366:557
Leonetti, J.-P. *See* Rouby, J.
Lesjean, S. *See* Kremer, L.
Letcher, A. J. *See* Hinchliffe, K. A.
Lett, C. M.
——; Guillemette, J. G.
Increasing the redox potential of isoform 1 of yeast cytochrome *c* through the modification of select haem interactions, 362:281
Leturque, A. *See* Guillemain, G.
Leu, W.-M. *See* Tsai, R.-T.
Leurs, R. *See* Blomenröhr, M.
Levak-Frank, S. *See* Strauss, J. G.
LeVea, C. M. *See* Symons, J. R.
Lévêque, C. *See* Geib, S.
Leverrier, S.
——; Vallentin, A.; Joubert, D.
Positive feedback of protein kinase C proteolytic activation during apoptosis, 368:905
Levin, G.
——; Duffin, K. L.; Obukowicz, M. G.; Hummert, S. L.; Fujiwara, H.; Needleman, P.; Raz, A.
Differential metabolism of dihomo-γ-linolenic acid and arachidonic acid by cyclo-oxygenase-1 and cyclo-oxygenase-2: implications for cellular synthesis of prostaglandin E_1 and prostaglandin E_2, 365:489
Levonen, A.-L. *See* Moellering, D. R.
Levrero, M. *See* Catani, M. V.
Lewis, J. D. *See* Kafasla, P.
Leyser, A. *See* Mitchell, J. L. A.
Li, A. *See* Liu, Y.
Li, D. *See* Ruan, K.-H.
Li, H. *See* Nes, W. D.
——; Villalobo, A.
Evidence for the direct interaction between calmodulin and the human epidermal growth factor receptor, 362:499
Li, J. *See* Han, Q.
Li, R. *See* Pan, T.
Li, S. *See* Dong, Z.
Li, S.-S.
——; Gullbo, J.; Lindholm, P.; Larsson, R.; Thunberg, E.; Samuelsson, G.; Bohlin, L.; Claeson, P.
Ligatoxin B, a new cytotoxic protein with a novel helix–turn–helix DNA-binding domain from the mistletoe *Phoradendron liga*, 366:405
Li, X.
——; Salisbury-Rowswell, J.; Murdock, A. D.; Forse, R. A.; Burke, P. A.
Hepatocyte nuclear factor 4 response to injury involves a rapid decrease in DNA binding and transactivation via a JAK2 signal transduction pathway, 368:203
Li, Y.
——; Zhang, H.; Xie, M.; Hu, M.; Ge, S.; Yang, D.; Wan, Y.; Yan, B.
Abundant expression of Dec1/stra13/sharp2 in colon carcinoma: its antagonizing role in serum deprivation-induced apoptosis and selective inhibition of procaspase activation, 367:413
Li, Y.-K. *See* Chir, J.
Li, Z. *See* Ding, V. D. H.
Lian, J. *See* Paredes, R.
Liang, S *See* Zhang, L.
Licate, L. *See* de la Roche, M. A.
Lidén, G. *See* Modig, T.
Liew, F. Y. *See* Mulero, V.
Liguori, F. *See* Cioffi, A. V.
Lilja, H. *See* Clauss, A.
Lim, I. K. *See* Yoon, G.
Lin, H.-P. *See* Johnson, A. J.
Lin, R.-J. *See* Tang, Z.
Lin, S.-X. *See* Rehse, P. H.
Lin, Y.-Z. *See* Deng, H.
Lindell, G. *See* Nordman, H.
Lindholm, P. *See* Li, S.-S.
Lindqvist, Y. *See* van Kuilenburg, A. B. P.
Ling, H. *See* Recklies, A. D.

© 2003 Biochemical Society

Ling, V. *See* Hogue, D. L.
Lingwood, C. A. *See* Mylvaganam, M.
Littlejohn, A. F. *See* Mohamed, A. A. A.
Liu, A.-L. *See* Bai, X.-C.
Liu, B.-F *See* Zhang, L.
Liu, C.-W. *See* Sun, H.-W.
Liu, J.-H. *See* Wu, A. M.
Liu, K. *See* Ding, V. D. H.
Liu, R.-s.
——; Wei, G.-q.; Yang, Q.; He, W.-j.; Liu, W.-Y.
Cinnamomin, a type II ribosome-inactivating protein, is a storage protein in the seed of the camphor tree (*Cinnamomum camphora*), 362:659
Liu, T. *See* Pan, T.
Liu, W.-Q. *See* Saci, A.
Liu, W.-Y. *See* Liu, R.-s.
Liu, X. *See* Chen, F.
Liu, Y.
——; Graham, C.; Li, A.; Fisher, R. J.; Shaw, S.
Phosphorylation of the protein kinase C-theta activation loop and hydrophobic motif regulates its kinase activity, but only activation loop phosphorylation is critical to *in vivo* nuclear-factor-κB induction, 361:255
——; Shen, W.; Brubaker, P. L.; Kaestner, K. H.; Drucker, D. J.
Foxa3 (HNF-3γ) binds to and activates the rat proglucagon gene promoter but is not essential for proglucagon gene expression, 366:633
Ljones, T. *See* Katterle, B.
Lloyd, D. *See* Rutter, A. J.
Lluis, C. *See* Ginés, S.
Lobo, M. *See* Kabir, J.
Lobréaux, S. *See* Léon, S.
Locht, C. *See* Gurcha, S. S.
Lockau, W. *See* Hejazi, M.
Lodish, H. F. *See* Sbodio, J. I.
Loftus, J. C. *See* Tani, P. H.
Loizeau, M. *See* Guillemain, G.
Lok, C.-N.
——; Lang, A. J.; Mirski, S. E. L.; Cole, S. P. C.
Characterization of the human topoisomerase IIβ (*TOP2B*) promoter activity: essential roles of the nuclear factor-Y (NF-Y)- and specificity protein-1 (Sp1)-binding sites, 368:741
Longati, P. *See* Politz, O.
Lopez, M. *See* Sayed, Y.
Lopez-Lluch, G. *See* Davidson-Moncada, J. K.
López-Rivas, A. *See* Ruiz-Ruiz, C.
Lopreiato, R. *See* Facchin, S.
Loregger, T. *See* Knöfler, M.
Loret, E. *See* di Luccio, E.
Loscalzo, J. *See* Zhang, Y.-Y.
Lott, J. S.
——; Coddington-Lawson, S. J.; Teesdale-Spittle, P. H.; McDonald, F. J.
A single WW domain is the predominant mediator of the interaction between the human ubiquitin-protein ligase Nedd4 and the human epithelial sodium channel, 361:481
Louwagie, M. *See* Bogdanovic, A.
Lovett, D. H. *See* Cheng, S.
Low, M. G. *See* Du, X.
Lowe, D. J. *See* Butler, C. S.
Lowe, J. B. *See* Thomsson, K. A.
Lowther, J.
——; Djurdjevic-Pahl, A.; Hewage, C.; Malthouse, J. P. G.
A ^{13}C-NMR study of the inhibition of papain by a dipeptide-glyoxal inhibitor, 366:983
Loya, S.
——; Rudi, A.; Kashman, Y.; Hizi, A.
Mode of inhibition of HIV-1 reverse transcriptase by polyacetylenetriol, a novel inhibitor of RNA- and DNA-directed DNA polymerases, 362:685
Lu, B.-Y.
——; Chang, J.-Y.
Isolation and characterization of a polymerized prion protein, 364:81
Lu, Y.-T. *See* Zhang, L.
Lubega, G. W. *See* Buckner, F. S.
Lubon, H. *See* Zbikowska, H. M.
Luche, S. *See* Wagner, E.
Luck, J. E. *See* Pascall, J. C.
Lücke, C. *See* Gutiérrez-González, L. H.
Lucocq, J. M. *See* Watt, S. A.
Ludwig, C. *See* Gutiérrez-González, L. H.
Ludwig, S. *See* Kunz, M.
Luiken, J. J. F. P.
——; Willems, J.; Coort, S. L. M.; Coumans, W. A.; Bonen, A.; van der Vusse, G. J.; Glatz, J. F. C.
Effects of cAMP modulators on long-chain fatty-acid uptake and utilization by electrically stimulated rat cardiac myocytes, 367:881
Luján, H. D. *See* Touz, M. C.
Lukyanov, K. A. *See* Fradkov, A. F.
Lukyanov, S. *See* Fradkov, A. F.
Lundell, K.
——;
Cloning and expression of two novel pig liver and kidney fatty acid hydroxylases [cytochrome P450 (CYP)4A24 and CYP4A25], 363:297
Lundmark, R.
——; Carlsson, S. R.
The β-appendages of the four adaptor-protein (AP) complexes: structure and binding properties, and identification of sorting nexin 9 as an accessory protein to AP-2, 362:597
Lundwall, A. *See* Clauss, A.
Lundy, C. *See* Young, D. A.
Luo, M.
——; Duchaîne, T. F.; DesGroseillers, L.
Molecular mapping of the determinants involved in human Staufen–ribosome association, 365:817
Luo, S.
——; Lee, A. S.
Requirement of the p38 mitogen-activated protein kinase signalling pathway for the induction of the 78 kDa glucose-regulated protein/immunoglobulin heavy-chain binding protein by azetidine stress: activating transcription factor 6 as a target for stress-induced phosphorylation, 366:787
Luo, S.-Q. *See* Bai, X.-C.
Lupi, R.
——; Dani, N.; Dietrich, A.; Marchegiani, A.; Turacchio, S.; Berrie, C. P.; Moss, J.; Gierschik, P.; Corda, D.; Di Girolamo, M.
Endogenous mono-ADP-ribosylation of the free G$\beta\gamma$ prevents stimulation of phosphoinositide 3-kinase-γ and phospholipase C-β2 and is activated by G-protein-coupled receptors, 367:825
Luquet, G. *See* Testenière, O.
Luthjens, L. H. *See* Atkins, J.
Luzi, C. *See* Rinaldi, A. C.
Luzio, J. P. *See* Storey, H.
Lynas, J. F. *See* Scott, C. J.
Lynn, K. *See* Tao, L.
Lyon, M. *See* Delehedde, M.

Ma, D.
——; Armugam, A.; Jeyaseelan, K.
Cytotoxic potency of cardiotoxin from *Naja sputatrix*: development of a new cytolytic assay, 366:35
Ma, W. *See* Brenneisen, P.
Mabrouk, K. *See* Geib, S.
Maccarrone, M.
——; Pauselli, R.; di Rienzo, M.; Finazzi-Agrò, A.
Binding, degradation and apoptotic activity of stearoylethanolamide in rat C6 glioma cells, 366:137
MacDonald, J. A. *See* Murányi, A.
MacEwan, D. J. *See* Mohamed, A. A. A.
MacKenzie, C. R. *See* Brooks, N. D.
MacKintosh, C. *See* Harthill, J. E.
MacMullen, C. M. *See* Fang, J.
Macurek, L. *See* Sulimenko, V.
Madduru, M. R. *See* Peterson, V. J.
Madeyski-Bengtson, K. *See* Bengtsson, S. H. M.
Madiraju, M. V. V. S. *See* Yamamoto, K.
Maechler, P. *See* Rubi, B.
Maes, E. *See* Delplace, F.
Magee, A. I. *See* Syed, S.-e-H.
Magistretti, J. *See* Moccia, F.
Magnin, S. *See* Coppola, T.
Magnusson, G. *See* Mylvaganam, M.
Mah, J. *See* Salih, E.
Maher, P. A. *See* Reilly, J. F.
Mahoney, J. A.
——; Odin, J. A.; White, S. M.; Shaffer, D.; Koff, A.; Casciola-Rosen, L.; Rosen, A.
The human homologue of the yeast polyubiquitination factor Ufd2p is cleaved by caspase 6 and granzyme B during apoptosis, 361:587
Maitland, K. *See* Thompson, F. J.
Major, S. *See* Syed, S.-e-H.
Majumder, H. K. *See* Chowdhury, A. R.
Makise, M. *See* Lee, J.-R.
——; Mima, S.; Koterasawa, M.; Tsuchiya, T.; Mizushima, T.
Biochemical analysis of DnaA protein with mutations in both Arg^{328} and Lys^{372}, 362:453
Makondo, K. *See* Kitamura, T.
Malamy, M. H. *See* Caldovic, L.
Malaud, E.
——; Hourton, D.; Giroux, L. M.; Ninio, E.; Buckland, R.; McGregor, J. L.
The terminal six amino-acids of the carboxy cytoplasmic tail of CD36

© 2003 Biochemical Society

contain a functional domain implicated in the binding and capture of oxidized low-density lipoprotein, 364:507
Mallampalli, R. K.
——; Ryan, A. J.; Carroll, J. L.; Osborne, T. F.; Thomas, C. P.
Lipid deprivation increases surfactant phosphatidylcholine synthesis via a sterol-sensitive regulatory element within the CTP:phosphocholine cytidylyltransferase promoter, 362:81
Malléa, M. *See* Bredin, J.
Mallol, J. *See* Ginés, S.
Malthouse, J. P. G. *See* Djurdjevic-Pahl, A.
Manco, G. *See* Del Vecchio, P.
Mandal, D.
——; Moitra, P. K.; Basu, J.
Mapping of a spectrin-binding domain of human erythrocyte membrane protein 4.2, 364:841
Mandal, S. *See* Chowdhury, A. R.
Mande, S. C. *See* Rajamohan, G.
Mandrich, L. *See* Del Vecchio, P.
Mandrup, S. *See* Larsen, L. K.
Mangoni, M. L. *See* Rinaldi, A. C.
Mani, J.-C. *See* Rouby, J.
Manin, M.
——; Baron, S.; Goossens, K.; Beaudoin, C.; Jean, C.; Veyssiere, G.; Verhoeven, G.; Morel, L.
Androgen receptor expression is regulated by the phosphoinositide 3-kinase/Akt pathway in normal and tumoral epithelial cells, 366:729
Manivet, P. *See* Lanone, S.
Mann, K. *See* Garbe, J. H. O.
Mannaerts, G. P. *See* Ghys, K.
Manning, N. *See* Lamb, D. C.
Mannucci, R. *See* Bracale, A.
Mansilla, F.
——; Friis, I.; Jadidi, M.; Nielsen, K. M.; Clark, B. F. C.; Knudsen, C. R.
Mapping the human translation elongation factor eEF1H complex using the yeast two-hybrid system, 365:669
Mansilla, S. *See* Marín, S.
Manzanares, P. *See* Flatman, R.
Maraldi, N. *See* Cenni, V.
Marceau, P. *See* Frison, N.
Marchal, I. *See* Foulquier, F.
Marchegiani, A. *See* Lupi, R.
Marchenko, G. N.
——; Marchenko, N. D.; Leng, J.; Strongin, A. Y.
Promoter characterization of the novel human matrix metalloproteinase-26 gene: regulation by the T-cell factor-4 implies specific expression of the gene in cancer cells of epithelial origin, 363:253
Marchenko, N. D. *See* Marchenko, G. N.
Marchetti, I. *See* Bost, F.
Marchot, P. *See* Geib, S.
Marcinkiewicz, M. *See* Sinha, D.
Marcolongo, P. *See* Benedetti, A.
Marin, O. *See* Facchin, S.
Marín, S.
——; Mansilla, S.; García-Reyero, N.; Rojas, M.; Portugal, J.; Piña, B.
Promoter-specific inhibition of transcription by daunorubicin in *Saccharomyces cerevisiae*, 368:131
Mariño, M. *See* Ginés, S.
Markou, T.
——; Lazou, A.
Phosphorylation and activation of mitogen- and stress-activated protein kinase-1 in adult rat cardiac myocytes by G-protein-coupled receptor agonists requires both extracellular-signal-regulated kinase and p38 mitogen-activated protein kinase, 365:757
Maropoulos, G. D. *See* van Kuilenburg, A. B. P.
Marques, H. M. *See* Egan, T. J.
Marrero, P. F. *See* Nadal, A.
Marriott, S. A. *See* Hopper, D. J.
Marsden, L. J. *See* Kimber, W. A.
Marshall, S. J.
——; Asazuma, N.; Best, D.; Wonerow, P.; Salmon, G.; Andrews, R. K.; Watson, S. P.
Glycoprotein IIb-IIIa-dependent aggregation by glycoprotein Ibα is reinforced by a Src family kinase inhibitor (PP1)-sensitive signalling pathway, 361:297
Marsters, P. *See* Morgan, K.
Marston, S. *See* Burton, D.
Martásek, P. *See* Vásquez-Vivar, J.
Martin, K. M. *See* Ellis, P. D.
Martin, M. *See* Conjard, A.
Martin, M.-E. *See* Tchernitchko, D.
Martin, S. *See* Syed, S.-e-H.
Martin, S. L. *See* Scott, C. J.
Martiné, U. *See* Wolf, S.
Martinez, S. D. *See* Reilly, J. F.
Martinez-Carrion, M. *See* Cooper, A. J. L.
Martínez-Galisteo, E. *See* Pedrajas, J. R.
Martinou, J.-C. *See* Roucou, X.
Marton, L. J. *See* Mitchell, J. L. A.
Marttila, A. T. *See* Laitinen, O. H.
Martynov, V. I. *See* Fradkov, A. F.
Martz, F.
——; Wilczynska, M.; Kleczkowski, L. A.
Oligomerization status, with the monomer as active species, defines catalytic efficiency of UDP-glucose pyrophosphorylase, 367:295
Marvaud, J. C. *See* Stiles, B. G.
Maryanoff, B. E. *See* Recacha, R.
Mas, A. *See* Riu, E.
Mascorro-Gallardo, J. O. *See* Van Dijck, P.
Maskos, K. *See* Lee, M.-H.
Mason, A. *See* Furuta, S.
Mason, R. *See* Bass, M. D.
Mason, R. M. *See* Abdel-Wahab, N.
Mason, R. P. *See* Chen, Y.-R.
Massoumi, R. *See* Thodeti, C. K.
Mast, A. E. *See* Cunningham, A. C.
Mastronicola, M. *See* Bracale, A.
Masuda, K. *See* Kawahara, K.
Masulli, M. *See* Allocati, N.
Matata, B. M. *See* Galiñanes, M.
Matavel, A. *See* Geib, S.
Matecko, I. *See* Steindl, C.
Matherly, L. H. *See* Whetstine, J. R.
Mathur, S. N. *See* Field, F. J.
Matschinsky, F. M. *See* Gao, Z.
Matsuda, K. *See* Kanekiyo, M.
Matsuda, T. *See* Nadano, D.
Matsuki, N. *See* Tamahara, S.
Matsumoto, J. *See* Shibata, N.
Matsunaga, Y.
——; Saito, N.; Fujii, A.; Yokotani, J.; Takakura, T.; Nishimura, T.; Esaki, H.; Yamada, T.
A pH-dependent conformational transition of Aβ peptide and physicochemical properties of the conformers in the glial cell, 361:547
Matsushita, M. *See* Wiltshire, C.
Matsuura, N. *See* Takahashi, S.
Matsuyama, A. *See* Kanekiyo, M.
Matsuzawa, S.-i. *See* Nadano, D.
Matsuzawa, Y. *See* Delporte, M.-L.
Mattow, J. *See* Hejazi, M.
Matzner, U. *See* Muschol, N.
Mauël, J. *See* Corradin, S.
Maurer, P. *See* Piecha, D.
Mauricio, I. L. *See* Wilkinson, S. R.
Mauro, L. *See* Falcone, S.
May, G. H. W. *See* Wiltshire, C.
Mayer, B. *See* Wagner, S.
Mayer, R. *See* Frison, N.
Mayordomo, I.
——; Sanz, P.
The *Saccharomyces cerevisiae* 14-3-3 protein Bmh2 is required for regulation of the phosphorylation status of Fin1, a novel intermediate filament protein, 365:51
Mayr, G. W. *See* Nalaskowski, M. M.
Mayr, P.
——; Nidetzky, B.
Catalytic reaction profile for NADH-dependent reduction of aromatic aldehydes by xylose reductase from *Candida tenuis*, 366:889
M'Barek, S. *See* di Luccio, E.
Mbikay, M. *See* Croissandeau, G.
McCabe, C. J. *See* Zhang, X.
McCarthy, N. E. M.
——; Akhtar, M.
Activation of rhodopsin kinase, 363:359
McConville, M. J. *See* Ralton, J. E.
McCourt, P. A. G. *See* Politz, O.
McDonald, F. J. *See* Lott, J. S.
McDowell, A. *See* Scott, C. J.
McFarlane, J. *See* Bame, K. J.
McGivan, J. D. *See* Pollard, M.
McGregor, J. L. *See* Malaud, E.
McIntosh, D. P. *See* Gamberucci, A.
McKie, V. A.
——; Vincken, J.-P.; Voragen, A. G. J.; van den Broek, L. A. M.; Stimson, E.; Gilbert, H. J.
A new family of rhamnogalacturonan lyases contains an enzyme that binds to cellulose: Correction, 365:903
McLauchlan, W. R. *See* Flatman, R.
McLellan, L. I. *See* Chanas, S. A.
McMahon, M. *See* Chanas, S. A.
McMillin, J. B. *See* Wang, G.-L.
McNeill, L. A.
——; Hewitson, K. S.; Claridge, T. D.; Seibel, J. F.; Horsfall, L. E.; Schofield, C. J.
Hypoxia-inducible factor asparaginyl hydroxylase (FIH-1) catalyses hydroxylation at the β-carbon of asparagine-803, 367:571
McPherson, M. J. *See* Saysell, C. G.
McStay, G. P.
——; Clarke, S. J.; Halestrap, A. P.
Role of critical thiol groups on the matrix surface of the adenine nucleotide translocase in the

© 2003 Biochemical Society

mechanism of the mitochondrial permeability transition pore, 367:541
McVey, M. *See* Ramsay, D.
McWalter, G. K. *See* Chanas, S. A.
Meacci, E.
——: Cencetti, F.; Formigli, L.; Squecco, R.; Donati, C.; Tiribilli, B.; Quercioli, F.; Zecchi Orlandini, S.; Francini, F.; Bruni, P.
Sphingosine 1-phosphate evokes calcium signals in C_2C_{12} myoblasts via Edg3 and Edg5 receptors, 362:349
Mebazaa, A. *See* Lanone, S.
Meek, K. *See* Douglas, P.
Mei, B.
——: Zhao, L.; Chen, L.; Sul, H. S.
Only the large soluble form of preadipocyte factor-1 (Pref-1), but not the small soluble and membrane forms, inhibits adipocyte differentiation: role of alternative splicing, 364:137
Meierjohann, S.
——: Walter, R. D.; Müller, S.
Glutathione synthetase from *Plasmodium falciparum*, 363:833
——; Walter, R. D.; Müller, S.
Regulation of intracellular glutathione levels in erythrocytes infected with chloroquine-sensitive and chloroquine-resistant *Plasmodium falciparum*, 368:761
Meijer, A. J. *See* Dubbelhuis, P. F.
Meijer, H. A.
——: Thomas, A. A. M.
Control of eukaryotic protein synthesis by upstream open reading frames in the 5′-untranslated region of an mRNA, 367:1
Meinhardt, G. *See* Knöfler, M.
Meinke, A. *See* Taschner, S.
Meinsma, R. *See* van Kuilenburg, A. B. P.
Melino, G. *See* Catani, M. V.
Melloni, E. *See* Sparatore, B.
Mellor, H. *See* Gampel, A.
Mellor, H. R.
——: Nolan, J.; Pickering, L.; Wormald, M. R.; Platt, F. M.; Dwek, R. A.; Fleet, G. W. J.; Butters, T. D.
Preparation, biochemical characterization and biological properties of radiolabelled N-alkylated deoxynojirimycins, 366:225
Meloen, R. *See* Ferrat, G.
Ménard, R. *See* Krupa, J. C.
Mendes, F. *See* Farinha, C. M.
Menoyo, A. *See* Soler, M.
Mensa-Wilmot, K. *See* Stanton, J. D.
Menshikov, M.
——: Elizarova, E.; Plakida, K.; Timofeeva, A.; Khaspekov, G.; Beabealashvilli, R.; Bobik, A.; Tkachuk, V.
Urokinase upregulates matrix metalloproteinase-9 expression in THP-1 monocytes via gene transcription and protein synthesis, 367:833
Menu-Bouaouiche, L. *See* Bourne, Y.
Mercer, J. *See* Tao, L.
Meredith, D. *See* Pollard, M.
Meri, S. *See* Taskinen, S.
Merida, I. *See* de la Roche, M. A.
Merkle, D. *See* Douglas, P.
Merrick, M. *See* Blakey, D.
Merrill, A. R. *See* Roberts, T. M.
Mertens, P. R. *See* Cheng, S.; En-Nia, A.; Hahn, A.
Meschi, J. *See* Hartshorn, K. L.
Meseguer, A. *See* Soler, M.
Messner, P. *See* Steindl, C.
Metcalfe, J. C. *See* Ellis, P. D.
Meyer, D. J. *See* Wilkinson, S. R.
Michalczyk, A. A.
——: Allen, J.; Blomeley, R. C.; Ackland, M. L.
Constitutive expression of hZnT4 zinc transporter in human breast epithelial cells, 364:105
Michelangeli, F. *See* Bilmen, J. G.
Micheli, V. *See* Fairbanks, L. D.
Mickey, G. *See* Reilly, J. F.
Mikoshiba, K. *See* Fukuda, M.
Mikšík, I. *See* Flachs, P.
Milligan, G. *See* Ramsay, D.
Milne, F. C. *See* Harthill, J. E.
Milner, M. J. *See* Siviter, R. J.
Mima, S. *See* Makise, M.
——: Makise, M.; Koterasawa, M.; Tsuchiya, T.; Mizushima, T.
Conserved hydrophobic amino acid residues in the N-terminal region of DnaA protein are involved in DnaA–DnaA interaction, 365:881
Minhas, H. S. *See* Ahmed, N.
Minnikin, D. E. *See* Kremer, L.
Miquelis, R. *See* Geib, S.
Mir, A. M. *See* Foulquier, F.
Miranda-Vizuete, A. *See* Pedrajas, J. R.
Mirski, S. E. L. *See* Lok, C.-N.
Missiaen, L. *See* Sienaert, I.
Mita, M.
——: Yanagihara, H.; Hishinuma, S.; Saito, M.; Walsh, M. P.
Membrane depolarization-induced contraction of rat caudal arterial smooth muscle involves Rho-associated kinase, 364:431
Mitchell, J. L. A.
——: Leyser, A.; Holtorff, M. S.; Bates, J. S.; Frydman, B.; Valasinas, A. L.; Reddy, V. K.; Marton, L. J.
Antizyme induction by polyamine analogues as a factor of cell growth inhibition, 366:663
Mitchell, S. M. *See* Underwood, P. A.
Miura, K.-i. *See* Tomoo, K.
Miura, T. *See* Takahashi, S.
Miyakawa, T. *See* Nosyreva, E.
Miyazaki, T. *See* Cao, X.
Miyoshi, H. *See* Tomoo, K.
Miyoshi, M. *See* Kasahara, E.
Mizushima, A. *See* Nosyreva, E.
Mizushima, T. *See* Lee, J.-R.; Makise, M.; Mima, S.
Mizushina, Y. *See* Oda, M.
Moccia, F.
——: Berra-Romani, R.; Baruffi, S.; Spaggiari, S.; Signorelli, S.; Castelli, L.; Magistretti, J.; Taglietti, V.; Tanzi, F.
Ca^{2+} uptake by the endoplasmic reticulum Ca^{2+}-ATPase in rat microvascular endothelial cells, 364:235
Modig, T.
——: Lidén, G.; Taherzadeh, M. J.
Inhibition effects of furfural on alcohol dehydrogenase, aldehyde dehydrogenase and pyruvate dehydrogenase, 363:769
Modyanov, N. N. *See* Ivanov, A. V.
Moellering, D. R.
——: Levonen, A.-L.; Go, Y.-M.; Patel, R. P.; Dickinson, D. A.; Forman, H. J.; Darley-Usmar, V. M.
Induction of glutathione synthesis by oxidized low-density lipoprotein and 1-palmitoyl-2-arachidonyl phosphatidylcholine: protection against quinone-mediated oxidative stress, 362:51
Moffat, G. J. *See* Chanas, S. A.
Mogues, T. *See* Hartshorn, K. L.
Mohamed, A. A. A.
——: Jupp, O. J.; Anderson, H. M.; Littlejohn, A. F.; Vandenabeele, P.; MacEwan, D. J.
Tumour necrosis factor-induced activation of c-Jun N-terminal kinase is sensitive to caspase-dependent modulation while activation of mitogen-activated protein kinase (MAPK) or p38 MAPK is not, 366:145
Moitra, P. K. *See* Mandal, D.
Mokhova, E. N. *See* Abdullaev, Z. K.
Molle, G. *See* Bredin, J.
Molle, M. G. *See* Fernandes, J. M. O.
Moller, D. E. *See* Ding, V. D. H.
Moller, R. S. *See* Wadum, M. C. T.
Molloy, G. R. *See* Shen, W.
Momand, J. *See* Furuta, S.
Momchilova, A. B. *See* Koumanov, K. S.
Momken, I.
——: Fortin, D.; Serrurier, B.; Bigard, X.; Ventura-Clapier, R.; Veksler, V.
Endothelial nitric oxide synthase (NOS) deficiency affects energy metabolism pattern in murine oxidative skeletal muscle, 368:341
Momohara, I. *See* Igarashi, K.
Moneer, Z.
——: Taylor, C. W.
Reciprocal regulation of capacitative and non-capacitative Ca^{2+} entry in A7r5 vascular smooth muscle cells: only the latter operates during receptor activation, 362:13
Monmouton, P. *See* Rouby, J.
Monne, C. *See* Antonio, V.
Monsigny, M. *See* Frison, N.
Montecino, M. *See* Paredes, R.
Montero, J. C.
——: Yuste, L.; Díaz-Rodríguez, E.; Esparís-Ogando, A.; Pandiella, A.
Mitogen-activated protein kinase-dependent and -independent routes control shedding of transmembrane growth factors through multiple secretases, 363:211
Montero, M.
——: Alonso, M. T.; Albillos, A.; Cuchillo-Ibáñez, I.; Olivares, R.; Villalobos, C.; Alvarez, J.
Effect of inositol 1,4,5-trisphosphate receptor stimulation on mitochondrial $[Ca^{2+}]$ and secretion in chromaffin cells, 365:451
Montessuit, S. *See* Roucou, X.
Moody, D. B. *See* Gurcha, S. S.
Mooney, M. H. *See* Gault, V. A.
Mooney, R. A. *See* Symons, J. R.
Moore, C. *See* Veith, P. D.
Moore, M. L. *See* Wang, G.-L.
Moore, S. E. H. *See* Durrant, C.

© 2003 Biochemical Society

Mora, N. *See* Reyes-Reyes, M.
Morales-Johansson, H. *See* Desrivières, S.
Moran, J. A.
——; Dahl, E. L.; Mulcahy, R. T.
Differential induction of *mafF*, *mafG* and *mafK* expression by electrophile-response-element activators, 361:371
Morel, L. *See* Manin, M.
Morelli, X. *See* Ferrat, G.
Morgan, A. *See* Evans, G. J. O.
Morgan, K.
——; Marsters, P.; Morley, S.; van Gent, D.; Hejazi, A.; Backx, M.; Thorpe, E. R. K.; Kalsheker, N.
Oncostatin M induced α_1-antitrypsin (AAT) gene expression in Hep G2 cells is mediated by a 3′ enhancer, 365:555
Mörgelin, M. *See* Piecha, D.
Mori, K. *See* Tanaka, H.
Morimoto, C. *See* Ginés, S.
Morino, S. *See* Tomoo, K.
Morio, T. *See* Bogdanovic, A.
Morita, T. *See* Nezu, A.
Moriyama, K.
——; Yahara, I.
The actin-severing activity of cofilin is exerted by the interplay of three distinct sites on cofilin and essential for cell viability, 365:147
Morizono, H. *See* Caldovic, L.
Morley, S. *See* Morgan, K.
Morrice, N. *See* Douglas, P.
Morris, A. *See* Wang, L.
Morris, H. R. *See* Kremer, L.
Morris, K. *See* Upston, J. M.
Morris, S. A.
——; Nerou, E. P.; Riley, A. M.; Potter, B. V. L.; Taylor, C. W.
Determinants of adenophostin A binding to inositol trisphosphate receptors, 367:113
Mort, J. S. *See* Sztrolovics, R.
Morton, L. W.
——; Ward, N. C.; Croft, K. D.; Puddey, I. B.
Evidence for the nitration of γ-tocopherol *in vivo*: 5-nitro-γ-tocopherol is elevated in the plasma of subjects with coronary heart disease, 364:625
Moss, J. *See* Lupi, R.
Mottram, J. C. *See* Corradin, S.
Mouillon, J.-M.
——; Ravanel, S.; Douce, R.; Rébeillé, F.
Folate synthesis in higher-plant mitochondria: coupling between the dihydropterin pyrophosphokinase and the dihydropteroate synthase activities, 363:313
Mounier, C. M. *See* Dong, C.-Z.
Mowbray, S. L. *See* Steenbakkers, P. J. M.
Moyer, M. P. *See* Zhao, D.
Muda, M.
——; Worby, C. A.; Simonson-Leff, N.; Clemens, J. C.; Dixon, J. E.
Use of double-stranded RNA-mediated interference to determine the substrates of protein tyrosine kinases and phosphatases, 366:73
Mueller, C. *See* Tao, L.
Mueller, S.
——; Weber, A.; Fritz, R.; Mütze, S.; Rost, D.; Walczak, H.; Völkl, A.; Stremmel, W.
Sensitive and real-time determination of H_2O_2 release from intact peroxisomes, 363:483
Muhlecker, W. *See* Gurcha, S. S.
Mukhopadhyay, S. *See* Chowdhury, A. R.
Mulcahy, R. T. *See* Moran, J. A.
Mulero, V.
——; Searle, S.; Blackwell, J. M.; Brock, J. H.
Solute carrier 11a1 (*Slc11a1*; formerly *Nramp1*) regulates metabolism and release of iron acquired by phagocytic, but not transferrin-receptor-mediated, iron uptake, 363:89
——; Wei, X.-q.; Liew, F. Y.; Brock, J. H.
Regulation of phagosomal iron release from murine macrophages by nitric oxide, 365:127
Mullen, A. J. *See* Clerk, A.
Müller, D. *See* Henson, M. A.
Müller, N. *See* Steindl, C.
Müller, O. *See* Chtarbova, S.
——; Schalla, C.; Scheibner, J.; Stange, E. F.; Fuchs, M.
Expression of liver plasma membrane transporters in gallstone-susceptible and gallstone-resistant mice, 361:673
Müller, P. *See* Pohl, A.
Müller, S. *See* Meierjohann, S.
Mullin, K. A. *See* Ralton, J. E.
Munesue, S.
——; Kusano, Y.; Oguri, K.; Itano, N.; Yoshitomi, Y.; Nakanishi, H.; Yamashina, I.; Okayama, M.
The role of syndecan-2 in regulation of actin-cytoskeletal organization of Lewis lung carcinoma-derived metastatic clones, 363:201
Muniruzzaman, S. *See* Yamamoto, K.
Muñoz-Alonso, M. J. *See* Guillemain, G.
Muñoz-Clares, R. A. *See* González-Segura, L.
Müntener, K. *See* Zwicky, R.
Munthe, E.
——; Aasheim, H.-C.
Characterization of the human ephrin-A4 promoter, 366:447
Muramatsu, M. *See* Ikeda, H.
Murányi, A. *See* Kiss, E.
——; MacDonald, J. A.; Deng, J. T.; Wilson, D. P.; Haystead, T. A. J.; Walsh, M. P.; Erdődi, F.; Kiss, E.; Wu, Y.; Hartshorne, D. J.
Phosphorylation of the myosin phosphatase target subunit by integrin-linked kinase, 366:211
Murdock, A. D. *See* Li, X.
Murphy, A. N. *See* Kushnareva, Y.
Murphy, G. *See* Lee, M.-H.
Murphy, J. J.
——; Hobby, P.; Vilarino-Varela, J.; Bishop, B.; Iordanidou, P.; Sutton, B. J.; Norton, J. D.
A novel immunoglobulin superfamily receptor (19A) related to CD2 is expressed on activated lymphocytes and promotes homotypic B-cell adhesion, 361:431
Murray, J. M. *See* Saysell, C. G.
Murray-Stewart, T.
——; Wang, Yanlin; Devereux, W.; Casero, Jr, R. A.
Cloning and characterization of multiple human polyamine oxidase splice variants that code for isoenzymes with different biochemical characteristics, 368:673
Murthy, S. *See* Field, F. J.
Muschol, N.
——; Matzner, U.; Tiede, S.; Gieselmann, V.; Ullrich, K.; Braulke, T.
Secretion of phosphomannosyl-deficient arylsulphatase A and cathepsin D from isolated human macrophages, 368:845
Mütze, S. *See* Mueller, S.
Mutzel, R. *See* Walz, A.-C.
Mwanjewe, J. *See* Holmes, M. E.
Myers, K. A. *See* Shaw, D. M.
Mylvaganam, M.
——; Hansen, H. C.; Binnington, B.; Magnusson, G.; Nyholm, P.-G.; Lingwood, C. A.
Interaction of the verotoxin 1B subunit with soluble aminodeoxy analogues of globotriaosyl ceramides, 368:769
Mzhavia, N.
——; Qian, Y.; Feng, Y.; Che, F.-Y.; Devi, L. A.; Fricker, L. D.
Processing of proSAAS in neuroendocrine cell lines, 361:67

Nadal, A.
——; Marrero, P. F.; Haro, D.
Down-regulation of the mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase gene by insulin: the role of the forkhead transcription factor FKHRL1, 366:289
Nadano, D.
——; Nakayama, J.; Matsuzawa, S.-i.; Sato, T.-A.; Matsuda, T.; Fukuda, M. N.
Human tastin, a proline-rich cytoplasmic protein, associates with the microtubular cytoskeleton, 364:669
Nadif Kasri, N. *See* Sienaert, I.
Naftalin, R. J. *See* Afzal, I.
Nagamatsu, S. *See* Ohara-Imaizumi, M.
Nagamine, Y. *See* Kisielow, M.
Nagasawa, M. *See* Kisielow, M.
Nägler, D. K. *See* Krupa, J. C.
Nakada, K. *See* Shibata, N.
Nakajima, A. *See* Zhu, X.
Nakamichi, Y. *See* Ohara-Imaizumi, M.
Nakamoto, S. *See* Ono, T.
Nakamura, H. *See* Dietz, F.
Nakamura, T. *See* Kita, K.
Nakanishi, H. *See* Munesue, S.
Nakanishi, T. *See* Kanekiyo, M.
Nakano, Y. *See* Kasahara, E.
Nakatani, H.
——;
Monte Carlo simulation of hyaluronidase reaction involving hydrolysis, transglycosylation and condensation, 365:701
Nakayama, H. *See* Kawahara, K.
Nakayama, J. *See* Nadano, D.
Nakayama, K. *See* Takatsu, H.

© 2003 Biochemical Society

Nalaskowski, M. M.
——; Deschermeier, C.; Fanick, W.; Mayr, G. W.
The human homologue of yeast ArgRIII protein is an inositol phosphate multikinase with predominantly nuclear localization, 366:549
Naldini, L. *See* Villani, G. R. D.
Nampoothiri, K. M. *See* Kremer, L.
Nantes, I. L. *See* Pimenta, D. C.
Nash, C. *See* Hogue, D. L.
Natarajan, K. *See* Azam, M.
Natarajan, V. *See* Wang, L.
Nath, D. *See* Lee, M.-H.
Nava, V. E. *See* Ryan, C. A.
Neame, P. J. *See* Pandit, S. G.
Nechiporuk-Zloy, V. *See* Sulimenko, V.
Ñeco, P.
——; Gil, A.; del Mar Francés, M.; Viniegra, S.; Gutiérrez, L. M.
The role of myosin in vesicle transport during bovine chromaffin cell secretion, 368:405
Nedergaard, J. *See* Thonberg, H.
Needleman, P. *See* Levin, G.
Neergaard, T. B. F. *See* Wadum, M. C. T.
Negishi, M. *See* Tanaka, H.
Nègre-Salvayre, A. *See* Duval, C.
Neira, J. L. *See* Gasset, M.
Nekhai, S.
——; Zhou, Meisheng; Fernandez, A.; Lane, W. S.; Lamb, N. J. C.; Brady, J.; Kumar, A.
HIV-1 Tat-associated RNA polymerase C-terminal domain kinase, CDK2, phosphorylates CDK7 and stimulates Tat-mediated transcription, 364:649
Nerou, E. P. *See* Wissing, F.
Nes, W. D.
——; Zhou, W.; Dennis, A. L.; Li, H.; Jia, Z.; Keith, R. A.; Piser, T. M.; Furlong, S. T.
Purification, characterization and catalytic properties of human sterol 8-isomerase, 367:587
Neto, J. R. B. *See* Arand, M.
Neustroev, K. N. *See* Arand, M.
Neuzil, J.
——; Zhao, M.; Ostermann, G.; Sticha, M.; Gellert, N.; Weber, C.; Eaton, J. W.; Brunk, U. T.
α-Tocopheryl succinate, an agent with *in vivo* anti-tumour activity, induces apoptosis by causing lysosomal instability, 362:709
Neve, S. *See* Krogsdam, A.-M.
Nevett, C. L. *See* Wrigley, J. D. J.
Newman, D. J. *See* Baines, D. L.
Newman, R. A. *See* Thuillier, P.
Newmeyer, D. D. *See* Abdullaev, Z. K.
Newsham, I. F. *See* Yu, T.
Newton, A. C. *See* Cenni, V.
Nezu, A.
——; Tanimura, A.; Morita, T.; Irie, K.; Yajima, T.; Tojyo, Y.
Evidence that zymogen granules do not function as an intracellular Ca^{2+} store for the generation of the Ca^{2+} signal in rat parotid acinar cells, 363:59
Nidetzky, B. *See* Eis, C.
Nielsen, C. A. F. *See* Krogsdam, A.-M.
Nielsen, C. G. *See* Laursen, L. S.
Nielsen, F. C. *See* Pedersen, S. K.
Nielsen, K. M. *See* Mansilla, F.
Nieswandt, B. *See* Snell, D. C.
Nigou, J.
——; Besra, G. S.
Characterization and regulation of inositol monophosphatase activity in *Mycobacterium smegmatis*, 361:385
——; Besra, G. S.
Cytidine diphosphate-diacylglycerol synthesis in *Mycobacterium smegmatis*, 367:157
Nikolopoulos, S. N. *See* Curtis, M.
Nikou, D. C. *See* Vontas, J. G.
Nilsen-Hamilton, M. *See* Ryon, J.
Nilsson, J. *See* Bengtsson, S. H. M.
Nimmrich, I. *See* Chtarbova, S.
Ninio, E. *See* Malaud, E.
Nishi, E. *See* Hospital, V.
Nishi, S. *See* Ikeda, H.
Nishihara, T. *See* Nishizuka, M.
Nishimura, K.
——; Ohki, Y.; Fukuchi-Shimogori, T.; Sakata, K.; Saiga, K.; Beppu, T.; Shirahata, A.; Kashiwagi, K.; Igarashi, K.
Inhibition of cell growth through inactivation of eukaryotic translation initiation factor 5A (eIF5A) by deoxyspergualin, 363:761
Nishimura, T. *See* Matsunaga, Y.
Nishino, T. *See* Igarashi, K.
Nishitoh, H. *See* Saeki, Koichi
Nishiyama, J. *See* Dong, Z.
Nishizaki, K. *See* Iwahashi, H.
Nishizuka, M.
——; Tsuchiya, T.; Nishihara, T.; Imagawa, M.
Induction of Bach1 and ARA70 gene expression at an early stage of adipocyte differentiation of mouse 3T3-L1 cells, 361:629
Nitsch, L. *See* Bracale, A.
Nitta, K. *See* Kato, Y.
Niu, J.
——; Scheschonka, A.; Druey, K. M.; Davis, A.; Reed, E.; Kolenko, V.; Bodnar, R.; Voyno-Yasenetskaya, T.; Du, X.; Kehrl, J.; Dulin, N. O.
RGS3 interacts with 14-3-3 via the N-terminal region distinct from the RGS (regulator of G-protein signalling) domain, 365:677
Nixon, P. M. *See* Squires, M. S.
Noel, P. *See* de Seny, D.
Nogueira, P. *See* Farinha, C. M.
Nolan, J. *See* Mellor, H. R.
Nomden, A. *See* Shi, F.
Nomoto, S. *See* Arao, Y.
Nordlund, H. R. *See* Laitinen, O. H.
Nordman, H.
——; Davies, J. R.; Lindell, G.; de Bolós, C.; Real, F.; Carlstedt, I.
Gastric MUC5AC and MUC6 are large oligomeric mucins that differ in size, glycosylation and tissue distribution, 364:191
Nores, M. J. *See* Touz, M. C.
Norton, J. D. *See* Murphy, J. J.
Nosyreva, E.
——; Miyakawa, T.; Wang, Z.; Glouchankova, L.; Mizushima, A.; Iino, M.; Bezprozvanny, I.
The high-affinity calcium–calmodulin-binding site does not play a role in the modulation of type 1 inositol 1,4,5-trisphosphate receptor function by calcium and calmodulin, 365:659
Novikov, D. K. *See* Cuebas, D. A.
Novo, C.
——; Farnaud, S.; Tata, R.; Clemente, A.; Brown, P. R.
Support for a three-dimensional structure predicting a Cys-Glu-Lys catalytic triad for *Pseudomonas aeruginosa* amidase comes from site-directed mutagenesis and mutations altering substrate specificity, 365:731
Novotný, J. *See* Flachs, P.
Nowaczyk, M. J. M. *See* van Kuilenburg, A. B. P.
Nozoe, Y. *See* Tomoo, K.
Ntenteni, S. *See* Egan, T. J.
Nuttall, R. K. *See* Young, D. A.
Nyholm, P.-G. *See* Mylvaganam, M.
Nyitrai, M.
——; Szent-Györgyi, A. G.; Geeves, M. A.
A kinetic model of the co-operative binding of calcium and ADP to scallop (*Argopecten irradians*) heavy meromyosin, 365:19

Oakhill, J. S.
——; Joannou, C. L.; Buchanan, S. K.; Gorringe, A. R.; Evans, R. W.
Expression and purification of functional recombinant meningococcal transferrin-binding protein A, 364:613
Oberer, M.
——; Zangger, K.; Prytulla, S.; Keller, W.
The anti-toxin ParD of plasmid RK2 consists of two structurally distinct moieties and belongs to the ribbon-helix-helix family of DNA-binding proteins, 361:41
Obergfell, A. *See* Wonerow, P.
Obled, C. *See* Combaret, L.
O'Brien, R. *See* Flatman, R.
Obuchowski, M. *See* Iwanicki, A.
Obukowicz, M. G. *See* Levin, G.
Oda, K. *See* Ito, M.
Oda, M.
——; Ueno, T.; Kasai, N.; Takahashi, H.; Yoshida, H.; Sugawara, F.; Sakaguchi, K.; Hayashi, H.; Mizushina, Y.
Inhibition of telomerase by linear-chain fatty acids: a structural analysis, 367:329
Odin, J. A. *See* Mahoney, J. A.
Ofner, L. D.
——; Hooper, N. M.
The C-terminal domain, but not the interchain disulphide, is required for the activity and intracellular trafficking of aminopeptidase A, 362:191
Ogata, Y. *See* Fukuda, M.
Ogawa, K. *See* Chen, F.
O'Grady, S. M. *See* Kim, H.
Oguri, K. *See* Munesue, S.
Ohara-Imaizumi, M.
——; Nakamichi, Y.; Tanaka, T.; Katsuta, H.; Ishida, H.; Nagamatsu, S.
Monitoring of exocytosis and endocytosis of insulin secretory granules in the pancreatic β-cell line MIN6 using pH-sensitive green

© 2003 Biochemical Society

fluorescent protein (pHluorin) and confocal laser microscopy, 363:73
O'Harte, F. P. M. *See* Gault, V. A.
Ohki, Y. *See* Nishimura, K.
Ohmori, S. *See* Cao, X.
Ohnishi, Y. *See* Funa, N.
Ohno, S. *See* Ideguchi, H.
Ohtani, A. *See* Aoyama, C.
Oikonomou, A. *See* Antonopoulou, S.
Okabe, K. *See* Tomoo, K.
Okada, T.
——; Yoshida, H.; Akazawa, R.; Negishi, M.; Mori, K.
Distinct roles of activating transcription factor 6 (ATF6) and double-stranded RNA-activated protein kinase-like endoplasmic reticulum kinase (PERK) in transcription during the mammalian unfolded protein response, 366:585
Okamoto, H. *See* Chini, E. N.
Okayama, M. *See* Munesue, S.
Okino, N. *See* Kita, K.
Okuno, T. *See* Ono, T.
Olave, I. A. *See* Hurlstone, A. F. L.
Olivares, R. *See* Montero, M.
Oliveira, V. *See* Pimenta, D. C.
Ollosson, R. *See* Sharpe, M. A.
O'Mahony, A. M.
——; Walsh, D. A.
Differentiation-dependent mechanisms of transcriptional regulation of the catalytic subunit of phosphorylase kinase, 362:199
Omori, K. *See* Sasaki, T.
Ong, H. L.
——; Chen, J.; Chataway, T.; Brereton, H.; Zhang, L.; Downs, T.; Tsiokas, L.; Barritt, G.
Specific detection of the endogenous transient receptor potential (TRP)-1 protein in liver and airway smooth muscle cells using immunoprecipitation and Western-blot analysis, 364:641
Onneken, M.-L. *See* Schlatter, H.
Ono, K-i. *See* Tamahara, S.
Ono, T.
——; Yamada, K.; Chikazawa, Y.; Ueno, M.; Nakamoto, S.; Okuno, T.; Seno, K.
Characterization of a novel inhibitor of cytosolic phospholipase $A_2\alpha$, pyrrophenone, 363:727
Op den Camp, H. J. M. *See* Steenbakkers, P. J. M.
Opi, S. *See* di Luccio, E.
Oram, J. F. *See* Lee, J.
Orchard, J. L. *See* Guo, J.
Ordinas, A. *See* Arderiu, G.
O'Rourke, E. *See* Giles, G. I.
O'Rourke, L.
——; Shepherd, P. R.
Biphasic regulation of extracellular-signal-regulated protein kinase by leptin in macrophages: role in regulating STAT3 Ser^{727} phosphorylation and DNA binding, 364:875
Ortega, F.
——; Acerenza, L.
Elasticity analysis and design for large metabolic responses produced by changes in enzyme activities, 367:41
Ortiz, F. *See* Furuta, S.
Osada, H. *See* Takahashi-Ando, N.
Osborne, T. F. *See* Mallampalli, R. K.
Ostermann, G. *See* Neuzil, J.
Ouimet, T. *See* Rose, C.
Overgaard, M. T. *See* Laursen, L. S.
Overmars, H. *See* Silva, M. F. B.
Ovod, V. *See* Laitinen, O. H.
Owczarek, C. M. *See* Hardy, M. P.
Owen, C. *See* Plows, D.
Oxley, D. *See* Schulz, B. L.
Oxvig, C. *See* Laursen, L. S.
Oz, I.
——; Avidan, O.; Hizi, A.
Inhibition of the integrases of human immunodeficiency viruses type 1 and type 2 by reverse transcriptases, 361:557
Oza, S. L.
——; Ariyanayagam, M. R.; Fairlamb, A. H.
Characterization of recombinant glutathionylspermidine synthetase/amidase from *Crithidia fasciculata*, 364:679
Ozawa, H. *See* Ito, M.

Packer, N. H. *See* Schulz, B. L.
Pacot, C. *See* Larsen, L. K.
Padilla, C. A. *See* Pedrajas, J. R.
Padmanaban, G. *See* Varadharajan, S.
Page, M. I. *See* de Seny, D.
Pagès, J.-M. *See* Bredin, J.
Paiva, S.
——; Kruckeberg, A. L.; Casal, M.
Utilization of green fluorescent protein as a marker for studying the expression and turnover of the monocarboxylate permease Jen1p of *Saccharomyces cerevisiae*, 363:737
Pajares, M. A. *See* Gasset, M.
Paling, N. R. D.
——; Welham, M. J.
Role of the protein tyrosine phosphatase SHP-1 (Src homology phosphatase-1) in the regulation of interleukin-3-induced survival, proliferation and signalling, 368:885
Palmer, R. H. *See* Henriksson, M. L.
Palmieri, L. *See* Rottensteiner, H.
Palvimo, J. J. *See* Tian, S.
Pamplona, R. *See* Brand, M. D.
Pan, A. *See* Zhao, D.
Pan, D. A.
——; Hardie, D. G.
A homologue of AMP-activated protein kinase in *Drosophila melanogaster* is sensitive to AMP and is activated by ATP depletion, 367:179
Pan, T.
——; Wong, B.-S.; Liu, T.; Li, R.; Petersen, R. B.; Sy, M.-S.
Cell-surface prion protein interacts with glycosaminoglycans, 368:81
Panaretou, C.
——; Tooze, S. A.
Regulation and recruitment of phosphatidylinositol 4-kinase on immature secretory granules is independent of ADP-ribosylation factor 1, 363:289
Pandiella, A. *See* Montero, J. C.
Pandit, S. G.
——; Govindraj, P.; Sasse, J.; Neame, P. J.; Hassell, J. R.
The fibroblast growth factor receptor, FGFR3, forms gradients of intact and degraded protein across the growth plate of developing bovine ribs, 361:231
Pantazidou, A. *See* Antonopoulou, S.
Paolini, R. A. *See* Veith, P. D.
Paolini, S. *See* Baracca, A.
Paolucci, C. *See* Falcone, S.
Pap, E. H. W. *See* Czapski, G. A.
Papaefthymiou, G. C. *See* Bou-Abdallah, F.
Parat, M.-O.
——; Stachowicz, R. Z.; Fox, P. L.
Oxidative stress inhibits caveolin-1 palmitoylation and trafficking in endothelial cells, 361:681
Paredes, R.
——; Gutiérrez, J.; Gutierrez, S.; Allison, L.; Puchi, M.; Imschenetzky, M.; van Wijnen, A.; Lian, J.; Stein, G.; Stein, J.; Montecino, M.
Interaction of the 1α,25-dihydroxyvitamin D3 receptor at the distal promoter region of the bone-specific osteocalcin gene requires nucleosomal remodelling, 363:667
Parekh, A. B.
——; Riley, A. M.; Potter, B. V. L.
Adenophostin A and ribophostin, but not inositol 1,4,5-trisphosphate or *manno*-adenophostin, activate the Ca^{2+} release-activated Ca^{2+} current, I_{CRAC}, in weak intracellular Ca^{2+} buffer, 361:133
Parés, X. *See* Larroy, C.
Park, E. J. *See* Kim, W. J.
Park, H. S. *See* Park, S. W.
Park, J.-B.
——; Kim, J.-S.; Lee, J.-Y.; Kim, J.; Seo, J.-Y.; Kim, A.-R.
GTP binds to Rab3A in a complex with Ca^{2+}/calmodulin, 362:651
Park, J.-W. *See* Chun, Y.-S.
Park, S.-C. *See* Cheng, H.
Park, S. D. *See* Kim, W. J.
Park, S.-H.
——; Kim, H.-E.; Kim, C.-M.; Yun, H.-J.; Choi, E.-C.; Lee, B.-J.
Role of proline, cysteine and a disulphide bridge in the structure and activity of the anti-microbial peptide gaegurin 5, 368:171
Park, S. W.
——; Yoon, H. J.; Lee, H. B.; Hooper, N. M.; Park, H. S.
Nitric oxide inhibits the shedding of the glycosylphosphatidylinositol-anchored dipeptidase from porcine renal proximal tubules, 364:211
Parker, L.
——; Gross, S.; Beullens, M.; Bollen, M.; Bennett, D.; Alphey, L.
Functional interaction between nuclear inhibitor of protein phosphatase type 1 (NIPP1) and protein phosphatase type 1 (PP1) in *Drosophila*: consequences of over-expression of NIPP1 in flies and suppression by co-expression of PP1, 368:789
Parker, M. W. *See* Allocati, N.
Parker, P. J. *See* Srivastava, J.
Parkkinen, J. J. *See* Alhonen, L.
Parthasarathy, N.
——; Torti, S. V.; Torti, F. M.
Ferritin binds to light chain of human

© 2003 Biochemical Society

H-kininogen and inhibits kallikrein-mediated bradykinin release, 365:279
Parys, J. B. *See* Sienaert, I.
Pascall, J. C.
——; Luck, J. E.; Brown, K. D.
Expression in mammalian cell cultures reveals interdependent, but distinct, functions for Star and Rhomboid proteins in the processing of the *Drosophila* transforming-growth-factor-α homologue Spitz, 363:347
Passalacqua, M. *See* Sparatore, B.
Passarella, S. *See* de Bari, L.
Patel, B. *See* Bass, M. D.
Patel, R. *See* Burdon, D.
Patel, R. C. *See* Huang, X.
Patel, R. P. *See* Moellering, D. R.
Patel, Sandip *See* Berridge, G.
Patel, Satish
——; Van Der Kaay, J.; Sutherland, C.
Insulin regulation of hepatic insulin-like growth factor-binding protein-1 (IGFBP-1) gene expression and mammalian target of rapamycin (mTOR) signalling is impaired by the presence of hydrogen peroxide, 365:537
Patel, Y. M. *See* Harmon, A. W.
Pathak, S. *See* Bhattacharyya, A.
Patrinou-Georgoula, M. *See* Kafasla, P.
Patrone, M. *See* Sparatore, B.
Pattison, D. I. *See* Hawkins, C. L.
Paulin, F. E. M. *See* Wang, X.
Paulsson, M. *See* Piecha, D.
Pau-Roblot, C. *See* Van Calsteren, M.-R.
Pauselli, R. *See* Maccarrone, M.
Payen, D. *See* Lanone, S.
Pearson, D. S.
——; Holtermann, G.; Ellison, P.; Cremo, C.; Geeves, M. A.
A novel pressure-jump apparatus for the microvolume analysis of protein–ligand and protein–protein interactions: its application to nucleotide binding to skeletal-muscle and smooth-muscle myosin subfragment-1, 366:643
Pearson, W. R. *See* Coggan, M.
Pedersen, S. K.
——; Christiansen, J.; Hansen, T. v. O.; Larsen, M. R.; Nielsen, F. C.
Human insulin-like growth factor II leader 2 mediates internal initiation of translation, 363:37
Pedrajas, J. R.
——; Porras, P.; Martínez-Galisteo, E.; Padilla, C. A.; Miranda-Vizuete, A.; Bárcena, J. A.
Two isoforms of *Saccharomyces cerevisiae* glutaredoxin 2 are expressed *in vivo* and localize to different subcellular compartments, 364:617
Pedrazzi, M. *See* Sparatore, B.
Peek, M. *See* Roberge, M.
Pelassy, C. *See* Rouquette-Jazdanian, A. K.
Peleato, M. L. *See* Hernández, J. A.
Pellet, P. *See* Garin, A.
Peng, J. *See* Zhu, X.
Penna, L. *See* Wagner, E.
Pennington, S. R. *See* Ivings, L.
Penque, D. *See* Farinha, C. M.
Pentikäinen, M. O. *See* Taskinen, S.
Pentikäinen, O. T. *See* Laitinen, O. H.
Penzo, D. *See* Ruzzene, M.
Pereverzev, M. O. *See* Abdullaev, Z. K.
Pérez-Ruiz, J. M. *See* Serrato, A. J.
Perkins, N. D. *See* Chapman, N. R.
Perret, J.
——; Van Craenenbroeck, M.; Langer, I.; Vertongen, P.; Gregoire, F.; Robberecht, P.; Waelbroeck, M.
Mutational analysis of the glucagon receptor: similarities with the vasoactive intestinal peptide (VIP)/pituitary adenylate cyclase-activating peptide (PACAP)/secretin receptors for recognition of the ligand's third residue, 362:389
Perret-Menoud, V. *See* Coppola, T.
Petan, T.
——; Križaj, I.; Gubenšek, F.; Pungerčar, J.
Phenylalanine-24 in the N-terminal region of ammodytoxins is important for both enzymic activity and presynaptic toxicity, 363:353
Petersen, R. B. *See* Pan, T.
Peterson, V. J.
——; Barofsky, E.; Deinzer, M. L.; Dawson, M. I.; Feng, K.-C.; Zhang, X-k.; Madduru, M. R.; Leid, M.
Mass-spectrometric analysis of agonist-induced retinoic acid receptor γ conformational change, 362:173
Petit, C. M.
——; Koretke, K. K.
Characterization of *Streptococcus pneumoniae* thymidylate kinase: steady-state kinetics of the forward reaction and isothermal titration calorimetry, 363:825
Petrat, F.
——; Weisheit, D.; Lensen, M.; de Groot, H.; Sustmann, R.; Rauen, U.
Selective determination of mitochondrial chelatable iron in viable cells with a new fluorescent sensor, 362:137
Peumans, W. J. *See* Bourne, Y.; Chen, Ying; Houlès Astoul, C.
Pezza, R. J.
——; Smania, A. M.; Barra, J. L.; Argaraña, C. E.
Nucleotides and heteroduplex DNA preserve the active conformation of *Pseudomonas aeruginosa* MutS by preventing protein oligomerization, 361:87
Pfister, M. *See* Grahnert, A.
Phillips, B. W. *See* Young, D. A.
Phillips, C. *See* Cuebas, D. A.
Phillips, R. S. *See* Demidkina, T. V.
Phillips, S. E. V. *See* Saysell, C. G.
Piacenza, L. *See* Touz, M. C.
Piade, A. *See* Zipser, Y.
Pickering, L. *See* Mellor, H. R.
Piecha, D.
——; Wiberg, C.; Mörgelin, M.; Reinhardt, D. P.; Deák, F.; Maurer, P.; Paulsson, M.
Matrilin-2 interacts with itself and with other extracellular matrix proteins, 367:715
Pierechod, M. *See* Iwanicki, A.
Pietilä, M. *See* Alhonen, L.
Pillay, C. S.
——; Elliott, E.; Dennison, C.
Endolysosomal proteolysis and its regulation, 363:417
Pimenta, D. C.
——; Nantes, I. L.; de Souza, E. S.; Le Bonniec, B.; Ito, A. S.; Tersariol, I. L. S.; Oliveira, V. ; Juliano, M. A.; Juliano, L.
Interaction of heparin with internally quenched fluorogenic peptides derived from heparin-binding consensus sequences, kallistatin and anti-thrombin III, 366:435
Piña, B. *See* Marín, S.
Pinna, L. A. *See* Facchin, S.; Ruzzene, S.
Pinotti, M. *See* Toso, R.
Pintzas, A. *See* Plows, D.
Piotukh, K. *See* Hejazi, M.
Pirilä, P. L. *See* Kiema, T.-R.
Pirillo, A. *See* Eberini, I.
Piser, T. M. *See* Nes, W. D.
Pizzo, P. *See* Gamberucci, A.
Plakida, K. *See* Menshikov, M.
Platt, F. M. *See* Mellor, H. R.
Plows, D.
——; Briassouli, P.; Owen, C.; Zoumpourlis, V.; Garrett, M. D.; Pintzas, A.
Ecdysone-inducible expression of oncogenic Ha-Ras in NIH 3T3 cells leads to transient nuclear localization of activated extracellular signal-regulated kinase regulated by mitogen-activated protein kinase phosphatase-1, 362:305
Podust, L. M. *See* Lamb, D. C.
Poeppel, P. *See* Schestag, F.
Pohl, A.
——; Lage, H.; Müller, P.; Pomorski, T.; Herrmann, A.
Transport of phosphatidylserine via MDR1 (multidrug resistance 1) P-glycoprotein in a human gastric carcinoma cell line, 365:259
Poirier, H.
——; Labrecque, J.; Deschênes, J.; DeLéan, A.
Allotopic antagonism of the non-peptide atrial natriuretic peptide (ANP) antagonist HS-142-1 on natriuretic peptide receptor NPR-A, 362:231
Polikarpov, I. *See* Arand, M.
Politz, O.
——; Gratchev, A.; McCourt, P. A. G.; Schledzewski, K.; Guillot, P.; Johansson, Sophie; Svineng, G.; Franke, P.; Kannicht, C.; Kzhyshkowska, J.; Longati, P.; Velten, F. W.; Johansson, Staffan; Goerdt, S.
Stabilin-1 and -2 constitute a novel family of fasciclin-like hyaluronan receptor homologues, 362:155
Pollak, E. S. *See* Toso, R.
Pollard, M.
——; Meredith, D.; McGivan, J. D.
Identification of a plasma membrane glutamine transporter from the rat hepatoma cell line H4-IIE-C3, 368:371
Polushkin, E. *See* Shi, F.
Pombo, I. *See* Coppola, T.
Pomorski, T. *See* Pohl, A.
Poncz, M. *See* Fang, J.
Pontremoli, S. *See* Sparatore, B.
Poole, A. W. *See* Hers, I.
Poopalasundaram, S. *See* Cowing, J. A.

© 2003 Biochemical Society

Popoff, M. R. *See* Stiles, B. G.
Popov, K. M. *See* Tuganova, A.
Popova, A. S. *See* Serov, A. E.
Pópulo, H. *See* Duarte, M.
Porcelli, A. M. *See* Ghelli, A.
Porchet, N. *See* Escande, F.
Porkka, E. *See* Laitinen, O. H.
Porntadavity, S. *See* Xu, Y.
Porras, P. *See* Pedrajas, J. R.
Porter, C. W. *See* Vujcic, S.
Portero-Otín, M. *See* Brand, M. D.
Portnoy, M. E.
——; Jensen, L. T.; Culotta, V. C.
The distinct methods by which manganese and iron regulate the Nramp transporters in yeast, 362:119
Portugal, J. *See* Marín, S.
Post, J. A. *See* van der Vlies, D.
Post, M. *See* Cartel, N. J.
Postlethwait, J. H. *See* Dunér, T.
Pothoulakis, C. *See* Zhao, D.
Potrykus, K.
——; Barańska, S.; Węgrzyn, A.; Węgrzyn, G.
Composition of the λ plasmid heritable replication complex, 364:857
Potter, B. V. L. *See* Morris, S. A.
Poukka, H. *See* Tian, S.
Poulin, R. *See* Soulet, D.
Poznanovic, S. *See* Sulimenko, V.
Pozuelo Rubio, M. *See* Harthill, J. E.
Prabhu, K. S.
——; Zamamiri-Davis, F.; Stewart, J. B.; Thompson, J. T.; Sordillo, L. M.; Reddy, C. C.
Selenium deficiency increases the expression of inducible nitric oxide synthase in RAW 264.7 macrophages: role of nuclear factor-κB in up-regulation, 366:203
Prat, A. *See* Hospital, V.
Prentice, H. *See* Dougherty, C. J.
Price, M. P. *See* Hruska-Hageman, A. M.
Priest, D. G. *See* Rothem, L.
Principato, G. *See* de Bari, L.
Prins, A. K. *See* Alkema, W. B. L.
Pritchard, D. G. *See* Baker, J. R.
Pritchard, D. M. *See* Wroblewski, L. E.
Procyk, K. J. *See* Srivastava, J.
Prosperi-Meys, C. *See* de Seny, D.
Proud, C. G. *See* Wang, X.
Prydz, K. *See* Kolset, S. O.
Prytulla, S. *See* Oberer, M.
Pryzdial, E. L. G. *See* Brooks, N. D.
Puchi, M. *See* Paredes, R.
Puckey, L. H.
——; Knight, B. L.
Interaction of oestrogen and peroxisome proliferator-activated receptors with apolipoprotein(a) gene enhancers, 366:157
Puddey, I. B. *See* Morton, L. W.
Puglisi, L. *See* Eberini, I.
Pugmire, M. J.
——; Ealick, S. E.
Structural analyses reveal two distinct families of nucleoside phosphorylases, 361:1
Pugniere, M. *See* Rouby, J.
Pungerčar, J. *See* Petan, T.
Puzer, L. *See* Cezari, M. H. S.
Puzo, G. *See* Sidobre, S.
Qian, S. Y.
——; Chen, Y.-R.; Deterding, L. J.; Fann, Y. C.; Chignell, C. F.; Tomer, K. B.; Mason, R. P.
Identification of protein-derived tyrosyl radical in the reaction of cytochrome *c* and hydrogen peroxide: characterization by ESR spin-trapping, HPLC and MS, 363:281
Qian, X.
——; Hou, W.; Zhengang, L.; Sha, B.
Direct interactions between molecular chaperones heat-shock protein (Hsp) 70 and Hsp40: yeast Hsp70 Ssa1 binds the extreme C-terminal region of yeast Hsp40 Sis1, 361:27
Qian, Y. *See* Mzhavia, N.
Qiang, M. *See* Dong, Z.
Quant, P. A. *See* Ramli, U. S.
Quaresima, B. *See* Faniello, M. C.
Quennedey, B. *See* Testenière, O.
Quercioli, F. *See* Meacci, E.
Quignard-Boulange, A. *See* Turban, S.
Quilty, J. A.
——; Cordat, E.; Reithmeier, R. A. F.
Impaired trafficking of human kidney anion exchanger (kAE1) caused by hetero-oligomer formation with a truncated mutant associated with distal renal tubular acidosis, 368:895
Quinn, P. J. *See* Koumanov, K. S.
Quinton, T. M.
——; Kim, S.; Dangelmaier, C.; Dorsam, R. T.; Jin, J.; Daniel, J. L.; Kunapuli, S. P.
Protein kinase C- and calcium-regulated pathways independently synergize with G_i pathways in agonist-induced fibrinogen receptor activation, 368:535
Quon, M. J. *See* Sajan, M. P.
Qureshi, S. A. *See* Ding, V. D. H.

Rabelink, T. J. *See* Govers, R.
Rabilloud, T. *See* Wagner, E.
Rademacher, M. *See* Gutiérrez-González, L. H.
Rahi-Saund, V. *See* Shaw, D. M.
Raia, F. J. *See* Valhmu, W. B.
Rajagopalan, M. *See* Yamamoto, K.
Rajamohan, G.
——; Dahiya, M.; Mande, S. C.; Dikshit, K. L.
Function of the 90-loop (Thr^{90}–Glu^{100}) region of staphylokinase in plasminogen activation probed through site-directed mutagenesis and loop deletion, 365:379
Rajan, C. *See* Bentley, N. M.
Rajasekharan, R. *See* Gangar, A.
Rak, A. V. *See* Woestenenk, E. A.
Ralton, J. E.
——; Mullin, K. A.; McConville, M. J.
Intracellular trafficking of glycosylphosphatidylinositol (GPI)-anchored proteins and free GPIs in *Leishmania mexicana*, 363:365
Ramji, D. P.
——; Foka, P.
CCAAT/enhancer-binding proteins: structure, function and regulation, 365:561
Ramli, U. S.
——; Baker, D. S.; Quant, P. A.; Harwood, J. L.
Control mechanisms operating for lipid biosynthesis differ in oil-palm (*Elaeis guineensis* Jacq.) and olive (*Olea europaea* L.) callus cultures, 364:385
——; Baker, D. S.; Quant, P. A.; Harwood, J. L.
Control analysis of lipid biosynthesis in tissue cultures from oil crops shows that flux control is shared between fatty acid synthesis and lipid assembly, 364:393
Ramoni, R.
——; Vincent, F.; Ashcroft, A. E.; Accornero, P.; Grolli, S.; Valencia, C.; Tegoni, M.; Cambillau, C.
Control of domain swapping in bovine odorant-binding protein, 365:739
Ramotar, D. *See* Shatilla, A.
Ramsay, D.
——; Kellett, E.; McVey, M.; Rees, S.; Milligan, G.
Homo- and hetero-oligomeric interactions between G-protein-coupled receptors in living cells monitored by two variants of bioluminescence resonance energy transfer (BRET): hetero-oligomers between receptor subtypes form more efficiently than between less closely related sequences, 365:429
Rangarajan, P. N. *See* Varadharajan, S.
Ransijn, A. *See* Corradin, S.
Ranson, H. *See* Vontas, J. G.
Rao, G. N. *See* Yellaturu, C. R.
Rao, R. K. *See* Yellaturu, C. R.
——; Basuroy, S.; Rao, V. U.; Karnaky, Jr, K. J.; Gupta, A.
Tyrosine phosphorylation and dissociation of occludin–ZO-1 and E-cadherin–β-catenin complexes from the cytoskeleton by oxidative stress, 368:471
Rao, V. U. *See* Rao, R. K.
Rapp, U. R. *See* Kunz, M.
Räsänen, T.-L. *See* Alhonen, L.
Rashid, M. B. *See* Stanton, J. D.
Rasmussen, T.
——; Berks, B. C.; Butt, J. N.; Thomson, A. J.
Multiple forms of the catalytic centre, Cu_Z, in the enzyme nitrous oxide reductase from *Paracoccus pantotrophus*, 364:807
Rauen, U. *See* Petrat, F.
Ravanel, S. *See* Mouillon, J.-M.
Rawlinson, L. *See* Dean, J. L. E.
Raychaudhuri, S. *See* Gangar, A.
Raychowdhury, R. *See* Zhu, X.
Raymondjean, M. *See* Antonio, V.
Raynal, B. D. E.
——; Hardingham, T. E.; Thornton, D. J.; Sheehan, J. K.
Concentrated solutions of salivary MUC5B mucin do not replicate the gel-forming properties of saliva, 362:289
Raz, A. *See* Levin, G.
Raza, H.
——; Robin, M.-A.; Fang, J-k.; Avadhani, N. G.
Multiple isoforms of mitochondrial glutathione S-transferases and their differential induction under oxidative stress, 366:45
Real, F. *See* Nordman, H.

© 2003 Biochemical Society

Reardon, C. A. *See* Bentley, N. M.
Rébeillé, F. *See* Mouillon, J.-M.
Recacha, R.
——; Costanzo, M. J.; Maryanoff, B. E.; Chattopadhyay, D.
Crystal structure of human carbonic anhydrase II complexed with an anti-convulsant sugar sulphamate, 361:437
Recklies, A. D. *See* Sztrolovics, R.
——; White, C.; Ling, H.
The chitinase 3-like protein human cartilage glycoprotein 39 (HC-gp39) stimulates proliferation of human connective-tissue cells and activates both extracellular signal-regulated kinase- and protein kinase B-mediated signalling pathways, 365:119
Reddy, C. C. *See* Butovich, I. A.
Reddy, V. K. *See* Mitchell, J. L. A.
Redwood, C. *See* Burton, D.
Reece, R. J. *See* Timson, D. J.
Reed, B. C. *See* Sajan, M. P.
Reed, E. *See* Niu, J.
Rees, B. R. *See* Woods, A. M.
Rees, S. *See* Ramsay, D.
Rega, A. F. *See* Bredeston, L. M.
Regaya, I. *See* di Luccio, E.
Regazzi, R. *See* Coppola, T.
Réhault, S. *See* Attucci, S.
Rehse, P. H.
——; Zhou, Ming; Lin, S.-X.
Crystal structure of human dehydroepiandrosterone sulphotransferase in complex with substrate, 364:165, 364:888
Reich, R. *See* Alpert, E.
Reilly, J. F.
——; Martinez, S. D.; Mickey, G.; Maher, P. A.
A novel role for farnesyl pyrophosphate synthase in fibroblast growth factor-mediated signal transduction, 366:501
Reinhardt, D. P. *See* Piecha, D.
Reisdorff, J. *See* En-Nia, A.
Reithmeier, R. A. F. *See* Quilty, J. A.
Rendu, F. *See* Saci, A.
Renisio, J.-G. *See* Ferrat, G.
Renner, M. *See* Chtarbova, S.
Renouf, D. V. *See* Shaw, D. M.
Requena, J. R. *See* Brand, M. D.
Restall, C. M. *See* Brooks, N. D.
Reuss, M. *See* Henson, M. A.
Reyes-Reyes, M.
——; Mora, N.; Gonzalez, G.; Rosales, C.
β1 and β2 integrins activate different signalling pathways in monocytes, 363:273
Reyl-Desmars, F. *See* Sadji-Ouatas, Z.
Reynolds, E. C. *See* Veith, P. D.
Ricart, J.
——; Izquierdo, J. M.; Di Liegro, C. M.; Cuezva, J. M.
Assembly of the ribonucleoprotein complex containing the mRNA of the β-subunit of the mitochondrial H^+-ATP synthase requires the participation of two distal *cis*-acting elements and a complex set of cellular *trans*-acting proteins, 365:417
Richard, S. *See* Espejo, A.
Richardson, D. J. *See* Butler, C. S.
Richardson, P. S. *See* Kirkham, S.
Richieri, G. V. *See* Demant, E. J. F.
Rickman, C. *See* Ellis, P. D.
Rico, M. *See* de la Roche, M. A.
Ridder, A. N. J. A. *See* ten Brinke, A.
Ridgway, N. D. *See* Wang, C.
Rijkers, D. T. S. *See* Houben, R. J. T. J.
Riley, A. M. *See* Parekh, A. B.
Rinaldi, A. C.
——; Mangoni, M. L.; Rufo, A.; Luzi, C.; Barra, D.; Zhao, H.; Kinnunen, P. K. J.; Bozzi, A.; Di Giulio, A.; Simmaco, M.
Temporin L: antimicrobial, haemolytic and cytotoxic activities, and effects on membrane permeabilization in lipid vesicles, 368:91
Riordan, J. R. *See* Gentzsch, M.
Rioux, V. *See* D'Andrea, S.
Riu, E.
——; Ferre, T.; Mas, A.; Hidalgo, A.; Franckhauser, S.; Bosch, F.
Overexpression of c-*myc* in diabetic mice restores altered expression of the transcription factor genes that regulate liver metabolism, 368:931
Riva, E. *See* Turriziani, O.
Rivas, G. *See* Gasset, M.
Rivière, M. *See* Sidobre, S.
Robb, V. A. *See* Yu, T.
Robberecht, P. *See* Perret, J.
Roberge, M.
——; Peek, M.; Kirchhofer, D.; Dennis, M. S.; Lazarus, R. A.
Fusion of two distinct peptide exosite inhibitors of Factor VIIa, 363:387
Roberts, T. M.
——; Merrill, A. R.
A re-evaluation of the role of histidine-426 within *Pseudomonas aeruginosa* exotoxin A, 367:601
Robin, M.-A. *See* Raza, H.
Robinson, C. V. *See* Elkins, J. M.
Robinson, P. R. *See* Cowing, J. A.
Rochat, H. *See* di Luccio, E.
Roche, A.-C. *See* Frison, N.
Roder, H. *See* Abdullaev, Z. K.
Rodrigues-Lima, F. *See* Fensome, A. C.
Roebuck, S. J. *See* Brand, M. D.
Rogalle, P. *See* Gueguen, G.
Rogozinski, J. *See* Hopper, D. J.
Rohmer, M. *See* Hoeffler, J.-F.
Rojas, M. *See* Marín, S.
Roldán, M. D. *See* Cartron, M. L.
Rolle, S. *See* Huth, W.
Rombauts, W. *See* Verrijdt, G.
Romero-Ávila, M. T.
——; Flores-Jasso, C. F.; García-Sáinz, J. A.
α_{1B}-Adrenergic receptor phosphorylation and desensitization induced by transforming growth factor-β, 368:581
Romieu, A. *See* Dong, C.-Z.
Ronjat, M. *See* Geib, S.
Roper, J. M. *See* Cornah, J. E.
Roques, B. P. *See* Dong, C.-Z.
Rosales, C. *See* Reyes-Reyes, M.
Rose, C.
——; Voisin, S.; Gros, C.; Schwartz, J.-C.; Ouimet, T.
Cell-specific activity of neprilysin 2 isoforms and enzymic specificity compared with neprilysin, 363:697
Rosen, A. *See* Mahoney, J. A.
Rosenthal, P. J. *See* Singh, A.
Rosmus, S. *See* Schlatter, H.
Ross, A. C. *See* Zolfaghari, R.
Ross, H.
——; Armstrong, C. G.; Cohen, P.
A non-radioactive method for the assay of many serine/threonine-specific protein kinases, 366:977
Ross, H. C. *See* Timson, D. J.
Rossi, M. *See* Guagliardi, A.
Rossolini, G. M. *See* de Seny, D.
Rost, D. *See* Mueller, S.
Rostovtseva, T. *See* Roucou, X.
Roth, U.
——; Jungermann, K.; Kietzmann, T.
Activation of glucokinase gene expression by hepatic nuclear factor 4α in primary hepatocytes, 365:223
Rothem, L.
——; Ifergan, I.; Kaufman, Y.; Priest, D. G.; Jansen, G.; Assaraf, Y. G.
Resistance to multiple novel antifolates is mediated via defective drug transport resulting from clustered mutations in the reduced folate carrier gene in human leukaemia cell lines, 367:741
Rottensteiner, H.
——; Palmieri, L.; Hartig, A.; Hamilton, B.; Ruis, H.; Erdmann, R.; Gurvitz, A.
The peroxisomal transporter gene *ANT1* is regulated by a deviant oleate response element (ORE): characterization of the signal for fatty acid induction, 365:109
Rouabhia, M. *See* Chouinard, N.
Rouby, J.
——; Pugniere, M.; Mani, J.-C.; Granier, C.; Monmouton, P.; Theulier Saint Germain, S.; Leonetti, J.-P.
Characterization of monoclonal antibodies against *Escherichia coli* core RNA polymerase, 361:347
Roucou, X.
——; Montessuit, S.; Antonsson, B.; Martinou, J.-C.
Bax oligomerization in mitochondrial membranes requires tBid (caspase-8-cleaved Bid) and a mitochondrial protein, 368:915
——; Rostovtseva, T.; Montessuit, S.; Martinou, J.-C.; Antonsson, B.
Bid induces cytochrome *c*-impermeable Bax channels in liposomes, 363:547
Rougé, P. *See* Bourne, Y.; Chen, Ying; Houlès Astoul, C.
Roughley, P. J. *See* Sztrolovics, R.
Rouillard, D. *See* Bouman, L.
Rouquette-Jazdanian, A. K.
——; Pelassy, C.; Breittmayer, J.-P.; Cousin, J.-L.; Aussel, C.
Metabolic labelling of membrane microdomains/rafts in Jurkat cells indicates the presence of glycerophospholipids implicated in signal transduction by the CD3 T-cell receptor, 363:645
Roussel, D. *See* Harper, J. A.
Rowe, A. J. *See* Walters, C.
Roy, D. *See* Van Calsteren, M.-R.
Royackers, K. *See* Van Dijck, P.
Royer, V.
——; Fraichard, S.; Bouhin, H.
A novel putative insect chitinase with multiple catalytic domains:

© 2003 Biochemical Society

hormonal regulation during metamorphosis, 366:921
Ruan, K.-H. *See* Deng, H.
——; So, S.-P.; Zheng, W.; Wu, J.; Li, D.; Kung, J.
Solution structure and topology of the N-terminal membrane anchor domain of a microsomal cytochrome P450: prostaglandin I_2 synthase, 368:721
Rubí, B.
——; Antinozzi, P. A.; Herrero, L.; Ishihara, H.; Asins, G.; Serra, D.; Wollheim, C. B.; Maechler, P.; Hegardt, F. G.
Adenovirus-mediated overexpression of liver carnitine palmitoyltransferase I in INS1E cells: effects on cell metabolism and insulin secretion, 364:219
Rudi, A. *See* Loya, S.
Rudland, P. S. *See* Delehedde, M.
Rufo, A. *See* Rinaldi, A. C.
Rugolo, M. *See* Ghelli, A.
Ruis, H. *See* Rottensteiner, H.
Ruiter, J. P. N. *See* Silva, M. F. B.
Ruiz-Ruiz, C.
——; López-Rivas, A.
Mitochondria-dependent and -independent mechanisms in tumour necrosis factor-related apoptosis-inducing ligand (TRAIL)-induced apoptosis are both regulated by interferon-γ in human breast tumour cells, 365:825
Ruller, R. *See* Ward, R. J.
Rümenapp, U.
——; Freichel-Blomquist, A.; Wittinghofer, B.; Jakobs, K. H.; Wieland, T.
A mammalian Rho-specific guanine-nucleotide exchange factor (p164-RhoGEF) without a pleckstrin homology domain, 366:721
Russell, V. *See* Guppy, M.
Rüterjans, H. *See* Gutiérrez-González, L. H.
Rutter, A. J.
——; Thomas, K. L.; Herbert, D.; Henderson, R. J.; Lloyd, D.; Harwood, J. L.
Oxygen induction of a novel fatty acid *n*−6 desaturase in the soil protozoon, *Acanthamoeba castellanii*, 368:57
Ruzsicska, B. P. *See* Tjernberg, L. O.
Ruzzene, M.
——; Penzo, D.; Pinna, L. A.
Protein kinase CK2 inhibitor 4,5,6,7-tetrabromobenzotriazole (TBB) induces apoptosis and caspase-dependent degradation of haematopoietic lineage cell-specific protein 1 (HS1) in Jurkat cells, 364:41
Ryan, A. J. *See* Mallampalli, R. K.
Ryan, C. A.
——; Stennicke, H. R.; Nava, V. E.; Burch, J. B.; Hardwick, J. M.; Salvesen, G. S.
Inhibitor specificity of recombinant and endogenous caspase-9, 366:595
Ryon, J.
——; Bendickson, L.; Nilsen-Hamilton, M.
High expression in involuting reproductive tissues of uterocalin/24p3, a lipocalin and acute phase protein, 367:271
Ryu, J.-H. *See* Kim, S.-H.

Sá, J. M. *See* Chioato, L.
Sabatier, J.-M. *See* di Luccio, E.
Sacchetta, P. *See* De Luca, A.
Sacconi, S. *See* Salviati, L.
Saci, A.
——; Liu, W.-Q.; Vidal, M.; Garbay, C.; Rendu, F.; Bachelot-Loza, C.
Differential effect of the inhibition of Grb2–SH3 interactions in platelet activation induced by thrombin and by Fc receptor engagement, 363:717
Sadji-Ouatas, Z.
——; Lasfer, M.; Julien, S.; Feldmann, G.; Reyl-Desmars, F.
Doxorubicin and octreotide induce a 40kDa breakdown product of p53 in human hepatoma and tumoral colon cell lines, 364:881
Sadlish, H.
——; Williams, F. M. R.; Flintoff, W. F.
Cytoplasmic domains of the reduced folate carrier are essential for trafficking, but not function, 364:777
Sadoul, K. *See* Gonelle-Gispert, C.
Saegusa, C. *See* Fukuda, M.
Saeki, Koichi
——; Kobayashi, N.; Inazawa, Y.; Zhang, H.; Nishitoh, H.; Ichijo, H.; Saeki, Kumiko; Isemura, M.; Yuo, A.
Oxidation-triggered c-Jun N-terminal kinase (JNK) and p38 mitogen-activated protein (MAP) kinase pathways for apoptosis in human leukaemic cells stimulated by epigallocatechin-3-gallate (EGCG): a distinct pathway from those of chemically induced and receptor-mediated apoptosis, 368:705
Saeki, Kumiko *See* Saeki, Koichi
Safaiyan, F. *See* Kolset, S. O.
Saiga, K. *See* Nishimura, K.
Saint, N. *See* Bredin, J.
Saito, M. *See* Mita, M.
Saito, N. *See* Matsunaga, Y.
Saito, T. *See* Snell, D. C.
Sajan, M. P.
——; Bandyopadhyay, G.; Kanoh, Y.; Standaert, M. L.; Quon, M. J.; Reed, B. C.; Dikic, I.; Farese, R. V.
Sorbitol activates atypical protein kinase C and GLUT4 glucose transporter translocation/glucose transport through proline-rich tyrosine kinase-2, the extracellular signal-regulated kinase pathway and phospholipase D, 362:665
Sakaguchi, K. *See* Oda, M.
Sakai, M. *See* Ikeda, H.
Sakane, N. *See* Kitamura, T.
Sakata, K. *See* Nishimura, K.
Sakharov, D. V. *See* Czapski, G. A.
Saklatvala, J. *See* Dean, J. L. E.
Sakomoto, M.
——; Tazuma, S.; Chayama, K.
Less hydrophobic phosphatidylcholine species simplify biliary vesicle morphology, but induce bile metastability with a broad spectrum of crystal forms, 362:105
Sakurai, D. *See* Snell, D. C.

Salih, E.
——; Wang, J.; Mah, J.; Fluckiger, R.
Natural variation in the extent of phosphorylation of bone phosphoproteins as a function of *in vivo* new bone formation induced by demineralized bone matrix in soft tissue and bony environments, 364:465
Salisbury-Rowswell, J. *See* Li, X.
Salles, J.-P. *See* Gueguen, G.
Salmivirta, M. *See* Kolset, S. O.
Salmon, G. *See* Marshall, S. J.
Salvayre, R. *See* Duval, C.
Salvesen, G. S. *See* Ryan, C. A.
Salviati, L.
——; Hernandez-Rosa, E.; Walker, W. F.; Sacconi, S.; Di Mauro, S.; Schon, E. A.; Davidson, M. M.
Copper supplementation restores cytochrome *c* oxidase activity in cultured cells from patients with *SCO2* mutations, 363:321
Samburski, S. S. *See* Yegutkin, G. G.
Samejima, M. *See* Igarashi, K.
Sampath, J. *See* Turriziani, O.
Samson, S. E. *See* Holmes, M. E.
Samuelsson, G. *See* Li, S.-S.
Sanada, H. *See* Tanabe, A.
Sancéau, J. *See* Bouman, L.
Sancher, A. *See* Zolfaghari, R.
Sánchez, C. *See* Gómez del Pulgar, T.
Sanderson, C. M. *See* Semple, J. I.
Sandhu, S. *See* Compton, S. J.
Sandoz, G. *See* di Luccio, E.
Santucci, S. *See* Allocati, N.
Sanz, P. *See* Tomás-Cobos, L.
Sapkota, G. P. *See* Douglas, P.
——; Boudeau, J.; Deak, M.; Kieloch, A.; Morrice, N.; Alessi, D. R.
Identification and characterization of four novel phosphorylation sites (Ser^{31}, Ser^{325}, Thr^{336} and Thr^{366}) on LKB1/STK11, the protein kinase mutated in Peutz–Jeghers cancer syndrome, 362:481
——; Deak, M.; Kieloch, A.; Morrice, N.; Goodarzi, A. A.; Smythe, C.; Shiloh, Y.; Lees-Miller, S. P.; Alessi, D. R.
Ionizing radiation induces ataxia telangiectasia mutated kinase (ATM)-mediated phosphorylation of LKB1/STK11 at Thr-366, 368:507
Sarkar, D. *See* Cao, X.
Sasaki, J. *See* Kasahara, E.
Sasaki, M. *See* Tomoo, K.
Sasaki, T. *See* Garbe, J. H. O.
——; Kotera, J.; Omori, K.
Novel alternative splice variants of rat phosphodiesterase 7B showing unique tissue-specific expression and phosphorylation, 361:211
Sasse, J. *See* Pandit, S. G.
Sasson, S. *See* Alpert, E.
Sato, E. F. *See* Kasahara, E.
Sato, K. *See* Tamahara, S.
Sato, T.-A. *See* Nadano, D.
Satoh, K. *See* Ikeda, H.
Satouchi, K. *See* Tokumura, A.
Satre, M. *See* Bogdanovic, A.
Saumet, A.
——; de Jesus, N.; Legrand, C.; Dubernard, V.
Association of thrombospondin-1 with the actin cytoskeleton of human

© 2003 Biochemical Society

thrombin-activated platelets through an αIIbβ3- or CD36-independent mechanism, 363:473
Sava, V. *See* Lee, G.-C.
Savini, I. *See* Catani, M. V.
Sayed, Y.
——; Hornby, J. A. T.; Lopez, M.; Dirr, H.
Thermodynamics of the ligandin function of human class Alpha glutathione transferase A1-1: energetics of organic anion ligand binding, 363:341
Saysell, C. G.
——; Tambyrajah, W. S.; Murray, J. M.; Wilmot, C. M.; Phillips, S. E. V.; McPherson, M. J.; Knowles, P. F.
Probing the catalytic mechanism of *Escherichia coli* amine oxidase using mutational variants and a reversible inhibitor as a substrate analogue, 365:809
Sbodio, J. I.
——; Lodish, H. F.; Chi, N.-W.
Tankyrase-2 oligomerizes with tankyrase-1 and binds to both TRF1 (telomere-repeat-binding factor 1) and IRAP (insulin-responsive aminopeptidase), 361:451
Scagnolari, C. *See* Turriziani, O.
Scazzocchio, C. *See* Adams, B.
Schachter, H. *See* Zhang, W.
Schád, E.
——; Farkas, A.; Jékely, G.; Tompa, P.; Friedrich, P.
A novel human small subunit of calpains, 362:383
Schaefer, E. *See* Hers, I.
Schäffer, C. *See* Steindl, C.
Schalla, C. *See* Müller, O.
Schaller, M. D. *See* Gabarra-Niecko, V.
Scharffetter-Kochanek, K. *See* Brenneisen, P.
Scheibner, J. *See* Müller, O.
Schembri, P. *See* Au, A.
Scheschonka, A. *See* Niu, J.
Schestag, F.
——; Yaghootfam, A.; Habetha, M.; Poeppel, P.; Dietz, F.; Klein, R. A.; Zlotogora, J.; Gieselmann, V.
The functional consequences of missense mutations affecting an intramolecular salt bridge in arylsulphatase A, 367:499
Scheswohl, D. M. *See* Bou-Abdallah, F.
Schlatter, H.
——; Langer, T.; Rosmus, S.; Onneken, M.-L.; Fasold, H.
A novel function for the 90 kDa heat-shock protein (Hsp90): facilitating nuclear export of 60 S ribosomal subunits, 362:675
Schlattner, U. *See* Shen, W.
Schledzewski, K. *See* Politz, O.
Schlesinger, P. H. *See* Blair, H. C.
Schleuning, W.-D. *See* Geserick, C.
Schlick, P.
——; Kronovetr, J.; Hampoelz, B.; Skern, T.
Modulation of the electrostatic charge at the active site of foot-and-mouth-disease-virus leader proteinase, an unusual papain-like enzyme, 363:493
Schlüter, A.
——; Barberá, M. J.; Iglesias, R.; Giralt, M.; Villarroya, F.
Phytanic acid, a novel activator of uncoupling protein-1 gene transcription and brown adipocyte differentiation, 362:61
Schmid, K. *See* Invernizzi, C.
Schmidt, K. *See* Wagner, S.
Schmitz, A. A. P. *See* Arbuzova, A.
Schmitz, W. *See* Cuebas, D. A.
Schneider, L.-A. *See* Brenneisen, P.
Schnurbus, R.
——; De Pietri Tonelli, D.; Grohovaz, F.; Zacchetti, D.
Re-evaluation of primary structure, topology, and localization of Scamper, a putative intracellular Ca^{2+} channel activated by sphingosylphosphocholine, 362:183
Schoenmakers, E. *See* Verrijdt, G.
Schofield, C. J. *See* Elkins, J. M.
Schon, E. A. *See* Salviati, L.
Schrader, M. *See* Kalus, I.
Schraven, B. *See* Wonerow, P.
Schuber, F. *See* Summerer, S.
Schuetz, J. D. *See* Turriziani, O.
Schulman, H. *See* Hudmon, A.
Schulte, U. *See* Duarte, M.
Schulte, V. *See* Snell, D. C.
Schultz, G. A. *See* Young, D. A.
Schulz, B. L.
——; Oxley, D.; Packer, N. H.; Karlsson, N. G.
Identification of two highly sialylated human tear-fluid DMBT1 isoforms: the major high-molecular-mass glycoproteins in human tears, 366:511
Schünemann, D. *See* Klostermann, E.
Schwamborn, E. *See* Brenneisen, P.
Schwartz, J.-C. *See* Rose, C.
Schwarz, M. *See* Thiel, C.
Sciorati, C. *See* Falcone, S.
Scott, C. J.
——; McDowell, A.; Martin, S. L.; Lynas, J. F.; Vandenbroeck, K.; Walker, B.
Irreversible inhibition of the bacterial cysteine protease-transpeptidase sortase (SrtA) by substrate-derived affinity labels, 366:953
Scrutton, N. S. *See* Knight, K.
Searle, S. *See* Mulero, V.
Segal, A. W. *See* Davidson-Moncada, J. K.
Ségui, B.
——; Allen-Baume, V.; Cockcroft, S.
Phosphatidylinositol transfer protein β displays minimal sphingomyelin transfer activity and is not required for biosynthesis and trafficking of sphingomyelin, 366:23
Sehrawat, S.
——; Srinivasan, N.; Gopinathan, K. P.
Functional characterization and structural modelling of late gene expression factor 4 from *Bombyx mori* nucleopolyhedrovirus, 368:159
Seibel, J. F. *See* McNeill, L. A.
Seidah, N. G. *See* Hospital, V.
Semple, J. I.
——; Brown, S. E.; Sanderson, C. M.; Campbell, R. D.
A distinct bipartite motif is required for the localization of inhibitory κB-like (IκBL) protein to nuclear speckles, 361:489
Senawong, T. *See* Avram, D.
Seno, K. *See* Ono, T.
Senthil, D.
——; Ghosh Choudhury, G.; Bhandari, B. K.; Kasinath, B. S.
The type 2 vascular endothelial growth factor receptor recruits insulin receptor substrate-1 in its signalling pathway, 368:49
Seo, H. *See* Cao, X.
Seo, J.-Y. *See* Park, J.-B.
Seong, H.-A.
——; Gil, M.; Kim, K.-T.; Kim, S.-J.; Ha, H.
Phosphorylation of a novel zinc-finger-like protein, ZPR9, by murine protein serine/threonine kinase 38 (MPK38), 361:597
Serezhenkov, V. A. *See* Voevodskaya, N. V.
Serhan, C. N. *See* Zhang, Y.-Y.
Séror, S. J. *See* Iwanicki, A.
Serov, A. E.
——; Popova, A. S.; Fedorchuk, V. V.; Tishkov, V. I.
Engineering of coenzyme specificity of formate dehydrogenase from *Saccharomyces cerevisiae*, 367:841
Serra, D. *See* Rubí, B.
Serrato, A. J.
——; Pérez-Ruiz, J. M.; Cejudo, F. J.
Cloning of thioredoxin *h* reductase and characterization of the thioredoxin reductase–thioredoxin *h* system from wheat, 367:491
Serria, M. S. *See* Ikeda, H.
Serrurier, B. *See* Momken, I.
Sestili, P.
——; Diamantini, G.; Bedini, A.; Cerioni, L.; Tommasini, I.; Tarzia, G.; Cantoni, O.
Plant-derived phenolic compounds prevent the DNA single-strand breakage and cytotoxicity induced by *tert*-butylhydroperoxide via an iron-chelating mechanism, 364:121
Seternes, O.-M. *See* Dickinson, R. J.
Sevilya, Z. *See* Entin-Meer, M.
Sewell, B. T. *See* Egan, T. J.
Sewell, T. *See* Kirsch, R.
Sha, B. *See* Qian, X.
Shabalin, K. A. *See* Arand, M.
Shaffer, D. *See* Mahoney, J. A.
Shafferman, A. *See* Chitlaru, T.
Shah, O. J.
——; Kimball, S. R.; Jefferson, L. S.
The Src-family tyrosine kinase inhibitor PP1 interferes with the activation of ribosomal protein S6 kinases, 366:57
Sharma, S. *See* Chowdhury, A. R.
Sharpe, M. A.
——; Ollosson, R.; Stewart, V. C.; Clark, J. B.
Oxidation of nitric oxide by oxomanganese–salen complexes: a new mechanism for cellular protection by superoxide dismutase/catalase mimetics, 366:97
Shatilla, A.
——; Ramotar, D.
Embryonic extracts derived from the nematode *Caenorhabditis elegans* remove uracil from DNA by the sequential action of uracil-DNA glycosylase and AP

© 2003 Biochemical Society

(apurinic/apyrimidinic) endonuclease, 365:547
Shattil, S. J. *See* Wonerow, P.
Shaw, D. M. *See* Woods, A. M.
——; Woods, A. M.; Myers, K. A.; Westwater, C.; Rahi-Saund, V.; Davies, M. J.; Renouf, D. V.; Hounsell, E. F.; Stern, P. L.
Glycosylation and epitope mapping of the 5T4 glycoprotein oncofoetal antigen, 363:137
Shaw, J.-F. *See* Lee, G.-C.
Shaw, S. *See* Liu, Y.
Shcherbakov, D. V. *See* Woestenenk, E. A.
Sheehan, J. K. *See* Kirkham, S.
Shen, L. *See* Lang, M. L.
Shen, W. *See* Liu, Y.
——; Willis, D.; Zhang, Y.; Schlattner, U.; Wallimann, T.; Molloy, G. R.
Expression of creatine kinase isoenzyme genes during postnatal development of rat brain cerebellum: evidence for transcriptional regulation, 367:369
Shen, X. *See* Tomoo, K.
Shenai, B. R. *See* Singh, A.
Shephard, E. G. *See* Kirsch, R.
Shepherd, P. R. *See* O'Rourke, L.
Sherratt, P. J. *See* Kelly, V. P.
Shestakov, A. S. *See* Zyryanov, A. B.
Shi, D. *See* Caldovic, L.
Shi, F.
——; Wasungu, L.; Nomden, A.; Stuart, M. C. A.; Polushkin, E.; Engberts, J. B. F. N.; Hoekstra, D.
Interference of poly(ethylene glycol)–lipid analogues with cationic-lipid-mediated delivery of oligonucleotides; role of lipid exchangeability and non-lamellar transitions, 366:333
Shi, Y. *See* Tjernberg, L. O.
Shibata, K. *See* Tanabe, A.
Shibata, N.
——; Matsumoto, J.; Nakada, K.; Yuasa, A.; Yokota, H.
Male-specific suppression of hepatic microsomal UDP-glucuronosyltransferase activities toward sex hormones in the adult male rat administered bisphenol A, 368:783
Shiloh, Y. *See* Sapkota, G. P.
Shimizu, C. *See* Fuda, H.
——; Fuda, H.; Lee, Y. C.; Strott, C. A.
Transcriptional regulation of human 3′-phosphoadenosine 5′-phosphosulphate synthase 2, 363:263
Shimizu, T. *See* Hanaka, H.
Shirahata, A. *See* Nishimura, K.
Shirk, A. *See* Lee, J.
Shirras, A. D. *See* Siviter, R. J.
Shishliannikov, S. M. *See* Arand, M.
Sidobre, S.
——; Puzo, G.; Rivière, M.
Lipid-restricted recognition of mycobacterial lipoglycans by human pulmonary surfactant protein A: a surface-plasmon-resonance study, 365:89
Siekierka, J. *See* Tao, L.
Siemen, D. *See* Düfer, M.
Sienaert, I.
——; Nadif Kasri, N.; Vanlingen, S.; Parys, J. B.; Callewaert, G.; Missiaen, L.; de Smedt, H.
Localization and function of a calmodulin–apocalmodulin-binding domain in the N-terminal part of the type 1 inositol 1,4,5-trisphosphate receptor, 365:269
Sies, H. *See* Brenneisen, P.
Signorelli, S. *See* Moccia, F.
Sijwali, P. S. *See* Singh, A.
Silva, M. F. B.
——; Ruiter, J. P. N.; Overmars, H.; Bootsma, A. H.; van Gennip, A.; Jakobs, C.; Duran, M.; Tavares de Almeida, I.; Wanders, R. J. A.
Complete β-oxidation of valproate: cleavage of 3-oxovalproyl-CoA by a mitochondrial 3-oxoacyl-CoA thiolase, 362:755
Silver, J. *See* Smalley, J. W.
Sim, R. B. *See* Irigoín, F.
Simeonidis, S. *See* Zhao, D.
Šimkovič, M.
——; Degala, G. D.; Eaton, S. S.; Frerman, F. E.
Expression of human electron transfer flavoprotein-ubiquinone oxidoreductase from a baculovirus vector: kinetic and spectral characterization of the human protein, 364:659
Simmaco, M. *See* Rinaldi, A. C.
Simmonds, H. A. *See* Fairbanks, L. D.
Simmons-Willis, T. A.
——; Koh, A. S.; Clarkson, T. W.; Ballatori, N.
Transport of a neurotoxicant by molecular mimicry: the methylmercury–L-cysteine complex is a substrate for human L-type large neutral amino acid transporter (LAT) 1 and LAT2, 367:239
Simon, M.-F. *See* Gueguen, G.
Simonet, V. *See* Bredin, J.
Simonson-Leff, N. *See* Muda, M.
Sinervirta, R. *See* Alhonen, L.
Singh, A.
——; Shenai, B. R.; Choe, Y.; Gut, J.; Sijwali, P. S.; Craik, C. S.; Rosenthal, P. J.
Critical role of amino acid 23 in mediating activity and specificity of vinckepain-2, a papain-family cysteine protease of rodent malaria parasites, 368:273
Singh, D. P. *See* Cornah, J. E.
Singh, S. V. *See* Guo, J.
Singh, V. *See* Yu, T.
Sinha, D.
——; Marcinkiewicz, M.; Gailani, D.; Walsh, P. N.
Molecular cloning and biochemical characterization of rabbit factor XI, 367:49
Sinomiya, J. *See* Tokumura, A.
Sirtori, C. R. *See* Eberini, I.
Sivaprasadarao, A. *See* Sundaram, M.
Siviter, R. J.
——; Taylor, C. A. M.; Cottam, D. M.; Denton, A.; Dani, M. P.; Milner, M. J.; Shirras, A. D.; Isaac, R. E.
Ance, a *Drosophila* angiotensin-converting enzyme homologue, is expressed in imaginal cells during metamorphosis and is regulated by the steroid, 20-hydroxyecdysone, 367:187
Sjölander, A. *See* Thodeti, C. K.
Skern, T. *See* Schlick, P.
Skulachev, V. P. *See* Abdullaev, Z. K.
Slabas, A. R. *See* Brown, A. P.
Slack, D. N. *See* Dickinson, R. J.
Slade, T. *See* Fairbanks, L. D.
Slakeski, N. *See* Veith, P. D.
Slavin, I. *See* Touz, M. C.
Słomińska, M.
——; Konopa, G.; Węgrzyn, G.; Czyż, A.
Impaired chromosome partitioning and synchronization of DNA replication initiation in an insertional mutant in the *Vibrio harveyi cgtA* gene coding for a common GTP-binding protein, 362:579
Slootstra, J. *See* Ferrat, G.
Small, G. J. *See* Vontas, J. G.
Smalley, J. W.
——; Birss, A. J.; Withnall, R.; Silver, J.
Interactions of *Porphyromonas gingivalis* with oxyhaemoglobin and deoxyhaemoglobin, 362:239
Smania, A. M. *See* Pezza, R. J.
Smith, A. G. *See* Cornah, J. E.
Smith, A. T. *See* Adams, B
Smith, B. J. *See* Bass, M. D.
Smith, J. *See* Chen, L.
Smith, J. L. *See* de la Roche, M. A.
Smith, N. D. *See* Holness, M. J.
Smith, P. J. *See* Egan, T. J.
Smith, P. M. *See* Harmer, A. R.
Smith, T. J. *See* Fang, J.
Smith, V. J. *See* Fernandes, J. M. O.
Smith, W. S.
——; Broadbridge, R.; East, J. M.; Lee, A. G.
Sarcolipin uncouples hydrolysis of ATP from accumulation of Ca^{2+} by the Ca^{2+}-ATPase of skeletal-muscle sarcoplasmic reticulum, 361:277
Smulevich, G. *See* Heering, H. A.
Smythe, C. *See* Sapkota, G. P.
Snell, D. C.
——; Schulte, V.; Jarvis, G. E.; Arase, K.; Sakurai, D.; Saito, T.; Watson, S. P.; Nieswandt, B.
Differential effects of reduced glycoprotein VI levels on activation of murine platelets by glycoprotein VI ligands, 368:293
So, S.-P. *See* Ruan, K.-H.
Solaini, G. *See* Baracca, A.
Solé, E. *See* Soler, M.
Soler, M.
——; Tornavaca, O.; Solé, E.; Menoyo, A.; Hardy, D.; Catterall, J. F.; Vandewalle, A.; Meseguer, A.
Hormone-specific regulation of the kidney androgen-regulated gene promoter in cultured mouse renal proximal-tubule cells, 366:757
Soltoff, S. P. *See* Bradford, M. D.
Song, X. *See* Johnson, A. J.
Song, Y.-L. *See* Hu, N.-T.
Sonnenburg, E. D. *See* Cenni, V.
Sordillo, L. M. *See* Prabhu, K. S.
Sorscher, E. J. *See* Falany, J. L.
Sottrup-Jensen, L. *See* Laursen, L. S.
Soukharev, S. *See* Zbikowska, H. M.
Soukhareva, N. *See* Zbikowska, H. M.
Soulet, D.
——; Covassin, L.; Kaouass, M.; Charest-Gaudreault, R.; Audette, M.; Poulin, R.

© 2003 Biochemical Society

Role of endocytosis in the internalization of spermidine-C_2-BODIPY, a highly fluorescent probe of polyamine transport, 367:347
Soute, B. A. M. *See* Houben, R. J. T. J.
Spaggiari, S. *See* Moccia, F.
Spalletti-Cernia, D. *See* Bracale, A.
Sparatore, B.
——; Pedrazzi, M.; Passalacqua, M.; Gaggero, D.; Patrone, M.; Pontremoli, S.; Melloni, E.
Stimulation of erythroleukaemia cell differentiation by extracellular high-mobility group-box protein 1 is independent of the receptor for advanced glycation end-products, 363:529
Spener, F. *See* Gutiérrez-González, L. H.
Šponarová, J. *See* Flachs, P.
Spriggs, C. N. *See* Dutt, P.
Sprott, K. M.
——; Chumley, M. J.; Hanson, J. M.; Dobrowsky, R. T.
Decreased activity and enhanced nuclear export of CCAAT-enhancer-binding protein β during inhibition of adipogenesis by ceramide, 365:181
Spychala, J. *See* Yegutkin, G. G.
Squecco, R. *See* Meacci, E.
Squires, M. S.
——; Nixon, P. M.; Cook, S. J.
Cell-cycle arrest by PD184352 requires inhibition of extracellular signal-regulated kinases (ERK) 1/2 but not ERK5/BMK1, 366:673
Srinivasan, L.
——; Gopinathan, K. P.
A novel TATA-box-binding factor from the silk glands of the mulberry silkworm, *Bombyx mori*, 363:503
Srinivasan, N. *See* Sehrawat, S.
Srivastava, J.
——; Procyk, K. J.; Iturrioz, X.; Parker, P. J.
Phosphorylation is required for PMA- and cell-cycle-induced degradation of protein kinase Cδ, 368:349
Stachowicz, R. Z. *See* Parat, M.-O.
Standaert, M. L. *See* Sajan, M. P.
Stanga, S. D. *See* Bou-Abdallah, F.
Stange, E. F. *See* Müller, O.
Stanley, C. A. *See* Fang, J.
Stanley, T. B. *See* Houben, R. J. T. J.
Stanton, H.
——; Ung, L.; Fosang, A. J.
The 45 kDa collagen-binding fragment of fibronectin induces matrix metalloproteinase-13 synthesis by chondrocytes and aggrecan degradation by aggrecanases, 364:181
Stanton, J. D.
——; Rashid, M. B.; Mensa-Wilmot, K.
Cysteine-less glycosylphosphatidylinositol-specific phospholipase C is inhibited competitively by a thiol reagent: evidence for glyco-mimicry by *p*-chloromercuriphenylsulphonate, 366:281
Staroverov, D. B. *See* Fradkov, A. F.
Staschke, K. A. *See* Du, M. X.
St Clair, D. K. *See* Xu, Y.
Stedman, T. T. *See* Joët, T.
Steenbakkers, P. J. M.
——; Ubhayasekera, W.; Goossen, H. J. A. M.; van Lierop, E. M. H. M.; van der Drift, C.; Vogels, G. D.; Mowbray, S. L.; Op den Camp, H. J. M.
An intron-containing glycoside hydrolase family 9 cellulase gene encodes the dominant 90 kDa component of the cellulosome of the anaerobic fungus *Piromyces* sp. strain E2, 365:193
Stefanidis, I. *See* En-Nia, A.
Stein, G. *See* Paredes, R.
Stein, J. *See* Paredes, R.
Steindl, C.
——; Schäffer, C.; Wugeditsch, T.; Graninger, M.; Matecko, I.; Müller, N.; Messner, P.
The first biantennary bacterial secondary cell wall polymer and its influence on S-layer glycoprotein assembly, 368:483
Stennicke, H. R. *See* Ryan, C. A.
Stephens, L. R. *See* Krugmann, S.
Stern, P. L. *See* Shaw, D. M.
Stevens, V. L. *See* Du, X.
Stewart, A. *See* Storey, H.
Stewart, J. B. *See* Prabhu, K. S.
Stewart, T. M. *See* Wang, Y.
Stewart, V. C. *See* Sharpe, M. A.
Sticha, M. *See* Neuzil, J.
Stiles, B. G.
——; Hale, M. L.; Marvaud, J. C.; Popoff, M. R.
Clostridium perfringens iota toxin: characterization of the cell-associated iota b complex, 367:801
Still, I. H. *See* Lauffart, B.
Stimmel, J. B. *See* Thuillier, P.
Stimson, E. *See* McKie, V. A.
Stingley, R. *See* Cha, C.-J.
Stocchetto, S. *See* Facchin, S.
Stocker, R. *See* Upston, J. M.
Stolz, M.
——; Hornemann, T.; Schlattner, U.; Wallimann, T.
Mutation of conserved active-site threonine residues in creatine kinase affects autophosphorylation and enzyme kinetics, 363:785
Stoppin-Mellet, V.
——; Gaillard, J.; Vantard, M.
Functional evidence for *in vitro* microtubule severing by the plant katanin homologue, 365:337
Storey, H.
——; Stewart, A.; Vandenabeele, P.; Luzio, J. P.
The p55 tumour necrosis factor receptor TNFR1 contains a *trans*-Golgi network localization signal in the C-terminal region of its cytoplasmic tail, 366:15
Strand, D. *See* Wolf, S.
Strauss, J. G.
——; Zimmermann, R.; Hrzenjak, A.; Zhou, Y.; Kratky, D.; Levak-Frank, S.; Kostner, G. M.; Zechner, R.; Frank, S.
Endothelial cell-derived lipase mediates uptake and binding of high-density lipoprotein (HDL) particles and the selective uptake of HDL-associated cholesterol esters independent of its enzymic activity, 368:69
Strecker, G. *See* Delplace, F.
Stremmel, W. *See* Mueller, S.
Stringfield, T. M. *See* Chen, F.
Strongin, A. Y. *See* Marchenko, G. N.
Strosznajder, J. B. *See* Czapski, G. A.
Strott, C. A. *See* Fuda, H.
Stuart, J. A. *See* Harper, J. A.
Stuart, M. C. A. *See* Shi, F.
Su, S.-N. *See* Yu, C.-J.
Suárez, Y. *See* Fernández, C.
Subbaiah, P. V. *See* Wang, K.
Sueyoshi, N. *See* Kita, K.
Sugawara, F. *See* Oda, M.
Sugden, M. C. *See* Holness, M. J.
——; Bulmer, K.; Gibbons, G. F.; Knight, B. L.; Holness, M. J.
Peroxisome-proliferator-activated receptor-α (PPARα) deficiency leads to dysregulation of hepatic lipid and carbohydrate metabolism by fatty acids and insulin, 364:361
Sugden, P. H. *See* Clerk, A.
Sugiura, T. *See* Tokumura, A.
Suizu, F.
——; Fukuta, Y.; Ueda, K.; Iwasaki, T.; Tokumitsu, H.; Hosoya, H.
Characterization of Ca^{2+}/calmodulin-dependent protein kinase I as a myosin II regulatory light chain kinase *in vitro* and *in vivo*, 367:335
Sukhodub, A. L. *See* Benedetti, A.
Suko, J. *See* Hohenegger, M.
Sul, H. S. *See* Mei, B.
Sulimenko, T. *See* Sulimenko, V.
Sulimenko, V.
——; Sulimenko, T.; Poznanovic, S.; Nechiporuk-Zloy, V.; Böhm, K. J.; Macurek, L.; Unger, E.; Dráber, P.
Association of brain γ-tubulins with $\alpha\beta$-tubulin dimers, 365:889
Sully, G. *See* Dean, J. L. E.
Sümegi, M. *See* Kurucz, E.
Summerer, S.
——; Hanano, A.; Utsumi, S.; Arand, M.; Schuber, F.; Blée, E.
Stereochemical features of the hydrolysis of 9,10-epoxystearic acid catalysed by plant and mammalian epoxide hydrolases, 366:471
Sun, H.-W.
——; Liu, C.-W.; Hui, C.-F.; Wu, J.-L.
The carp muscle-specific sub-isoenzymes of creatine kinase form distinct dimers at different temperatures, 368:799
Sun, X.-L. *See* Du, M. X.
Sundaram, M.
——; van Aalten, D. M. F.; Findlay, J. B. C.; Sivaprasadarao, A.
The transfer of transthyretin and receptor-binding properties from the plasma retinol-binding protein to the epididymal retinoic acid-binding protein, 362:265
Sundararaju, B. *See* Demidkina, T. V.
Sundin, C. *See* Henriksson, M. L.
Sustmann, R. *See* Petrat, F.
Sutherland, C. *See* Deng, J. T.
Sutton, B. J. *See* Murphy, J. J.
Suzuki, N. *See* Yamamoto, T.
Svineng, G. *See* Politz, O.
Svoboda, P. *See* Flachs, P.
Sy, M.-S. *See* Pan, T.
Syed, S.-e-H.
——; Trinnaman, B.; Martin, S.; Major, S.; Hutchinson, J.; Magee, A. I.
Molecular interactions between

© 2003 Biochemical Society

desmosomal cadherins, 362:317
Symons, J. R.
——; LeVea, C. M.; Mooney, R. A.
Expression of the leucocyte common antigen-related (LAR) tyrosine phosphatase is regulated by cell density through functional E-cadherin complexes, 365:513
Synstad, B. *See* Houston, D. R.
Szalkowski, D. *See* Ding, V. D. H.
Szent-Györgyi, A. G. *See* Nyitrai, M.
Sztrolovics, R.
——; Recklies, A. D.; Roughley, P. J.; Mort, J. S.
Hyaluronate degradation as an alternative mechanism for proteoglycan release from cartilage during interleukin-1β-stimulated catabolism, 362:473
——; White, R. J.; Roughley, P. J.; Mort, J. S.
The mechanism of aggrecan release from cartilage differs with tissue origin and the agent used to stimulate catabolism, 362:465

Tabira, T. *See* Tanahashi, H.
Taglietti, V. *See* Moccia, F.
Taherzadeh, M. J. *See* Modig, T.
Taillandier, D. *See* Combaret, L.
Takagi, I. *See* Iwahashi, H.
Takahashi, H. *See* Oda, M.
Takahashi, M. *See* Delporte, M.-L.
Takahashi, N. *See* Lee, J.-R.
Takahashi, S.
——; Matsuura, N.; Kurokawa, T.; Takahashi, Y.; Miura, T.
Co-operation of the transcription factor hepatocyte nuclear factor-4 with Sp1 or Sp3 leads to transcriptional activation of the human haem oxygenase-1 gene promoter in a hepatoma cell line, 367:641
Takahashi, Y. *See* Takahashi, S.
Takahashi-Ando, N.
——; Kimura, M.; Kakeya, H.; Osada, H.; Yamaguchi, I.
A novel lactonohydrolase responsible for the detoxification of zearalenone: enzyme purification and gene cloning, 365:1
Takakura, T. *See* Matsunaga, Y.
Takasawa, S. *See* Chini, E. N.
Takatsu, H.
——; Yoshino, K.; Toda, K.; Nakayama, K.
GGA proteins associate with Golgi membranes through interaction between their GGAH domains and ADP-ribosylation factors, 365:369
Takenaka, H. *See* Lee, J.-R.
Talbo, G. H. *See* Veith, P. D.
Tamahara, S.
——; Inaba, M.; Sato, K.; Matsuki, N.; Hikasa, Y.; Ono, K-i.
Non-essential roles of cysteine residues in functional expression and redox regulatory pathways for canine glutamate/aspartate transporter based on mutagenic analysis, 367:107
Tamaki, T. *See* Tsuchiya, K.
Tambyrajah, W. S. *See* Saysell, C. G.
Tan, L. *See* Thomas, B.
Tan, T. M. C. *See* Lai, L.

Tanabe, A.
——; Egashira, Y.; Fukuoka, S.-I.; Shibata, K.; Sanada, H.
Purification and molecular cloning of rat 2-amino-3-carboxymuconate-6-semialdehyde decarboxylase, 361:567
Tanahashi, H.
——; Tabira, T.
Characterization of an amyloid precursor protein-binding protein Fe65L2 and its novel isoforms lacking phosphotyrosine-interaction domains, 367:687
Tanaka, A.
——; Hoshino, E.
Calcium-binding parameter of *Bacillus amyloliquefaciens* α-amylase determined by inactivation kinetics, 364:635
Tanaka, H.
——; Fujita, H.; Katoh, H.; Mori, K.; Negishi, M.
Vps4-A (vacuolar protein sorting 4-A) is a binding partner for a novel Rho family GTPase, Rnd2, 365:349
Tanaka, Keiichi *See* Kanekiyo, M.
Tanaka, Keiji *See* Combaret, L.
Tanaka, M. *See* Ideguchi, H.
Tanaka, T. *See* Tokumura, A.
Tang, J. *See* Chen, A.
Tang, Z.
——; Käufer, N. F.; Lin, R.-J.
Interactions between two fission yeast serine/arginine-rich proteins and their modulation by phosphorylation, 368:527
Tani, P. H.
——; Loftus, J. C.; Bowditch, R. D.
In vitro selection of fibronectin gain-of-function mutations, 365:287
Taniguchi, T. *See* Tomoo, K.
Tanimura, A. *See* Nezu, A.
Tanzi, F. *See* Moccia, F.
Tao, L.
——; Wadsworth, S.; Mercer, J.; Mueller, C.; Lynn, K.; Siekierka, J.; August, A.
Opposing roles of serine/threonine kinases MEKK1 and LOK in regulating the CD28 responsive element in T-cells, 363:175
Tarzia, G. *See* Sestili, P.
Tasch, J. E. *See* Lauffart, B.
Taschner, S.
——; Meinke, A.; von Gabain, A.; Boyd, A. P.
Selection of peptide entry motifs by bacterial surface display, 367:393
Tasker, K. M. *See* Giles, G. I.
Taskinen, J. P. *See* Kiema, T.-R.
Taskinen, S.
——; Kovanen, P. T.; Jarva, H.; Meri, S.; Pentikäinen, M. O.
Binding of C-reactive protein to modified low-density-lipoprotein particles: identification of cholesterol as a novel ligand for C-reactive protein, 367:403
Tassi, M. *See* Gamberucci, A.
Tata, R. *See* Novo, C.
Tatibouët, A. *See* Yang, J.
Tauler, A. *See* Fernández de Mattos, S.
Tavaré, J. M. *See* Hurd, T. W.
Tavares de Almeida, I. *See* Silva, M. F. B.
Taylor, C. A. M. *See* Siviter, R. J.

Taylor, C. W. *See* Morris, S. A.
Taylor, D. *See* Egan, T. J.
Taylor, M. C. *See* Wilkinson, S. R.
Tazuma, S. *See* Sakomoto, M.
Tchernitchko, D.
——; Bourgeois, M.; Martin, M.-E.; Beaumont, C.
Expression of the two mRNA isoforms of the iron transporter Nrmap2/DMTI in mice and function of the iron responsive element, 363:449
Tedeschi, G. *See* Eberini, I.
Teesdale-Spittle, P. H. *See* Lott, J. S.
Tegoni, M. *See* Ramoni, R.
ten Brinke, A.
——; Vaandrager, A. B.; Haagsman, H. P.; Ridder, A. N. J. A.; van Golde, L. M. G.; Batenburg, J. J.
Structural requirements for palmitoylation of surfactant protein C precursor, 361:663
Terashima, A. *See* Tomoo, K.
Tercé, F. *See* Gueguen, G.
Terentis, A. C. *See* Upston, J. M.
ter Laak, T. *See* Blomenröhr, M.
Tersariol, I. L. S. *See* Pimenta, D. C.
Testenière, O.
——; Hecker, A.; le Gurun, S.; Quennedey, B.; Graf, F.; Luquet, G.
Characterization and spatiotemporal expression of *orchestin*, a gene encoding an ecdysone-inducible protein from a crustacean organic matrix, 361:327
Thackray, A. M.
——; Knight, R.; Haswell, S. J.; Bujdoso, R.; Brown, D. R.
Metal imbalance and compromised antioxidant function are early changes in prion disease, 362:253
Theulier Saint Germain, S. *See* Rouby, J.
Thevelein, J. M. *See* Van Dijck, P.
Thibault, J.-N. *See* D'Andrea, S.
Thiel, C.
——; Schwarz, M.; Hasilik, M.; Grieben, U.; Hanefeld, F.; Lehle, L.; von Figura, K.; Körner, C.
Deficiency of dolichyl-P-Man:$Man_2GlcNAc_2$-PP-dolichyl mannosyltransferase causes congenital disorder of glycosylation type Ig, 367:195
Thirion, S. *See* Thomas, B.
Thodeti, C. K.
——; Massoumi, R.; Bindslev, L.; Sjölander, A.
Leukotriene D_4 induces association of active RhoA with phospholipase C-γ1 in intestinal epithelial cells, 365:157
Thomas, A. A. M. *See* Meijer, H. A.
Thomas, A. W. *See* Joët, T.
Thomas, B.
——; Thirion, S.; Humbert, L.; Tan, L.; Goldring, M. B.; Bérézíat, G.; Berenbaum, F.
Differentiation regulates interleukin-1β-induced cyclo-oxygenase-2 in human articular chondrocytes: role of p38 mitogen-activated protein kinase, 362:367
Thomas, C. P. *See* Mallampalli, R. K.
Thomas, G. H. *See* Blakey, D.

© 2003 Biochemical Society

Thomas, J. B.
——; Holtsberg, F. W.; Ensor, C. M.; Bomalaski, J. S.; Clark, M. A.
Enzymic degradation of plasma arginine using arginine deiminase inhibits nitric oxide production and protects mice from the lethal effects of tumour necrosis factor α and endotoxin, 363:581
Thomas, K. L. *See* Rutter, A. J.
Thompson, F. J.
——; Britton, C.; Wheatley, I.; Maitland, K.; Walker, G.; Anant, S.; Davidson, N. O.; Devaney, E.
Biochemical and molecular characterization of two cytidine deaminases in the nematode *Caenorhabditis elegans*, 365:99
Thompson, J. T. *See* Prabhu, K. S.
Thompson, M. *See* Caldovic, L.
Thomsen, B. *See* Krogsdam, A.-M.
Thomson, A. J. *See* Butler, C. S.
Thomsson, K. A.
——; Hinojosa-Kurtzberg, M.; Axelsson, K. A.; Domino, S. E.; Lowe, J. B.; Gendler, S. J.; Hansson, G. C.
Intestinal mucins from cystic fibrosis mice show increased fucosylation due to an induced Fucα1-2 glycosyltransferase, 367:609
Thonberg, H.
——; Fredriksson, J. M.; Nedergaard, J.; Cannon, B.
A novel pathway for adrenergic stimulation of cAMP-response-element-binding protein (CREB) phosphorylation: mediation via α_1-adrenoceptors and protein kinase C activation, 364:73
Thornalley, P. J. *See* Ahmed, N.
Thornton, D. J. *See* Raynal, B. D. E.
Thorpe, E. R. K. *See* Morgan, K.
Thuillier, P.
——; Brash, A. R.; Kehrer, J. P.; Stimmel, J. B.; Leesnitzer, L. M.; Yang, P.; Newman, R. A.; Fischer, S. M.
Inhibition of peroxisome proliferator-activated receptor (PPAR)-mediated keratinocyte differentiation by lipoxygenase inhibitors, 366:901
Thunberg, E. *See* Li, S.-S.
Thyberg, J. *See* Tjernberg, L. O.
Tian, S.
——; Poukka, H.; Palvimo, J. J.; Jänne, O. A.
Small ubiquitin-related modifier-1 (SUMO-1) modification of the glucocorticoid receptor, 367:907
Tiede, S. *See* Muschol, N.
Tilignac, T. *See* Combaret, L.
Timofeeva, A. *See* Menshikov, M.
Timpl, R. *See* Garbe, J. H. O.
Timson, D. J.
——; Ross, H. C.; Reece, R. J.
Gal3p and Gal1p interact with the transcriptional repressor Gal80p to form a complex of 1:1 stoichiometry, 363:515
Tiribilli, B. *See* Meacci, E.
Tishkov, V. I. *See* Serov, A. E.
Tjernberg, A. *See* Tjernberg, L. O.
Tjernberg, L. O.
——; Tjernberg, A.; Bark, N.; Shi, Y.; Ruzsicska, B. P.; Bu, Z.; Thyberg, J.; Callaway, D. J. E.
Assembling amyloid fibrils from designed structures containing a significant amyloid β-peptide fragment, 366:343
Tkachuk, V. *See* Menshikov, M.
Toda, K. *See* Takatsu, H.
Tojyo, Y. *See* Nezu, A.
Toker, A. *See* Cenni, V.
Tokuda, M. *See* Kasahara, E.
Tokumitsu, H. *See* Suizu, F.
Tokumura, A.
——; Sinomiya, J.; Kishimoto, S.; Tanaka, T.; Kogure, K.; Sugiura, T.; Satouchi, K.; Waku, K.; Fukuzawa, K.
Human platelets respond differentially to lysophosphatidic acids having a highly unsaturated fatty acyl group and alkyl ether-linked lysophosphatidic acids, 365:617
Tolnay, M.
——; Juang, Y.-T.; Tsokos, G. C.
Protein kinase A enhances, whereas glycogen synthase kinase-3β inhibits, the activity of the exon 2-encoded transactivator domain of heterogeneous nuclear ribonucleoprotein D in a hierarchical fashion, 363:127
Tomás-Cobos, L.
——; Sanz, P.
Active Snf1 protein kinase inhibits expression of the *Saccharomyces cerevisiae HXT1* glucose transporter gene, 368:657
Tomer, K. B. *See* Qian, S. Y.
Tommasini, I. *See* Sestili, P.
Tomoo, K.
——; Shen, X.; Okabe, K.; Nozoe, Y.; Fukuhara, S.; Morino, S.; Ishida, T.; Taniguchi, T.; Hasegawa, H.; Terashima, A.; Sasaki, M.; Katsuya, Y.; Kitamura, K.; Miyoshi, H.; Ishikawa, M.; Miura, K.-i.
Crystal structures of 7-methylguanosine 5′-triphosphate (m^7GTP)- and P^1-7-methylguanosine-P^3-adenosine-5′,5′-triphosphate (m^7GpppA)-bound human full-length eukaryotic initiation factor 4E: biological importance of the C-terminal flexible region, 362:539
Tompa, P. *See* Schád, E.
Tooze, S. A. *See* Panaretou, C.
Topark-Ngarm, A. *See* Avram, D.
Tops, B. B. J. *See* Klomp, A. E. M.
Tornavaca, O. *See* Soler, M.
Torti, F. M. *See* Parthasarathy, N.
Torti, S. V. *See* Parthasarathy, N.
Toso, R.
——; Pinotti, M.; High, K. A.; Pollak, E. S.; Bernardi, F.
A frequent human coagulation Factor VII mutation (A294V, c152) in loop 140s affects the interaction with activators, tissue factor and substrates, 363:411
Totary, H. *See* Alpert, E.
Touitha, S. *See* Wilkinson, S. R.
Touraine, B. *See* Léon, S.
Touz, M. C.
——; Nores, M. J.; Slavin, I.; Piacenza, L.; Acosta, D.; Carmona, C.; Luján, H. D.
Membrane-associated dipeptidyl peptidase IV is involved in encystation-specific gene expression during *Giardia* differentiation, 364:703
Trautwein, S. *See* Fehlberg, S.
Trinkle-Mulcahy, L. *See* Kimber, W. A.
Trinnaman, B. *See* Syed, S.-e-H.
Trucco, M. M. *See* Gao, Z.
Truccolo, J. *See* Turban, S.
Tsai, M.-S. *See* Wu, A. M.
Tsai, R.-T.
——; Leu, W.-M.; Chen, L.-Y.; Hu, N.-T.
A reversibly dissociable ternary complex formed by XpsL, XpsM and XpsN of the *Xanthomonas campestris* pv. campestris type II secretion apparatus, 367:865
Tsiokas, L. *See* Ong, H. L.
Tsoi, P. Y.
——; Yang, M.
Kinetic study of various binding modes between human DNA polymerase β and different DNA substrates by surface-plasmon-resonance biosensor, 361:317
Tsokos, G. C. *See* Tolnay, M.
Tsuchida, S. *See* Ikeda, H.
Tsuchiya, K.
——; Kirima, K.; Yoshizumi, M.; Houchi, H.; Tamaki, T.; Mason, R. P.
The role of thiol and nitrosothiol compounds in the nitric oxide-forming reactions of the iron–*N*-methyl-D-glucamine dithiocarbamate complex, 367:771
Tsuchiya, T. *See* Lee, J.-R.; Makise, M.; Nishizuka, M.
Tsuji, T. *See* Ideguchi, H.
Tsukada, S. *See* Wiltshire, C.
Tuchman, M. *See* Caldovic, L.
Tucker, W. C.
——; Chapman, E. R.
Role of synaptotagmin in Ca^{2+}-triggered exocytosis, 366:1
Tuganova, A.
——; Boulatnikov, I.; Popov, K. M.
Interaction between the individual isoenzymes of pyruvate dehydrogenase kinase and the inner lipoyl-bearing domain of transacetylase component of pyruvate dehydrogenase complex, 366:129
Turacchio, S. *See* Lupi, R.
Turban, S.
——; Hainault, I.; Truccolo, J.; Andre, J.; Ferre, P.; Quignard-Boulange, A.; Guerre-Millo, M.
Specific increase in leptin production in obese (*falfa*) rat adipose cells, 362:113
Turgeon, D. *See* Girard, C.
Turnell, A. S. *See* Zhang, X.
Turner, C. E. *See* Curtis, M.
Turriziani, O.
——; Schuetz, J. D.; Focher, F.; Scagnolari, C.; Sampath, J.; Adachi, M.; Bambacioni, F.; Riva, E.; Antonelli, G.
Impaired 2′,3′-dideoxy-3′-thiacytidine accumulation in T-lymphoblastoid cells as a mechanism of acquired

© 2003 Biochemical Society

resistance independent of multidrug resistant protein 4 with a possible role for ATP-binding cassette C11, 368:325

Ubhayasekera, W. *See* Steenbakkers, P. J. M.
Udvardy, A. *See* Kurucz, E.
Ueda, A. *See* Ideguchi, H.
Ueda, K. *See* Suizu, F.
Ueno, M. *See* Ono, T.
Ueno, T. *See* Oda, M.
Ullrich, K. *See* Muschol, N.
Underwood, P. A.
——; Kirkpatrick, A.; Mitchell, S. M.
New insights into heparin binding to vitronectin: studies with monoclonal antibodies, 365:57
Ung, L. *See* Stanton, H.
Unger, E. *See* Sulimenko, V.
Upston, J. M.
——; Terentis, A. C.; Morris, K.; Keaney, Jr, J. F.; Stocker, R.
Oxidized lipid accumulates in the presence of α-tocopherol in atherosclerosis, 363:753
Urrutia, R. *See* Kaczynski, J. A.
Usatyuk, P. *See* Wang, L.
Utsumi, S. *See* Summerer, S.

Vaandrager, A. B. *See* ten Brinke, A.
Valasinas, A. L. *See* Mitchell, J. L. A.
Valencia, C. *See* Ramoni, R.
Valenti, D.
——; de Bari, L.; Atlante, A.; Passarella, S.
L-Lactate transport into rat heart mitochondria and reconstruction of the L-lactate/pyruvate shuttle, 364:101
Valerie, K. *See* Chouinard, N.
Valhmu, W. B.
——; Raia, F. J.
myo-Inositol 1,4,5-trisphosphate and Ca^{2+}/calmodulin-dependent factors mediate transduction of compression-induced signals in bovine articular chondrocytes, 361:689
Vallentin, A. *See* Leverrier, S.
Vallette, G. *See* Le Goffe, C.
van Wijnen, A. *See* Paredes, R.
van Aalten, D. M. F. *See* Houston, D. R.
Vanacore, B. *See* Villani, G. R. D.
Van Calsteren, M.-R.
——; Pau-Roblot, C.; Bégin, A.; Roy, D.
Structure determination of the exopolysaccharide produced by *Lactobacillus rhamnosus* strains RW-9595M and R, 363:7
Van Craenenbroeck, M. *See* Perret, J.
Van Damme, E. J. M. *See* Bourne, Y.; Chen, Ying; Houlès Astoul, C.
Vandenabeele, P. *See* Mohamed, A. A. A.; Storey, H.
van den Berg, I. E. T. *See* Klomp, A. E. M.
Vandenbroeck, K. *See* Scott, C. J.
van den Broek, L. A. M. *See* McKie, V. A.
van der Drift, C. *See* Steenbakkers, P. J. M.
Van Der Kaay, J. *See* Patel, Satish
van der Oost, J. *See* Kaper, T.; Verhees, C. H.
van der Vlies, D.
——; Pap, E. H. W.; Post, J. A.; Celis, J. E.; Wirtz, K. W. A.
Endoplasmic reticulum resident proteins of normal human dermal fibroblasts are the major targets for oxidative stress induced by hydrogen peroxide, 366:825
van der Vusse, G. J. *See* Brinkmann, J. F. F.; Luiken, J. J. F. P.
van der Wel, A. *See* Joët, T.
Vandewalle, A. *See* Soler, M.
Van Dijck, P.
——; Mascorro-Gallardo, J. O.; De Bus, M.; Royackers, K.; Iturriaga, G.; Thevelein, J. M.
Truncation of *Arabidopsis thaliana* and *Selaginella lepidophylla* trehalose-6-phosphate synthase unlocks high catalytic activity and supports high trehalose levels on expression in yeast, 366:63
Van Dorsselaer, A. *See* Wagner, E.
van Gennip, A. H. *See* Silva, M. F. B.; van Kuilenburg, A. B. P.
van Gent, D. *See* Morgan, K.
van Golde, L. M. G. *See* ten Brinke, A.
Vanin, A. F. *See* Voevodskaya, N. V.
van Kuilenburg, A. B. P.
——; Dobritzsch, D.; Meinsma, R.; Haasjes, J.; Waterham, H. R.; Nowaczyk, M. J. M.; Maropoulos, G. D.; Hein, G.; Kalhoff, H.; Kirk, J. M.; Baaske, H.; Aukett, A.; Duley, J. A.; Ward, K. P.; Lindqvist, Y.; van Gennip, A. H.
Novel disease-causing mutations in the dihydropyrimidine dehydrogenase gene interpreted by analysis of the three-dimensional protein structure, 364:157
van Kuyk, P. A. *See* de Vries, R. P.
van Lierop, E. M. H. M. *See* Steenbakkers, P. J. M.
Vanlingen, S. *See* Sienaert, I.
van Noort, M. *See* Hurlstone, A. F. L.
Van Schaftingen, E. *See* Delpierre, G.
——; Gerin, I.
The glucose-6-phosphatase system, 362:513
van Schalkwyk, D. A. *See* Egan, T. J.
Van Sluijters, D. A. *See* Dubbelhuis, P. F.
Vantard, M. *See* Stoppin-Mellet, V.
Van Veldhoven, P. P. *See* Ghys, K.
Van Voorhis, W. C. *See* Buckner, F. S.
Van Woerkom, G. M. *See* Dubbelhuis, P. F.
Varadharajan, S.
——; Dhanasekaran, S.; Bonday, Z. Q.; Rangarajan, P. N.; Padmanaban, G.
Involvement of δ-aminolaevulinate synthase encoded by the parasite gene in *de novo* haem synthesis by *Plasmodium falciparum*, 367:321
Varro, A. *See* Wroblewski, L. E.
Vasicek, R. *See* Knöfler, M.
Vásquez-Vivar, J.
——; Martásek, P.; Whitsett, J.; Joseph, J.; Kalyanaraman, B.
The ratio between tetrahydrobiopterin and oxidized tetrahydrobiopterin analogues controls superoxide release from endothelial nitric oxide synthase: an EPR spin trapping study, 362:733
Vaz, F. M.
——; Wanders, R. A.
Carnitine biosynthesis in mammals, 361:417
Veith, P. D.
——; Talbo, G. H.; Slakeski, N.; Dashper, S. G.; Moore, C.; Paolini, R. A.; Reynolds, E. C.
Major outer membrane proteins and proteolytic processing of RgpA and Kgp of *Porphyromonas gingivalis* W50, 363:105
Vékony, N. *See* Wolf, S.
Veksler, V. *See* Momken, I.
Velan, B. *See* Chitlaru, T.
Velasco, G. *See* Gómez del Pulgar, T.
Velasco-García, R. *See* González-Segura, L.
Velten, F. W. *See* Politz, O.
Venet, S. *See* Lalle, P.
Venkatachalam, M. A. *See* Dong, Z.
Venkatesan, I. *See* Bame, K. J.
Venter, H.
——; Ashcroft, A. E.; Keen, J. N.; Henderson, P. J. F.; Herbert, R. B.
Molecular dissection of membrane-transport proteins: mass spectrometry and sequence determination of the galactose-H^+ symport protein, GalP, of *Escherichia coli* and quantitative assay of the incorporation of [*ring*-2-^{13}C]histidine and $^{15}NH_3$, 363:243
Ventura-Clapier, R. *See* Momken, I.
Venuta, S. *See* Faniello, M. C.
Vergères, G. *See* Arbuzova, A.
Verhees, C. H.
——; Koot, D. G. M.; Ettema, T. J. G.; Dijkema, C.; de Vos, W. M.; van der Oost, J.
Biochemical adaptations of two sugar kinases from the hyperthermophilic archaeon *Pyrococcus furiosus*, 366:121
Verhoeven, G. *See* Manin, M.
Verkhusha, V. V. *See* Fradkov, A. F.
Verma, V. *See* Lee, M.-H.
Vermeer, C. *See* Houben, R. J. T. J.
Verrijdt, G.
——; Haelens, A.; Schoenmakers, E.; Rombauts, W.; Claessens, F.
Comparative analysis of the influence of the high-mobility group box 1 protein on DNA binding and transcriptional activation by the androgen, glucocorticoid, progesterone and mineralocorticoid receptors, 361:97
Vertongen, P. *See* Perret, J.
Veyssiere, G. *See* Manin, M.
Vichai, V. *See* Coggan, M.
Vickers, J. C. *See* Chung, R. S.
Vidal, M. *See* Saci, A.
Videira, A. *See* Duarte, M.
Vieira, O. V.
——; Botelho, R. J.; Grinstein, S.
Phagosome maturation: aging gracefully, 366:689
Vilarino-Varela, J. *See* Murphy, J. J.
Villadsen, J. K. *See* Wadum, M. C. T.
Villalobo, A. *See* Li, H.
Villalobos, C. *See* Montero, M.

© 2003 Biochemical Society

Villani, G. R. D.
——; Follenzi, A.; Vanacore, B.; di Domenico, C.; Naldini, L.; di Natale, P.
Correction of mucopolysaccharidosis type IIIb fibroblasts by lentiviral vector-mediated gene transfer, 364:747
Villarroya, F. *See* Schlüter, A.
Villaz, M. *See* Geib, S.
Vincent, F. *See* Ramoni, R.
Vincken, J.-P. *See* McKie, V. A.
Viniegra, S. *See* Ñeco, P.
Virji, S. *See* Capano, M.
Visser, J. *See* de Vries, R. P.
Vliegenthart, J. F. G. *See* Erbel, P. J. A.
Voevodskaya, N. V.
——; Serezhenkov, V. A.; Cooper, C. E.; Kubrina, L. N.; Vanin, A. F.
Exogenous ferrous iron is required for the nitric oxide-catalysed destruction of the iron–sulphur centre in adrenodoxin, 368:633
Vogels, G. D. *See* Steenbakkers, P. J. M.
Voisin, L. *See* Combaret, L.
Voisin, S. *See* Rose, C.
Volinia, S. *See* Crljen, V.
Völkl, A. *See* Mueller, S.
Volkmer-Engert, R. *See* Hejazi, M.
von Figura, K. *See* Thiel, C.
von Gabain, A. *See* Taschner, S.
Vontas, J. G.
——; Small, G. J.; Nikou, D. C.; Ranson, H.; Hemingway, J.
Purification, molecular cloning and heterologous expression of a glutathione S-transferase involved in insecticide resistance from the rice brown planthopper, *Nilaparvata lugens*, 362:329
Voragen, A. G. J. *See* McKie, V. A.
Voss, S. H.
——; Whalen, R.; Boyer, T. D.
Mechanism of negative regulation of rat glutathione S-transferase A2 by the cytokine interleukin 6, 365:229
Voyno-Yasenetskaya, T. *See* Niu, J.
Vujcic, S.
——; Diegelman, P.; Bacchi, C. J.; Kramer, D. L.; Porter, C. W.
Identification and characterization of a novel flavin-containing spermine oxidase of mammalian cell origin, 367:665
Vuong, T. T. *See* Kolset, S. O.
Vusse, G. J. *See* Brinkmann, J. F. F.

Wachtel, M.
——; Frei, K.; Ehler, E.; Bauer, C.; Gassmann, M.; Gloor, S. M.
Extracellular signal-regulated protein kinase activation during reoxygenation is required to restore ischaemia-induced endothelial barrier failure, 367:873
Wade, T. K. *See* Lang, M. L.
Wade, W. F. *See* Lang, M. L.
Wadsworth, S. *See* Tao, L.
Wadum, M. C. T.
——; Villadsen, J. K.; Feddersen, S.; Møller, R. S.; Neergaard, T. B. F.; Kragelund, B. B.; Højrup, P.; Færgeman, N. J.; Knudsen, J.
Fluorescently labelled bovine acyl-CoA-binding protein acting as an acyl-CoA sensor: interaction with CoA and acyl-CoA esters and its use in measuring free acyl-CoA esters and non-esterified fatty acids, 365:165
Waelbroeck, M. *See* Perret, J.
Wagner, E.
——; Luche, S.; Penna, L.; Chevallet, M.; Van Dorsselaer, A.; Leize-Wagner, E.; Rabilloud, T.
A method for detection of overoxidation of cysteines: peroxiredoxins are oxidized *in vivo* at the active-site cysteine during oxidative stress, 366:777
Wagner, S.
——; Groschner, K.; Mayer, B.; Schmidt, K.
Desensitization of endothelial nitric oxide synthase by receptor agonists, 364:863
Waisman, D. M. *See* Brooks, N. D.
Wait, R. *See* Dean, J. L. E.
Waku, K. *See* Tokumura, A.
Walczak, H. *See* Mueller, S.
Walden, J. C. *See* Egan, T. J.
Walker, B. *See* Scott, C. J.
Walker, G. *See* Thompson, F. J.
Walker, J. L. *See* Zhang, Y.-Y.
Walker, W. F. *See* Salviati, L.
Wallace, H. M. *See* Fraser, A. V.
Wallimann, T. *See* Shen, W.
Walsh, D. A. *See* Kumar, P.; O'Mahony, A. M.
Walsh, M. P. *See* Deng, J. T.
Walsh, P. N. *See* Sinha, D.
Walter, R. D. *See* Meierjohann, S.
Walters, C.
——; Errington, N.; Rowe, A. J.; Harding, S. E.
Hydrolysable ATP is a requirement for the correct interaction of molecular chaperonins cpn60 and cpn10, 364:849
Walz, A.-C.
——; Demel, R. A.; de Kruijff, B.; Mutzel, R.
Aerobic *sn*-glycerol-3-phosphate dehydrogenase from *Escherichia coli* binds to the cytoplasmic membrane through an amphipathic α-helix, 365:471
Wan, C.-F. *See* Chir, J.
Wan, Y. *See* Li, Y.
Wanders, R. A. *See* Vaz, F. M.
Wanders, R. J. A. *See* Silva, M. F. B.
Wang, C.
——; JeBailey, L.; Ridgway, N. D.
Oxysterol-binding-protein (OSBP)-related protein 4 binds 25-hydroxycholesterol and interacts with vimentin intermediate filaments, 361:461
Wang, D. T. P. *See* Jia, J.
Wang, G.-L.
——; Moore, M. L.; McMillin, J. B.
A region in the first exon/intron of rat carnitine palmitoyltransferase Iβ is involved in enhancement of basal transcription, 362:609
Wang, J. *See* Salih, E.
Wang, J. Y. J. *See* Catani, M. V.
Wang, K.
——; Subbaiah, P. V.
Role of the interfacial binding domain in the oxidative susceptibility of lecithin: cholesterol acyltransferase, 365:649
Wang, L.
——; Cummings, R.; Usatyuk, P.; Morris, A.; Irani, K.; Natarajan, V.
Involvement of phospholipases D1 and D2 in sphingosine 1-phosphate-induced ERK (extracellular-signal-regulated kinase) activation and interleukin-8 secretion in human bronchial epithelial cells, 367:751
Wang, Q. M. *See* Du, M. X.
Wang, R.
——; Khatri, I. A.; Forstner, J. F.
C-terminal domain of rodent intestinal mucin Muc3 is proteolytically cleaved in the endoplasmic reticulum to generate extracellular and membrane components, 366:623
Wang, S.
——; Kotamraju, S.; Konorev, E.; Kalivendi, S.; Joseph, J.; Kalyanaraman, B.
Activation of nuclear factor-κB during doxorubicin-induced apoptosis in endothelial cells and myocytes is pro-apoptotic: the role of hydrogen peroxide, 367:729
Wang, W. W. *See* Woods, A. M.
Wang, X.
——; Janmaat, M.; Beugnet, A.; Paulin, F. E. M.; Proud, C. G.
Evidence that the dephosphorylation of Ser^{535} in the ε-subunit of eukaryotic initiation factor (eIF) 2B is insufficient for the activation of eIF2B by insulin, 367:475
Wang, Yanlin *See* Murray-Stewart, T.
Wang, Yu *See* Bai, X.-C.
——; Devereux, W.; Stewart, T. M.; Casero, Jr, R. A.
Polyamine-modulated factor 1 binds to the human homologue of the 7a subunit of the *Arabidopsis* COP9 signalosome: implications in gene expression, 366:79
Wang, Yuanping *See* Zolfaghari, R.
Wang, Yue *See* Fang, H.-M.
Wang, Yutong
——; Zhang, Y.; Hillgartner, F. B.
Chicken ovalbumin upstream-promoter transcription factor and E-box-binding proteins enhance thyroid-hormone responsiveness of the malic enzyme gene in avian hepatocytes, 361:391
Wang, Y.-J.
——; Gregory, R. B.; Barritt, G. J.
Maintenance of the filamentous actin cytoskeleton is necessary for the activation of store-operated Ca^{2+} channels, but not other types of plasma-membrane Ca^{2+} channels, in rat hepatocytes, 363:117
Wang, Z. *See* Nosyreva, E.
Wang, Z.-X.
——; Wu, J.-W.
Autophosphorylation kinetics of protein kinases, 368:947
Warburton, M. J. *See* Bernardini, F.
Ward, C. M. *See* Woods, A. M.
Ward, K. P. *See* van Kuilenburg, A. B. P.
Ward, N. C. *See* Morton, L. W.
Ward, R. J. *See* Chioato, L.
——; Chioato, L.; de Oliveira, A. H. C.; Ruller, R.; Sá, J. M.

© 2003 Biochemical Society

Active-site mutagenesis of a Lys^{49}-phospholipase A_2: biological and membrane-disrupting activities in the absence of catalysis, 362:89
Warren, R. A. J. *See* Boraston, A. B.
Wasano, K. *See* Wu, A. M.
Wasungu, L. *See* Shi, F.
Waterham, H. R. *See* van Kuilenburg, A. B. P.
Waterman, M. R. *See* Lamb, D. C.
Watkins, H. *See* Burton, D.
Watmough, N. J. *See* Allen, J. W. A.
Watson, S. P. *See* Marshall, S. J.
Watt, S. *See* Kimber, W. A.
——; Kular, G.; Fleming, I. N.; Downes, C. P.; Lucocq, J. M.
Subcellular localization of phosphatidylinositol 4,5-bisphosphate using the pleckstrin homology domain of phospholipase C δ_1, 363:657
Wattiez, R. *See* Arand, M.
Weber, A. *See* Mueller, S.
Weber, C. *See* Neuzil, J.
Webster, G. A. *See* Chapman, N. R.
Webster, K. A. *See* Dougherty, C. J.
Webster, K. J. *See* Hurd, T. W.
Węgrzyn, A. *See* Potrykus, K.
Węgrzyn, G. *See* Potrykus, K.; Słomińska, M.
Wei, G.-q. *See* Liu, R.-s.
Wei, X.-q. *See* Mulero, V.
Weisheit, D. *See* Petrat, F.
Weiss, B. *See* Geserick, C.
Weiss, J. L. *See* Ivings, L.
Welham, M. J. *See* Paling, N. R. D.
Welsh, M. J. *See* Hruska-Hageman, A. M.
Wemmie, J. A. *See* Hruska-Hageman, A. M.
West, A. K. *See* Chung, R. S.
Westergaard, N. *See* Andersen, B.
Westmark, C. J.
——; Ghose, R.; Huber, P. W.
Phosphorylation of *Xenopus* transcription factor IIIA by an oocyte protein kinase CK2, 362:375
Westwater, C. *See* Shaw, D. M.
Whalen, R. *See* Voss, S. H.
Wheatley, I. *See* Thompson, F. J.
Whetstine, J. R.
——; Flatley, R. M.; Matherly, L. H.
The human reduced folate carrier gene is ubiquitously and differentially expressed in normal human tissues: identification of seven non-coding exons and characterization of a novel promoter, 367:629
White, C. *See* Recklies, A. D.
White, M. R. *See* Hartshorn, K. L.
White, R. J. *See* Sztrolovics, R.
White, S. M. *See* Mahoney, J. A.
Whitsett, J. *See* Vásquez-Vivar, J.
Wiberg, C. *See* Piecha, D.
Wicks, S. J. *See* Abdel-Wahab, N.
Wides, R. *See* Dgany, O.
Wieland, T. *See* Rümenapp, U.
Wienke, D. *See* Bailey, L.
Wierenga, R. K. *See* Kiema, T.-R.
Wijesuriya, S. J. *See* Compton, S. J.
Wilcox, L. J. *See* Borradaile, N. M.
Wilczynska, M. *See* Martz, F.
Wilde, J. I. *See* Wonerow, P.
Wilkie, S. E. *See* Cowing, J. A.
Wilkinson, S. R.
——; Taylor, M. C.; Touitha, S.; Mauricio, I. L.; Meyer, D. J.; Kelly, J. M.
TcGPXII, a glutathione-dependent *Trypanosoma cruzi* peroxidase with substrate specificity restricted to fatty acid and phospholipid hydroperoxides, is localized to the endoplasmic reticulum, 364:787
Willems, J. *See* Luiken, J. J. F. P.
Williams, D. H. *See* Krugmann, S.
Williams, D. J. *See* Dickinson, R. J.
Williams, F. M. R. *See* Sadlish, H.
Williams, M. A. K.
——; Benen, J. A. E.
A novel enzyme activity involving the demethylation of specific partially methylated oligogalacturonides, 367:511
Williams, S. D.
——; Gottlieb, R. A.
Inhibition of mitochondrial calcium-independent phospholipase A_2 ($iPLA_2$) attenuates mitochondrial phospholipid loss and is cardioprotective, 362:23
Williamson, G. *See* Flatman, R.
Williamson, J. *See* Dickinson, R. J.
Willis, D. *See* Shen, W.
Wilmot, C. M. *See* Saysell, C. G.
Wilson, B. J. *See* Chapman, N. R.
Wilson, D. P. *See* Murányi, A.
Wilson, J. X. *See* Holmes, M. E.
Wilson, M. *See* Gueguen, G.
Wiltshire, C.
——; Matsushita, M.; Tsukada, S.; Gillespie, D. A. F.; May, G. H. W.
A new c-Jun N-terminal kinase (JNK)-interacting protein, Sab (SH3BP5), associates with mitochondria, 367:577
Wimalasena, D. S.
——; Jayatillake, S. P.; Haines, D. C.; Wimalasena, K.
Plausible molecular mechanism for activation by fumarate and electron transfer of the dopamine β-mono-oxygenase reaction, 367:77
Wimalasena, K. *See* Wimalasena, D. S.
Wirtz, K. W. A. *See* Czapski, G. A.
Wissing, F.
——; Nerou, E. P.; Taylor, C. W.
A novel Ca^{2+}-induced Ca^{2+} release mechanism mediated by neither inositol trisphosphate nor ryanodine receptors, 361:605
Withers, S. *See* Chir, J.
Withnall, R. *See* Smalley, J. W.
Wittinghofer, B. *See* Rümenapp, U.
Wlaschek, M. *See* Brenneisen, P.
Woestenenk, E. A.
——; Gongadze, G. M.; Shcherbakov, D. V.; Rak, A. V.; Garber, M. B.; Härd, T.; Berglund, H.
The solution structure of ribosomal protein L18 from *Thermus thermophilus* reveals a conserved RNA-binding fold, 363:553
Wolf, B. A. *See* Gao, Z.
Wolf, C. *See* Koumanov, K. S.
Wolf, C. R. *See* Chanas, S. A.
Wolf, S.
——; Janzen, A.; Vékony, N.; Martiné, U.; Strand, D.; Closs, E. I.
Expression of solute carrier 7A4 (SLC7A4) in the plasma membrane is not sufficient to mediate amino acid transport activity, 364:767
Wollheim, C. B. *See* Rubí, B.
Wonerow, P. *See* Marshall, S. J.
——; Obergfell, A.; Wilde, J. I.; Bobe, R.; Asazuma, N.; Brdička, T.; Leo, A.; Schraven, B.; Hořejší, V.; Shattil, S. J.; Watson, S. P.
Differential role of glycolipid-enriched membrane domains in glycoprotein VI- and integrin-mediated phospholipase Cγ2 regulation in platelets, 364:755
Wong, B.-S. *See* Pan, T.
Woo, C.-H. *See* Lee, M.
Woodburne, V. E. *See* Kirsch, R.
Woods, Angela *See* Fryer, L. G. D.
Woods, Anne *See* Chen, L.
Woods, A. M. *See* Shaw, D. M.
——; Wang, W. W.; Shaw, D. M.; Ward, C. M.; Carroll, M. W.; Rees, B. R.; Stern, P. L.
Characterization of the murine 5T4 oncofoetal antigen: a target for immunotherapy in cancer, 366:353
Wootton, L. L. *See* Bilmen, J. G.
Worby, C. A. *See* Muda, M.
Wormald, M. R. *See* Mellor, H. R.
Worrall, D. M. *See* Aghajanian, S.
Woster, P. M. *See* Fraser, A. V.
Wrigley, J. D. J.
——; Nevett, C. L.; Findlay, J. B. C.
Topological analysis of peripherin/*rds* and abnormal glycosylation of the pathogenic Pro^{216}→Leu mutation, 368:649
Wroblewski, L. E.
——; Pritchard, D. M.; Carter, S.; Varro, A.
Gastrin-stimulated gastric epithelial cell invasion: the role and mechanism of increased matrix metalloproteinase 9 expression, 365:873
Wu, A. M.
——; Wu, J. H.; Tsai, M.-S.; Liu, J.-H.; André, S.; Wasano, K.; Kaltner, H.; Gabius, H.-J.
Fine specificity of domain-I of recombinant tandem-repeat-type galectin-4 from rat gastrointestinal tract (G4-N), 367:653
Wu, H.-H. *See* Furuta, S.
Wu, J. *See* Ruan, K.-H.
Wu, J. H. *See* Wu, A. M.
Wu, J.-L. *See* Sun, H.-W.
Wu, J. S. *See* Zhao, D.
Wu, J.-W. *See* Wang, Z.-X.
Wu, Y. *See* Murányi, A.
Wugeditsch, T. *See* Steindl, C.
Wuhrer, M. *See* Kantelhardt, S. R.
Wunderlich, I. *See* Huth, W.
Wurth, G. A.
——; Zweifach, A.
Evidence that cytosolic calcium increases are not sufficient to stimulate phospholipid scrambling in human T-lymphocytes, 362:701

Xiao, C.-Y. *See* Hübner, S.
Xie, D. *See* Ding, V. D. H.
Xie, M. *See* Li, Y.
Xu, F. *See* Jia, J.
Xu, J. *See* Chen, A.

© 2003 Biochemical Society

Xu, Y.
——; Porntadavity, S.; St Clair, D. K.
Transcriptional regulation of the human manganese superoxide dismutase gene: the role of specificity protein 1 (Sp1) and activating protein-2 (AP-2), 362:401

Yaghootfam, A. *See* Schestag, F.
Yahara, I. *See* Moriyama, K.
Yajima, T. *See* Nezu, A.
Yamada, K. *See* Ono, T.
Yamada, T. *See* Matsunaga, Y.
Yamaguchi, I. *See* Takahashi-Ando, N.
Yamaguchi, Y. *See* Lee, J.-R.
Yamamoto, K.
——; Muniruzzaman, S.; Rajagopalan, M.; Madiraju, M. V. V. S.
Modulation of *Mycobacterium tuberculosis* DnaA protein–adenine-nucleotide interactions by acidic phospholipids, 363:305
——; Muniruzzaman, S.; Rajagopalan, M.; Madiraju, M. V. V. S.
Modulation of *Mycobacterium tuberculosis* DnaA protein–adenine nucleotide interactions by acidic phospholipids: Correction, 364:887
Yamamoto, M. *See* Chanas, S. A.
Yamamoto, T.
——; Suzuki, N.
Promoter activity of the 5′-flanking regions of medaka fish soluble guanylate cyclase α_1 and β_1 subunit genes, 361:337
Yamashina, I. *See* Munesue, S.
Yamini, B. *See* Griffiths, C.
Yan, B. *See* Li, Y.
Yan, Y.-L. *See* Dunér, T.
Yanagihara, H. *See* Mita, M.
Yang, D. *See* Li, Y.
Yang, J. *See* Ideguchi, H.
——; Dowden, J.; Tatibouët, A.; Hatanaka, Y.; Holman, G. D.
Development of high-affinity ligands and photoaffinity labels for the D-fructose transporter GLUT5, 367:533
Yang, M. *See* Tsoi, P. Y.
Yang, P. *See* Thuillier, P.
Yang, Q. *See* Liu, R.-s.
Yanushevich, Y. G. *See* Fradkov, A. F.
Yegutkin, G. G.
——; Henttinen, T.; Samburski, S. S.; Spychala, J.; Jalkanen, S.
The evidence for two opposite, ATP-generating and ATP-consuming, extracellular pathways on endothelial and lymphoid cells, 367:121
Yellaturu, C. R.
——; Ghosh, S. K.; Rao, R. K.; Jennings, L. K.; Hassid, A.; Rao, G. N.
A potential role for nuclear factor of activated T-cells in receptor tyrosine kinase and G-protein-coupled receptor agonist-induced cell proliferation, 368:183
Yi, X. *See* Dong, Z.
Yibchok-Anun, S. *See* Cheng, H.
Yokota, H. *See* Shibata, N.
Yokotani, J. *See* Matsunaga, Y.
Yokoyama, K. *See* Buckner, F. S.
Yoo, M.-H. *See* Lee, M.
Yoon, G.
——; Kim, H.-J.; Yoon, Y.-S.; Cho, H.; Lim, I. K.; Lee, J.-H.
Iron chelation-induced senescence-like growth arrest in hepatocyte cell lines: association of transforming growth factor β1 (TGF-β1)-mediated $p27^{Kip1}$ expression, 366:613
Yoon, H. J. *See* Park, S. W.
Yoon, Y.-S. *See* Yoon, G.
Yoshida, H. *See* Okada, T.
Yoshida, K. *See* Dietz, F.
Yoshida, T. *See* Kitamura, T.
Yoshino, K. *See* Takatsu, H.
Yoshitomi, Y. *See* Munesue, S.
Yoshizumi, M. *See* Tsuchiya, K.
You, H.-J. *See* Lee, M.
Young, D. A.
——; Phillips, B. W.; Lundy, C.; Nuttall, R. K.; Hogan, A.; Schultz, G. A.; Leco, K. J.; Clark, I. M.; Edwards, D. R.
Identification of an initiator-like element essential for the expression of the tissue inhibitor of metalloproteinases-4 (*Timp-4*) gene, 364:89
Young, M. *See* Hopper, D. J.
Young, R. A. *See* Gao, Z.
Yu, C.-J.
——; Chen, Y.-M.; Su, S.-N.; Forouhar, F.; Lee, S.-H.; Chow, L.-P.
Molecular and immunological characterization and IgE epitope mapping of Pen n 18, a major allergen of *Penicillium notatum*, 363:707
Yu, T.
——; Robb, V. A.; Singh, V.; Gutmann, D. H.; Newsham, I. F.
The 4.1/ezrin/radixin/moesin domain of the DAL-1/Protein 4.1B tumour suppressor interacts with 14-3-3 proteins, 365:783
Yu, X. *See* Caldovic, L.
Yu, Y. *See* Douglas, P.
Yu, Z.
——; Zhang, W.; Kone, B. C.
Signal transducers and activators of transcription 3 (STAT3) inhibits transcription of the inducible nitric oxide synthase gene by interacting with nuclear factor κB, 367:97
Yuasa, A. *See* Shibata, N.
Yun, H.-J. *See* Park, S.-H.
Yuo, A. *See* Saeki, Koichi
Yuste, L. *See* Montero, J. C.

Zacchetti, D. *See* Schnurbus, R.
Zachary, I. *See* Kabir, J.
Zaidi, M. *See* Blair, H. C.
Zajicek, R. S. *See* Allen, J. W. A.
Zamamiri-Davis, F. *See* Prabhu, K. S.
Zamboni, V. *See* Bourne, Y.
Zangger, K. *See* Oberer, M.
Zbikowska, H. M.
——; Soukhareva, N.; Behnam, R.; Lubon, H.; Hammond, D.; Soukharev, S.
Uromodulin promoter directs high-level expression of biologically active human α_1-antitrypsin into mouse urine, 365:7
Zecchi Orlandini, S. *See* Meacci, E.
Zechner, R. *See* Strauss, J. G.
Zeng, H. *See* Zhao, D.
Zhang, B. B. *See* Ding, V. D. H.
Zhang, H. *See* Li, Y.
Zhang, J.-S. *See* Kaczynski, J. A.
Zhang, L. *See* Chen, A.
——; Liu, B.-F; Liang, S; Jones, R. L.; Lu, Y.-T.
Molecular and biochemical characterization of a calcium/calmodulin-binding protein kinase from rice, 368:145
Zhang, P. *See* Hartshorn, K. L.
Zhang, W. *See* Yu, Z.
——; Betel, D.; Schachter, H.
Cloning and expression of a novel UDP-GlcNAc:α-D-mannoside β1,2-*N*-acetylglucosaminyltransferase homologous to UDP-GlcNAc:α-3-D-mannoside β1,2-*N*-acetylglucosaminyltransferase I, 361:153
Zhang, X.
——; Grand, R. J. A.; McCabe, C. J.; Franklyn, J. A.; Gallimore, P. H.; Turnell, A. S.
Transcriptional regulation of the human glycoprotein hormone common α subunit gene by cAMP-response-element-binding protein (CREB)-binding protein (CBP)/p300 and p53, 368:191
Zhang, X-k. *See* Peterson, V. J.
Zhang, Y. *See* Wang, Y.
——; Callaway, E. C.
High cellular accumulation of sulphoraphane, a dietary anticarcinogen, is followed by rapid transporter-mediated export as a glutathione conjugate, 364:301
Zhang, Y.-Y.
——; Walker, J. L.; Huang, A.; Keaney, Jr, J. F.; Clish, C. B.; Serhan, C. N.; Loscalzo, J.
Expression of 5-lipoxygenase in pulmonary artery endothelial cells, 361:267
Zhao, D.
——; Kuhnt-Moore, S.; Zeng, H.; Pan, A.; Wu, J. S.; Simeonidis, S.; Moyer, M. P.; Pothoulakis, C.
Substance P-stimulated interleukin-8 expression in human colonic epithelial cells involves Rho family small GTPases, 368:665
Zhao, H. *See* Rinaldi, A. C.
Zhao, L. *See* Mei, B.
Zhao, M. *See* Neuzil, J.
Zheng, W. *See* Ruan, K.-H.
Zhengang, L. *See* Qian, X.
Zhou, J-z. *See* Du, X.
Zhou, Meisheng *See* Nekhai, S.
Zhou, Ming *See* Rehse, P. H.
Zhou, W. *See* Nes, W. D.
Zhou, Y. *See* Strauss, J. G.
Zhu, X.
——; Peng, J.; Raychowdhury, R.; Nakajima, A.; Lencer, W. I.; Blumberg, R. S.
The heavy chain of neonatal Fc receptor for IgG is sequestered in endoplasmic reticulum by forming oligomers in the absence of β_2-microglobulin association, 367:703

© 2003 Biochemical Society

Zhuang, L. *See* Inoue, K.
Zhu Sun, X. *See* Furuta, S.
Zidar, A. *See* Hohenegger, M.
Zimmermann, R. *See* Strauss, J. G.
Zimniak, L. *See* Guo, J.
Zimniak, P. *See* Guo, J.
Zipser, Y.
——; Piade, A.; Barbul, A.; Korenstein, R.; Kosower, N. S.
Ca^{2+} promotes erythrocyte band 3 tyrosine phosphorylation via dissociation of phosphotyrosine phosphatase from band 3, 368:137
Zlotogora, J. *See* Schestag, F.
Zoladz, J. A. *See* Korzeniewski, B.
Zolfaghari, R.
——; Wang, Yuanping; Chen, Q.; Sancher, A.; Ross, A. C.
Cloning and molecular expression analysis of large and small lecithin:retinol acyltransferase mRNAs in the liver and other tissues of adult rats, 368:621
Zou, Z.-P. *See* Bai, X.-C.
Zoumpourlis, V. *See* Plows, D.
Zu, X. L. *See* Guppy, M.
Zwaal, R. F. A. *See* Dekkers, D. W. C.
Zweifach, A. *See* Wurth, G. A.
Zwicky, R.
——; Müntener, K.; Goldring, M. B.; Baici, A.
Cathepsin B expression and down-regulation by gene silencing and antisense DNA in human chondrocytes, 367:209
Zyryanov, A. B.
——; Shestakov, A. S.; Lahti, R.; Baykov, A. A.
Mechanism by which metal cofactors control substrate specificity in pyrophosphatase, 367:901

© 2003 Biochemical Society

Keyword Index

VOLUMES 361—368 (2002)

AAA ATPase, 365:337
abasic site, 365:547
Acanthamoeba castellanii, 368:57
acceptor minihelix, 365:749
acetaldehyde, 363:769, 364:711
α-*N*-acetylglucosaminidase, 364:747
N^1-acetylspermine, 368:673
acetylsphingomyelin, 367:287
acidic domain, 367:229
acidic phospholipid, 362:453
acid-secreting intercalated cell, 361:287
actin, 362:1, 362:761
actin-binding protein, 365:147
actin filament, 367:335
actin stress fibre, 363:201
action pathway, 365:317
activating transcription factor (ATF), 365:329, 366:737, 368:939
activation mechanism, 364:629
activation of transcription, 364:25
activator protein-1 (AP-1), 368:121
activator protein-1 (AP-1) complex, 368:573
active site, 361:1, 363:785, 367:601
activin, 364:571
acute phase, 368:203
acute-phase response, 365:229, 365:555
acute renal failure, 364:211
acyl-carrier protein, 364:423
acyl-CoA, 364:795
acyl-CoA binding protein (ACBP), 368:679
acyl-CoA:cholesterol acyltransferase, 366:531
acyl-CoA ester, 368:679
acyltransferase, 365:577
adapter protein, 361:525
adaptin, 362:597
γ-adaptin, 365:369
adaptive response, 365:133
adaptor protein, 363:717
adenine nucleotide, 366:121
adenine nucleotide translocase, 367:169
adenosine 5′-[γ-thio]triphosphate, 364:849
adenosine 5′-phosphosulphate kinase, 363:263
S-adenosylmethionine, 361:307
adenoviral infection, 367:751
adenoviral vector, 368:69
adenovirus, 361:267, 363:167
adenovirus E1A, 368:191
adenylate cyclase, 368:397
adhesion, 364:65
adhesive protein, 363:473
ADIFAB, 363:809
adipocyte, 362:665, 364:369, 367:203, 367:301, 367:677
adipocyte differentiation, 361:621
adipophilin, 366:195
ADP-dependent glucokinase, 366:121
ADP-ribosylation, 362:717
ADP-ribosyl cyclase, 361:379, 367:423
adrenaline, 365:429, 368:581
adrenergic agonist, 365:757
aequorin, 365:451
aflatoxin B_1 aldehyde reductase, 366:847
Aft1, 362:119
aggrecan, 361:689, 362:473
aggrecanase, 362:465
aggregation, 361:473, 368:293, 368:535
aggregation chaperone, 368:605
Aic2A, 368:885
Akt, 367:301
Akt/protein kinase B, 366:57, 366:165
alamethicin, 367:505
alcohol, 368:683, 368:695
alcohol dehydrogenase, 363:769, 367:13
aldehyde, 364:25
aldehyde dehydrogenase, 363:769
aldo/keto reductase, 366:889
alkaline phosphatase, 361:113
alkalophilic, 361:35
allosamidin, 368:23
allosteric, 362:231
alternate binding, 364:165
alternative splicing, 367:629, 367:687
Alzheimer's disease, 361:547, 366:273, 366:343, 367:687
amino acid, 368:565
amino acid carrier, 367:239
amino acid exchanger, 367:239
amino acid starvation, 366:585
γ-aminobutyric acid type-B ($GABA_B$) receptor, 365:329
2-aminoethoxydiphenyl borate, 364:245
δ-aminolaevulinate synthase (ALAS) expression, 367:321
aminopeptidase N, 362:191
ammonium transport, 364:527
amniotic expression, 361:641
AMP-activated protein kinase, 362:97
amperometry, 368:405
amphibian, 365:685
amphoterin, 363:529
β-amyloid, 367:687
β-amyloid (Aβ), 366:937
anaerobic glycolysis, 365:249
analytical ultracentrifugation, 364:849
androgen, 366:157
androgens and growth factor signalling, 366:729
angiotensin-converting enzyme (ACE), 362:585
angiotensinogen, 362:113
8-anilino-1-naphthalene sulphonate (ANS), 363:341
anionic phospholipid, 362:619
ankyrin, 361:451, 361:489
annexin, 365:259
anthracycline, 368:131
anti-(amyloid β peptide) antibody, 361:547
anti-bacterial protein, 368:611
antibiotic resistance, 367:279
antibody, 364:795, 365:889, 366:415
anticancer, 366:405
anti-cancer treatment, 368:131
anticarcinogen, 364:301
anticoagulant, 363:387
anticodon microhelix, 365:749
anti-lipolysis, 367:301
antimycin A, 367:889
antioxidant, 362:51, 364:625, 367:255
antioxidant effect, 362:749
antioxidant responsive element (ARE), 365:405
anti-parasitic agent, 367:809
antiporter, 365:391
antisense, 363:95, 363:431, 366:333
antisense oligodeoxynucleotide, 366:187
antisense oligonucleotide, 368:49
anti-tumour, 362:553
apical sorting, 362:433
apoE3/apoE4 isoforms, 366:273
apolipoprotein A-I, 364:475, 366:245
apolipoprotein B, 368:855
apoptosis, 362:51, 362:561, 362:701, 362:749, 363:29, 363:395, 363:547, 364:329, 364:629, 365:69, 366:145, 366:175, 366:595, 366:831, 367:169, 367:541, 367:577, 367:687, 368:213, 368:695, 368:915
apoptosis-regulating kinase 1, 368:705
arachidonate cascade, 366:137
arachidonic acid, 362:13, 364:695, 366:307
arachidonic acid release, 363:727
A7r5 cell, 362:13
archaea, 368:357
ARG2, 364:825
Arg^{82}, 366:549
argA, 364:825
arginase, 366:423
L-arginine, 362:733
arginine metabolism, 364:825
arginine methylation, 367:697
arginine residue, 365:685
arylhydrocarbon receptor nuclear translocator, 362:71
ascorbic acid, 365:849, 367:77
asparagine hydroxylation, 367:571
aspirin, 364:711
assembly, 363:321
association, 361:35
association *in vivo*, 361:597
asthma, 361:537
ataxia telangiectasia-related kinase (ATR), 368:507
atherosclerosis, 362:51, 362:627, 364:507, 365:481, 367:403, 367:677, 368:415
atherosclerotic plaque, 364:625
atomic force microscopy (AFM), 361:27
atopic dermatitis, 362:619
ATP, 363:305, 364:863, 365:707, 367:901
ATP/ADP ratio, 364:369
ATPase, 363:147, 367:901, 368:159
ATPase activity, 365:19, 365:337
ATP binding, 362:395, 362:453
ATP-binding cassette, 361:497, 365:259
ATP-binding cassette (ABC), 366:541
ATP-binding cassette (ABC) transporter, 368:325
ATP-dependent galactokinase, 366:121
ATP hydrolysis, 363:147
ATP regulation, 366:255
ATP-sulphurylase, 363:263
Atx1, 368:729
autoantigen, 361:587
autoinhibition, 364:593
autophagy, 363:417, 364:275

© 2003 Biochemical Society

autophosphorylation, 363:785, 364:593, 368:145
autophosphorylation site, 368:243
autoregulation, 361:41
auxiliary subunit, 364:285
avidin–biotin technology, 363:609
axonal path-finding, 366:73
3′-azido-3′-deoxythymidine 5′-monophosphate (AZT-MP), 363:825

7B2, 361:67
bacteria, 368:483
bacterial promoter, 368:835
bacterial protein expression, 366:491
bacterial resistance, 363:687
bacterial respiration, 368:425
bacterial toxin, 367:617
baculovirus, 365:659
baculovirus expression system, 367:809
band 3, 368:895
base lesion, 365:547
basement membrane, 362:41
basic helix–loop–helix, 367:413
Batten disease, 366:521
Bax, 363:547
Bax inactivation, 367:849
β cells, 364:219
Bcl11b, 368:555
Bcl-2, 363:395, 365:825, 368:213, 368:915
bestatin, 364:703
BIAcore, 361:481
biantennary peptidoglycan-associated polymer, 368:483
Bid, 363:547
bifunctional enzyme, 365:13
bifunctional inhibitor, 363:387
bile, 364:475
biliary lipid, 361:673
binding affinity, 364:227
binding assay, 366:435
binding energy, 363:335
binding kinetics, 366:235
binding site, 364:587, 365:471
biogenesis, 364:777, 365:41
biomineralization, 361:327
biosynthesis, 362:359, 368:41, 368:895
biotechnology, 368:377
biotin-binding protein, 363:609
biotinylated calmodulin, 362:499
biotinylated ligand, 367:533
biotinylated probe, 366:953
bisethylhomospermine, 366:663
bisethylnorspermine, 366:663
bivalent metal transporter 1, 363:449
blood coagulation, 367:451
B-lymphocyte, 361:431
bone, 364:323
bone sialoprotein, 364:465
bothropstoxin-I, 362:89, 366:971
bovine adrenomedullary cell, 368:405
bovine serum albumin, 365:617
box1/box2 region, 361:105
bradykinin, 364:863
Brahma-related gene 1 (BRG1), 364:255
brain, 361:211, 368:545
brain creatine kinase, 367:369
breast cancer, 363:195
brefeldin A, 365:369
bromoenol lactone, 362:23
brown adipocyte, 364:73
brown adipose tissue, 361:49
β-sheet, 366:343
butanedione, 365:303
t-butylhydroquinone (tBHQ), 361:371
butyrobetaine, 361:417

CAATT-binding factor (CBF), 364:571
c-Abl, 364:441
Caco2 cell line, 361:203, 366:109
caffeic acid, 363:377
caffeic acid ester, 364:121
caffeine and cultured hepatocyte, 367:443
calcineurin, 361:689
calcium (*see also* intracellular calcium store), 361:401, 362:247, 362:297, 362:443, 362:499, 362:701, 363:645, 364:235, 364:817, 364:863, 366:1, 366:137, 366:195, 367:895, 368:605
calcium binding, 362:317, 367:229
calcium/calmodulin-dependent protein kinase II, 361:689
calcium-dependent protein kinase (CDPK), 368:145
calcium feedback, 365:295
calcium increase, 362:349
calcium-independent activity, 362:89, 366:971
calcium-induced calcium-release (CICR), 361:605
calcium influx, 362:349
calcium metabolism, 361:327
calcium mobilization, 363:59, 365:157
calcium oscillation, 364:593, 365:295
calcium promotion of leakage, 367:849
calcium pump, 361:277, 361:355, 362:247
calcium regulation, 365:19
calcium release, 361:133, 362:125, 364:33, 367:423
calcium release kinetics, 361:605
calcium sensitization, 367:517
calcium signalling, 361:379, 365:269, 365:659, 367:163
calcium store, 361:133, 361:605
calcium transport, 361:355
calcium tunnelling, 367:137
calmodulin, 361:355, 362:1, 362:247, 362:499, 363:353, 364:593, 365:329, 367:19
caloric restriction, 367:313
calpain, 365:791, 368:905
calpain evolution, 362:383
calpain regulatory subunit, 362:383
calpain small subunit 2, 362:383
calvarial defect repair, 364:465
camelid, 366:415
cAMP, 363:157, 364:369, 368:397
cAMP-dependent protein kinase (PKA), 362:533
cAMP response element binding protein (CREB), 363:53
cancer, 364:719, 366:459
cancer chemoprevention, 365:405
Candida albicans, 368:23
Cannizzaro reaction, 362:339
capacitative calcium entry, 364:245
cap analogue, 362:539
capillary electrophoresis, 367:511, 368:145
capping enzyme, 368:159
carbamoylphosphate synthetase I, 364:825
carbohydrate, 364:191
carbohydrate absorption, 367:247
carbohydrate-binding proteins, 367:817
carbohydrate metabolism, 366:129
carbohydrate response element binding protein, 366:377
2-carboxybenzaldehyde, 366:847
γ-carboxyglutamate, 364:323
carcinogenesis, 365:405
carcinogen metabolism, 366:873
carcinoma, 363:253
cardiac hypertrophy, 367:561
cardioencephalomyopathy, 363:321
cardiolipin, 362:395
cardioprotection, 362:23
cardiovascular, 362:41
CArG box, 364:547
carotid artery, 364:625
cartilage, 361:231, 364:181, 365:497, 367:209
casein, 364:457
casein kinase 2, 364:41
CASK, 368:1
caspase, 362:561, 364:881, 367:307, 368:705, 368:905
caspase-3, 363:395
caspase-8, 365:825
caspase-9, 362:635
catabolism, 364:25, 364:181
catalase, 363:483
catalysis, 363:335
catalytic activation, 364:145
catalytic subsite, 363:335
catecholamine, 364:369
catecholamine biosynthesis, 367:77
catecholamine secretion, 365:451
α-catenin, 362:761
β-catenin, 363:253, 365:513
cathepsin D, 362:709
cationic peptide, 368:91
caveolae, 361:681
CCAAT box, 366:447
CCAAT/enhancer-binding protein (C/EPB), 364:739
CCl39, 366:673
CD, 361:41, 361:409
CD2 family, 361:431
CD32, 366:195
CD38, 361:379
CD89, 364:517
C2 domain, 365:173, 366:1
cell activation, 361:431, 362:717
cell adhesion, 362:317, 363:201, 363:233, 365:287
cell biology, 366:353
cell–cell adhesion, 368:471
cell cycle, 361:77, 362:305, 362:481, 362:635, 363:233, 368:283
cell death, 362:273, 362:573, 364:41, 364:413, 364:441, 367:541
cell differentiation, 366:729
cell-ensemble model, 368:433
cell-free, 363:437
cell motility, 365:147
cell population dynamics, 368:433
cell proliferation, 366:501
cell protrusion, 362:183
cell signalling, 367:179
cell surface exposure, 364:497
cell-surface receptor, 361:431
cell survival, 365:147
cell therapy, 367:219
cell-to-cell interaction, 361:203
cellular contractions, 367:881
cellular stress, 363:167
cellular swelling, 368:827
cellulose, 361:35
cellulose-binding, 365:193
cellulose degradation, 365:521
cell wall biosynthesis, 361:635
centriole, 361:77
ceramide, 365:69, 368:447
cerebroside, 368:317
cerulenin, 364:423
cestode, 362:297
cGMP, 361:267, 361:337, 362:459

© 2003 Biochemical Society

cGMP-dependent protein kinase (PKG), 362:533
CgtA protein, 362:579
chalcone synthase, 367:781
Chang cells, 366:613
channel, 363:547, 367:801
channel assembly, 365:693
chaperone, 366:797
charge variant, 365:889
chelatable iron, 368:517
chelator, 362:137
chemical denaturant, 367:857
chemical mechanism, 367:13
chemical modification, 361:577
chemokine, 368:121
chemokine receptor, 368:753
chemotherapeutic drug, 364:881
chimaera, 365:311
chimaeric toxin, 366:35
Chinese hamster ovary (CHO) cell, 361:113, 361:663, 367:825
chloramphenicol acetyltransferase, 366:35
chloride channel, 366:541
chlorogenic acid, 361:57
chloroplast, 366:989, 368:777
cholesterol, 362:81, 363:45, 363:645, 366:195, 367:403, 367:587, 368:855
cholesterol crystal growth assay, 362:105
cholesterol, equilibrium solubility of, 362:105
cholesterol esterification, 361:461
cholesterol raft, 362:433
cholesterol side chain, 363:801
choline oxidation, 362:97
choline kinase, 363:777
cholinephosphotransferase, 368:447
chondrocyte, 365:119
chromatin, 364:255
chromatin structure, 363:667
chromatography, 365:205
chromosome, 364:817
chromosome 6, 367:459
chromosome replication, 362:579
chronic obstructive pulmonary disease, 361:537
chytrid, 365:193
cinnamyl alcohol dehydrogenase, 361:163
cirazoline, 364:73
circular dichroism, 363:189
cisplatin, 364:441
citrate transport, 367:313
CK2, 364:457
cleavable complex, 366:653
cleavage, 363:211, 366:623
CMD1, 366:945
C1 metabolism, 363:313
C57MG/Wnt-1 cell, 367:723
CNBr proteolysis, 363:243
CO-adduct, 363:571
CoA modification, 364:275
CoA synthase, 365:13
coated vesicle, 362:597
coenzyme A, 365:13
cofactor preference, 367:841
coiled-coil, 366:79
collagen, 367:715, 368:293
collagenase, 364:181
colon cancer, 362:573
comparative modelling, 365:731
compartmentalization, 365:721
complement, 361:173
complementation, 364:795
complex I, 364:833
complex III, 366:307
compound F, 365:461
compound P, 365:461
computational modelling, 361:515
computer model, 365:249
computer modelling, 367:329
confocal-fluorescence recovery after photobleaching (FRAP), 362:289
confocal microscopy, 367:347
conformation, 362:173, 365:57
congenital disorders of glycosylation type IIb, 365:239
conglutinin, 366:87
continuous wave electron–nuclear double resonance (CW ENDOR), 363:677
co-operativity, 361:35
co-ordinated transcription, 361:337
copper, 362:253, 364:807, 365:809
copper binding, 368:729
copper metabolism, 368:729
copper-*o*-phenanthroline, 364:293
copper transport, 364:497
COS cell, 362:191
cotyledon, 362:659
p-coumaric acid, 363:377
coupling, 361:277
covalent cross-linkage, 362:499
covalent modification, 366:281
CP-320,626, 367:443
CP320626, 368:827
creatine kinase, 363:785, 365:249, 368:341, 368:799
CREB-binding protein (CBP)/p300, 363:53
cross-linking, 364:293, 365:527, 366:705
cross-talk, 364:33, 368:581
α-crystallin, 368:865
CTP:phosphoethanolamine cytidyltransferase, 362:97
C3 transferase, 362:33
C-type tandem C2 protein, 365:173, 366:681
cultured cells, 364:349
cuticle, 366:921
CX3CR1, 368:753
cyanobacteria, 366:315
cyanophycin, 364:129
cyclic ADP-ribose, 362:125, 365:295
cyclic nucleotide, 361:497, 362:533
cyclin, 366:501
cyclin D1, 366:673
cyclohexanedione, 364:711
cycloheximide, 367:145, 368:565
cyclo-oxygenase 2 (COX-2), 366:709
cyclophilin, 363:29
cyclophilin D, 367:541
cyclosporin A, 363:29
CYP4A subfamily, 363:297
cyst, 364:703
cysteic acid, 366:777
cysteine, 363:817, 365:649
L-cysteine, 367:239
cysteine peptidase, 367:209
cysteine protease, 361:173, 361:613, 367:219, 368:905
cysteine proteinase, 363:493
cysteine residue, 365:685
cystic fibrosis, 361:537, 367:617
cystic fibrosis transmembrane conductance regulator (CFTR), 364:115, 366:541, 366:797
cytochalasin D, 363:117
cytochrome *c*, 367:169, 367:483, 368:915
cytochrome *c* oxidase (COX) deficiency, 363:321
cytochrome P450, 362:545, 364:555, 368:721
cytochrome P450 4A subfamily, 363:297
cytokine (*see also* inflammatory cytokine), 361:105, 363:581, 365:555
cytokine receptor, 366:145
cytomegalovirus, 367:895
cytosine deamination, 365:547
cytoskeleton, 361:153, 362:33, 363:599, 364:547, 364:841, 365:147, 365:337, 365:817, 367:57, 367:873, 368:405
cytosol, 367:295
cytosolic calcium, 368:817
cytosolic phospholipase A2, 366:937
cytotoxicity, 361:113, 365:133, 367:617, 367:801
cytotoxin, 362:553

daidzein, 367:203
database analysis, 366:323
Dbl family, 366:721
D-box interaction, 361:641
death receptor, 365:825
defensin, 361:221
degerin/epithelial Na^+ channel (ENaC), 361:443
dehydroepiandrosterone, 364:115, 364:165
dehydrogenase, 365:391
demineralized bone matrix (DBM) implants, 364:465
denitrification, 364:807
dense-core vesicle, 365:173
3-deoxyglucosone, 364:1, 364:15
1-deoxy-D-xylulose 5-phosphate, 366:573
dephospho-CoA kinase, 365:13
dephosphorylation, 364:145, 368:349
Δ^5 desaturase, 365:489
Δ^6 desaturase, 365:489
desferroxamine mesylate, 366:613
desmocollin, 362:317
desmoglein, 362:317
destrin, 365:147
desulphurase, 366:557
detergent, 367:505
detergent-resistant membrane, 363:365
detoxification, 364:563, 365:405, 366:817
development, 361:231, 365:833, 368:263
developmental regulation, 365:99
dexamethasone, 365:229
diabetes, 361:629, 362:643, 365:537, 366:633
diacylglycerol, 363:645, 365:577
diacylglycerol kinase (DGK), 368:809
diadenosine tetraphosphate, 366:929
diadenosine tetraphosphate hydrolase, 366:929
diagnostics, 365:165
diamide, 367:541
dicarboxylate transporter, 367:313
S-(1,2-dichlorovinyl)-L-cysteine, 368:253
1,4-dideoxy-1,4-imino-D-arabinitol, 367:443
differentiation, 365:561
diffusion, 363:521
difluoromethylornithine, 367:347
digitonin, 364:293
7,8-dihydrobiopterin, 362:733
dihydroceramide, 365:181
3,4-dihydroxyphenylalanine (dopa), 368:333
dileucine signal, 366:15
dimer, 367:703
dimerization, 362:317, 365:429, 368:799
5,5-dimethylpyrroline *N*-oxide (DMPO), 367:771
dinitrosyl iron complex, 368:633

© 2003 Biochemical Society

dinuclear zinc enzyme, 363:687
dipeptidase, 361:613
dipeptidyl peptidase-I, 366:521
dipeptidyl peptidase IV (DPP IV), 367:913
directed evolution, 368:461
disease, 368:377
dissociation constant, 363:825, 365:165
dissociation kinetics, 362:231
distal mutant, 363:571
disulphide bond, 367:703
disulphide S-oxides, 364:579
dithiothreitol oxidation, 367:255
dityrosine, 365:897
DNA, 363:305
DnaA, 362:395
DnaA oligomerization, 365:881
DNA binding, 361:87, 362:41, 366:315
DNA-binding domain, 361:97
DNA damage, 365:605
DNA-dependent protein kinase (DNA-PK), 368:507
DNA double-strand break repair, 364:869, 368:243
DNA helicase, 364:857
DNA-intercalating drug, 368:131
DNA intercalator, 366:653
DNA polymerase β, 361:317
DNA primer–template duplex, 361:317
DNA repair, 365:833
DNA replication, 362:395, 365:881
DNA synthesis, 368:183
docking domain, 368:939
docosahexaenoic acid, 364:49
domain deletion, 367:229
domain swapping, 365:739
dopa, 368:333
dopa methyl ester, 368:333
dopamine, 368:333
dopamine β-mono-oxygenase, 363:677
double-stranded RNA, 366:175
down-regulation, 368:349
Down-Syndrome cell-adhesion molecule (Dscam), 366:73
DPYD, 364:157
drug-binding site, 363:223
drug design, 361:437
drug discovery, 366:977
drug metabolism, 366:847
drug resistance, 367:741, 368:761
drug target, 367:321
DSCR1L1, 367:459
Dsk1 protein kinase, 368:527
DsRed, 368:17
DT40 cells, 365:659
dTMP kinase, 363:825
dual-luciferase assay, 361:337
dual-specificity phosphatase, 361:143
dynamic complex, 367:865
dynamic light-scattering, 364:849
dynein, 364:669
α-dystroglycan, 361:153

early response gene, 361:431
E-box, 362:199
E-cadherin, 363:253
ecdysone, 366:921
ecdysone model, 362:305
ecdysteroid, 361:327
ecto-adenosine deaminase, 367:121
ectoenzyme, 362:191
ecto-nucleotidase, 367:121
ecto-nucleotide kinase, 367:121
ectopeptidase, 364:719
E2F, 368:283
efflux pump, 367:279
EF-hand, 367:263
eicosanoid, 365:489, 366:901
ELD/OSA, 364:255
electron microscopy, 361:87, 364:403, 366:343
electron spectroscopic imaging, 365:343
electron transport chain, 368:545
electrophoresis, 363:329
electrophoretic mobility-shift assay (EMSA), 362:609, 368:203
electrospray ionization, 365:857
electrospray ionization (ESI) MS, 363:281
electrostatic interactions, 367:857
β-elimination, 363:745
ELISA, 368:81
elongation, 367:525
elongation factor-2, 367:601
embryo implantation, 364:669
embryonic development, 366:481
emopamil, 367:587
enantioconvergence, 366:471
enantioselectivity, 366:471
endocannabinoid, 366:137
endocrine disrupting chemical, 365:1
endocytosis, 362:553, 362:597, 363:737, 366:393, 366:689, 368:29, 368:111, 368:845
endoglucanase, 365:193
endopeptidase, 362:659
endoplasmic reticulum, 363:117, 363:365, 366:787
endoplasmic reticulum-associated degradation, 366:797
endosome, 363:417, 364:265
endothelial cell, 362:155
endothelial differentiation gene (Edg) receptor, 362:349
endothelial nitric oxide synthase (eNOS) (*see also* nitric oxide synthase), 361:193
endothelial permeability, 361:193, 367:873
endothelin-1, 365:757
endothelium, 361:193
endotoxin shock, 363:581
energy metabolism, 364:349, 367:369
energy transfer, 365:429
enhanceosome, 361:391
enhancer, 367:641
enhancer element, 362:693
enkephalin, 363:697
enterochromaffin cells, 365:873
enterocyte, 367:653
enteroendocrine, 366:633
enthalpy, 364:635
entropy, 364:635
envelope processing, 366:863
enzyme, 366:323, 368:377
enzyme activation, 365:471, 366:883, 367:77
enzyme inactivation, 368:865
enzyme induction, 362:401
enzyme inhibition, 366:281
enzyme inhibitor, 363:81, 367:329
enzyme kinetics, 361:613, 362:685, 365:19, 365:701
enzyme latency, 367:505
enzyme mechanism, 363:493, 365:701
enzyme purification, 366:471
enzyme transport, 361:505
epidermal growth factor (EGF), 363:347, 366:393
epidermal growth factor (EGF) repeats, 364:137
epidermal growth factor-like repeat, 363:633
epididymal retinoic acid-binding protein, 362:265
epididymis, 368:233
epilepsy, 361:437
epithelial cancer, 363:253
epithelial cell, 364:105, 366:729, 368:49
epithelial Na^+ channel (ENaC), 361:481
epithelium, 368:471, 368:611
epitope, 366:353
epitope map, 361:547
epoxy fatty acids, 366:471
EPR, 362:733, 363:817, 364:659, 367:771
E-protein dimerization, 361:641
ERG6, 368:131
ERM (ezrin-radixin-moesin) proteins, 364:265
erythrocyte, 362:741
erythropoiesis, 363:449
Escherichia coli, 362:453, 367:491
esterase, 365:649
ethanol, 362:247
ethanolamine, 367:321
ethanolamine kinase, 363:777
ethyl ferulate, 363:377
etomoxir, 364:219
etoposide, 367:307
eukaryotic initiation factor β (eIF2β) mutations, 367:359
eukaryotic initiation factor (eIF) 4E, 362:539
Evi9/Bcl11a, 368:555
evolution, 364:555, 364:817, 365:193, 366:367, 367:129
exocrine pancreas, 362:259
exocytosis, 362:273, 364:343, 365:173, 366:1, 368:223, 368:405
exonuclease, 365:547
exosite, 363:411
expression, 366:767
expression analysis, 366:471
extracellular matrix, 361:153, 361:231, 362:41, 362:693, 364:739, 368:377
extracellular-signal-regulated kinase (ERK), 363:183, 363:273, 363:717, 366:57, 366:501, 366:737, 367:549, 367:751
eye, 366:511

factor inhibiting hypoxia-inducible factor-1 (FIH-1), 367:571
falcipain, 368:273
family 32, 362:131
fa mutation, 362:113
farnesylation, 366:501
farnesylcysteine, 367:809
faslodex, 365:707
fatty acid, 363:645
$n-3$ fatty acid, 364:49
fatty acid, 364:423, 364:687, 366:839, 367:889
fatty acid activation, 365:577
fatty acid binding, 363:223
fatty acid-binding protein, 363:809
fatty acid biosynthesis, 364:385
fatty acid β-oxidation, 362:755
fatty acid carrier, 364:725
fatty acid desaturase inhibitor, 365:489
$n-6$ fatty acid desaturation, 368:57
fatty acid hydroperoxide, 365:865
fatty acid metabolism, 361:417, 367:561
fatty acid oxidation, 364:219
fatty acid probe, 363:809
fatty acid synthesis, 361:391

© 2003 Biochemical Society

fatty acid translocase (FAT)/CD36, 367:881
FcR γ-chain, 368:293
Fenton, 365:639
ferrichrome, 368:641
ferrioxamine B, 368:641
ferritin, 365:127
ferritin-binding protein, 365:279
ferrochelatase assay, 362:423
ferrous iron, 368:517
fetal lung fibroblast, 363:19
F_1–IF_1 complex, 362:165
F_1F_0-ATPase, 362:165
FhuA, 367:393
fibrillin, 367:715
fibrinogenolysis, 364:403
fibroblast growth factor receptor, 366:235
fibrogenesis, 368:695
fibronectin, 364:739, 367:715
fibronectin-binding protein, 367:393
fibronectin-recombinant polypeptide, 363:201
fibrosis, 362:643
filter-binding assay, 363:305
flavin semiquinone, 365:521
flavonoid, 364:121, 366:901
flavoprotein, 365:391, 367:19
flexibility, 362:539
flippase, 363:365, 365:259
flow cytometry, 367:347, 368:111
fluorescence, 362:137
fluorescence measurement, 367:857
fluorescence recording, 363:809
fluorescence recovery after photobleaching (FRAP), 362:289, 367:137
fluorescence resonance energy transfer (FRET), 366:565
fluorescent marker, 368:91
fluorescent peptide, 368:365
fluorescent probe, 365:897, 366:825
fluorogenic substrate, 368:365
5-fluorouracil, 364:157
FM3A cell, 363:761
foam cell, 364:507
focal adhesion, 362:761
folding, 362:259, 367:703
forkhead, 366:377
formal potential, 362:281
Fos, 368:573
free radical, 361:57, 365:461, 365:605, 366:203
fructation, 368:865
fructosamine, 364:1
fructose, 367:533
fructose-1,6-bisphosphatase, 368:301
fructoselysine, 365:801
fungal enzyme, 368:589
fura-2, 364:235
Fusarium mycotoxin, 365:1
fusel alcohol, 361:163
fusion, 363:73
fusion energy, 365:841

G_1 arrest, 366:613
$GABA_B$ receptor, 365:329
Gal4p, 363:515
galactose, 363:515, 364:587, 367:817
gastric ulcer, 368:121
GC box, 367:641
GC-rich promoter, 366:873
GDP dissociation inhibitor (GDI), 361:243, 362:651
GDP-mannose, 363:437, 365:441
gelatinase-A, 364:227
geldanamycin, 362:675
gel-forming mucin, 363:589
gene amplification, 362:329
gene expression, 363:515, 363:777, 365:323, 365:481, 366:289, 366:757, 368:263, 368:415, 368:683
gene expression regulation, 363:81
gene organization, 368:753
general acid/base, 365:857
general secretory pathway, 367:865
gene regulation, 363:377, 364:413, 364:563, 365:555, 367:97, 367:641, 368:695, 368:741
gene structure, 365:323, 365:355
gene therapy, 366:333
gene transcription, 362:693, 365:537, 366:157
genomic structure, 365:213
germination, 362:659, 367:491
ghost cell, 368:865
G_i/G_o, 364:33
glaucoma, 361:437
Glc7 protein phosphatase, 365:51
glial cell, 367:369
glioma, 363:183, 363:195
glucagon analogue, 362:389
glucocorticoid, 362:113
glucokinase, 366:377
gluconeogenesis, 362:513, 365:391, 366:377
glucose, 364:1, 364:15, 364:309, 368:397, 368:923
glucose analogue, 367:443
glucose-dependent insulinotropic polypeptide analogues, 367:913
glucose deprivation, 367:179
glucose induction, 368:657
glucose metabolism, 368:931
glucose-6-phosphatase, 368:301
glucose 6-phosphate, 362:513
glucose 6-phosphate transporter, 367:505
glucose repression, 365:629, 368:657
glucose signalling, 364:201
glucose-stimulated insulin secretion, 364:219
glucose transport, 362:413
glucose transporter, 363:243
glucose transporter 2, 367:247
glucosyltransferase, 366:225
glucuronidation, 365:213, 368:783
GLUT-1, 362:413
GLUT1 structure, 365:707
GLUT2, 364:201
glutamate, 363:29
glutamate/aspartate transporter (GLAST), 367:107
glutamate–cysteine ligase, 362:51
glutamate cysteine ligase), 365:405
glutamate dehydrogenase, 368:301
glutamate transport, 367:107
glutaminase, 368:301
glutamine, 364:309
glutamine synthetase enzyme, 367:255
glutaric acidaemia type 2, 364:659
glutathione, 363:833, 364:617, 364:679, 365:849
glutathione conjugation, 366:817
glutathione peroxidase-1 (GPx-1), 367:729
glutathione S-conjugate export pump, 361:497
glutathione S-transferase (GST), 363:189
glutathione S-transferase (GST) purification, 366:45
glutathione synthesis, 363:833
glutathione transferase gene, 366:323
gluthathione S-transferase (GST) peroxidase activity, 362:329
glycation, 364:15, 365:801
glycerol 3-phosphate, 365:471
glycogen, 362:513, 364:361
glycogen storage disease, 362:513
glycogen synthase, 368:309
glycogen synthase kinase 3, 367:475
glycogen synthesis, 368:309
glycohydrolase, 362:259
glycolipid, 368:317
glycolipid receptor, 368:769
glycolysis, 365:223, 366:63, 368:283
glycolytic muscle, 368:341
glycophosphatidylinositol (GPI) anchor, 362:433
glycoprotein, 364:65
glycoprotein biosynthesis, 365:239
glycoprotein structure, 364:485
glycoprotein VI, 368:293
glycosaminoglycan, 366:235, 366:435, 366:481, 366:491
glycosaminoglycan (GAG), 368:81
glycoside hydrolase, 368:23
glycosylase, 365:833
glycosylase inhibitor, 365:547
glycosylasparaginase, 364:129
N-glycosylation, 362:491
glycosylation, 363:457, 364:485, 366:511
glycosylphosphatidylinositol (GPI), 366:281
glycosylphosphatidylinositol (GPI)-specific phospholipase C, 364:211
glycosyl transferase, 363:335, 363:437
glycosyltransferase, 365:213
glycosynthon, 368:111
glyoxal, 364:1, 364:15
Golgi, 361:653, 362:359
Golgi apparatus, 365:239
Golgi complex membrane traffic, 366:15
G-protein, 363:289, 365:429, 365:677
G-protein βγ subunits, 365:157
G-protein-coupled receptor, 361:515, 363:183, 364:817, 367:549, 368:665
G_q, 364:33
Gram-negative bacteria, 365:205
Gram-positive bacteria, 366:929
granin, 361:67
granule pathway, 361:587
green fluorescent protein (GFP), 368:17
green tea extract, 368:695
Griscelli syndrome, 366:681
growth factor, 362:643, 363:211, 365:119
growth-inhibitory factor, 365:323
growth regulation, 367:549
GSH metabolism, 366:45
GTP binding, 362:651
GTP-binding protein (*see also* small GTP-binding protein), 365:349
GTP-binding protein, 367:617
guanine-nucleotide exchange factor, 366:721
guanylate transferase, 368:159

HA-1077, 364:431
haem, 365:521
d_1 haem, 366:883
haemoglobin, 365:801, 368:273
haemolytic uraemic syndrome, 368:769
haemozoin, 365:343
haem protein, 363:571
half-cystine pairing, 361:409
halogenated alkene, 368:253
halophilic archaea, 366:959
HbA_{1c}, 365:801

© 2003 Biochemical Society

HcRed, 368:17
heart, 361:49, 368:101, 368:545
heat-shock cognate protein of 70 kDa (Hsc70), 364:343
heavy meromyosin (HMM), 365:19
HEK-293 cell, 368:69
helical kink, 368:171
heparan sulphate, 366:235, 366:481
heparan sulphate proteoglycan, 363:201, 364:265
heparin, 368:81
heparin binding, 362:213
hepatic cell, 364:449
hepatic fibrogenesis, 368:683
hepatocyte, 361:605, 364:275
hepatocyte nuclear factor 3γ (HNF3γ), 368:931
HepG2 cell, 368:69
HepG2 cells, 367:641
heptasaccharide repeating unit, 363:7
heterogeneous nuclear ribonucleoprotein (hnRNP) D, 363:127
heterologous expression, 364:285
heteromeric amino acid transporter, 364:767
heterotrimeric G-protein, 362:725
hexagonal phase, 366:333
hexa-histidine, 368:605
hexamethylenebisacetamide, 363:529
hexose transport, 367:247
high-throughput screening, 366:977
histamine, 365:451
histidine epitope tag, 368:605
HIV, 361:557, 368:325
HL-60 cell line, 366:109
homeodomain, 366:367
homodimer, 367:49
homologous recombination, 364:869
homology modelling, 365:193, 366:35, 366:405
hormonal regulation, 361:327
hormone-sensitive lipase, 364:369
horseradish peroxidase, 363:571
HPLC–ESR, 361:57
human cationic amino acid transporter (hCAT), 364:767
human chorionic gonadotropin (hCG), 364:485
human platelet, 365:79
human umbilical-vein endothelial cells (HUVEC), 365:897
hyaluronan, 365:701
hyaluronidase, 365:317
hybrid calpain, 367:263
hybrid enzyme, 368:461
hydatidosis, 362:297
hydrazine, 365:809
hydrodynamic bead modelling, 364:849
hydrogen peroxide, 361:681
hydroperoxide metabolism, 364:787
hydrophobic, 366:225
hydrophobic amino acid residues, 365:881
hydrophobic binding site, 367:849
hydroxyapatite, 366:565
7-hydroxycoumarin, 363:809
ω-hydroxylation, 363:297
hydroxylinoleate, 363:753
hydroxyl radical, 365:639
5-hydroxymethylfurfural, 363:769
4-hydroxynonenal, 366:45
hydroxysteroid, 364:165
hydroxytrimethyl-lysine, 361:417
hyperammonaemia, 363:81
hyperinsulinism, 363:81
hyperthermophile, 368:357
hypertonic, 368:137
hypochlorite, 365:605
hypolipidaemic agent, 366:109
hypomineralization, 361:473
hypotonic shock, 363:117
hypoxia, 362:71, 362:561, 365:223, 367:179, 367:571
hypoxia-inducible factor-1, 364:413
hypoxia-inducible gene, 362:71
hypusine, 363:761

IgE-binding epitope, 363:707
IgG catabolism, 367:703
imaginal disc, 367:187
imino sugar, 366:225
immediate early gene, 368:101
immortalization, 365:765
immunoaffinity chromatography, 366:217
immunoelectron microscopy, 363:657
immunogold, 363:657
immunohistochemistry, 366:353
immunohistology, 362:213
immunophilin, 361:401
immunoreceptor tyrosine-based activation motif (ITAM), 364:755
immunosuppressant, 366:255
inactivation, 365:865
indicator, 362:137
inducible expression, 368:885
inflammation, 363:581, 365:279, 365:505, 365:561, 367:403, 368:415, 368:495, 368:665
inflammatory cytokine, 361:363
inherited disorder, 367:195
inhibition, 365:809
inhibitor, 361:1, 361:347, 366:225, 366:653, 368:789
inhibitor of apoptosis protein (IAP), 366:595
inhibitory κB (IκB), 361:489
inhibitory phosphorylation, 365:79
innate immunity, 361:221, 368:91
inositol 1,3,4,5,6-pentakisphosphate, 366:549
inositol biosynthesis, 361:385
inositol polyphosphate, 362:297
inositol 1,4,5-trisphosphate, 365:269, 365:295
inositol 1,4,5-trisphosphate receptor, 363:59
Ins(1,4,5)P_3 receptor ($InsP_3R$), 361:401
insect development, 367:187
in situ hybridization, 361:211, 368:145
$InsP_3$-binding domain, 367:113
$InsP_3$ receptor subtype, 367:113
InsP_3, 367:137
insulin, 362:273, 362:665, 364:687, 365:223, 366:737
insulin-like growth factor, 363:37
insulin-like growth factor binding protein, 367:31
insulin-like growth factor I (IGFI), 366:57
insulin receptor substrate (IRS), 368:875
insulin resistance, 367:677
insulin secretion, 367:913
insulin signal transduction, 367:301
integrated signalling, 362:199
integration, 361:557
integrin, 361:203, 362:761, 365:287, 365:591, 368:1
integrin $\alpha5\beta1$, 363:201
integrin αIIb-$\beta3$, 363:717
interfacial activation, 361:119
interfering RNA, 367:179
interferon, 365:127, 365:355, 366:175
interleukin-1, 362:465
interleukin-1β, 362:367
interleukin-2, 363:175
intermolecular autocatalytic reaction, 368:947
internal ribosome entry site, 363:37
intestinal fatty acid-binding protein, 365:165
intestinal localization, 365:99
intestinal transport, 367:247
intestine, 366:633
intracellular calcium, 362:701
intracellular calcium store, 363:59
intracellular domain, 364:777
intracellular messenger-activated non-selective cation channel, 364:641
intracellular signalling, 366:299
intracellular traffic, 362:553
intracellular transport, 361:473, 362:259, 362:597
inulin degradation, 362:131
invertebrate, 361:221
in vivo activity, 367:57
ionic strength, 361:243
ion-pair, 363:493
iron, 364:613, 365:865
iron biomineralization, 364:57
iron(III)tetrakis(4-benzoic acid)porphyrin (FeTBAP), 367:729
iron protoporphyrin IX, 362:239
iron responsive element, 363:449
iron stress, 366:315
iron–sulphur cluster, 364:659, 366:557
iron–sulphur protein, 368:633
iron transport, 368:641
iron-uptake assay, 368:641
ischaemia, 362:561
ischaemia/reperfusion, 362:507
islet, 366:633, 368:223
isoaspartyl dipeptidase, 364:129
isoenzyme, 368:799
isoflavone, 366:531
isoform, 361:125, 363:777, 365:669, 366:603, 368:673
isomerization reaction, 367:587
isopentenyl diphosphate isomerase, 366:573
isopeptidase, 367:87
isoprenaline, 367:301
isoprenylation, 366:959
isothermal titration calorimetry (ITC), 361:27, 363:341
isothiocyanate, 364:301

Jak/STAT, 361:105
Janus kinase (Jak) association, 361:105
jasplakinolide, 364:547
c-Jun, 363:175
Jun, 368:573
junction, 361:193
c-Jun N-terminal kinase (JNK), 361:143, 366:737, 367:549
Jurkat cell, 362:573
Jurkat T-lymphocyte, 368:817
juvenile hormone, 366:921

kallikrein, 366:435
K^+ channel (*see* potassium channel)
ketogenesis, 366:289
kidney androgen-regulated protein (KAP), 366:757
kinase inhibitor, 363:95
kinetic mechanism, 363:403, 363:825
kinetics, 361:385, 366:965, 367:157
Kinetoplastida, 364:679
knock-out mice, 364:115

© 2003 Biochemical Society

knockout mouse, 362:125
kringle domain, 365:379

β-lactam, 361:635, 365:303
β-lactamase family, 363:687
lactate mitochondrial transport, 364:101
lactate mitochondrial uptake, 364:101
lactate/pyruvate antiporter, 364:101
lactation, 364:105
lactic acid bacteria, 363:7
lacto-*N*-tetraose, 367:653
lactose hydrolysis, 368:461
laminin, 361:153, 367:715
laminin α chain, 362:213
lanosterol, 367:587
large dense-core granule, 363:73
larynx, 363:589
laser scanning cytometry, 361:505
late endosome, 365:721
learning and memory, 364:593
lectin, 364:587, 365:89, 368:111
lectin-combining sites, 367:653
leptin, 367:677
leptin receptor signalling, 364:875
leptomycin B, 361:505, 365:181
Lesch–Nyhan disease, 366:265
leucine-rich repeat, 366:353
leucine-rich repeat protein, 363:137
leucine zipper, 366:79
leucocyte, 367:467
leukaemia, 368:555
leukotriene, 361:267, 361:505
leukotriene B_4, 366:937
leukotriene D_4, 365:157
levan, 362:131
life span, 367:313
ligand binding, 365:57, 366:643
ligand recognition, 367:113
ligand selectivity, 361:515
ligand switching, 366:883
ligase, 364:679
light-harvesting chlorophyll protein (LHCP), 368:777
lignin metabolism, 361:163
limited proteolysis, 365:311
LIM kinase, 364:547
linker for activation of T cells (LAT), 364:755
link protein, 362:473
α-linolenic acid, 364:49
lipid, 367:561
lipid accumulation, 364:385
lipid analysis, 367:287
lipid asymmetry, 362:741, 365:259
lipid-binding protein, 364:725
lipid domain, 363:657
lipid metabolism, 363:483, 366:23, 367:433, 368:679
lipidosis, 367:499
lipid oxidation, 363:753
lipid peroxidation, 361:57, 366:45
lipid phase, 363:45
lipid raft, 363:365
lipid traffic, 366:23
lipid transport, 362:741
lipid transporter, 367:279
lipid transport protein, 366:23
lipoamide, 364:617
lipoarabinomannan, 363:437, 365:89, 365:441
lipocalin, 362:265
lipogenesis, 361:391, 364:361
lipomannan, 363:437
lipoplex, 366:333
lipopolysaccharide (LPS), 363:105, 365:127, 368:121
lipoprotein, 362:81, 363:753
lipoprotein(a), 366:157
liposome, 368:91
lipoxygenase, 362:413
Lith gene, 361:673
lithium, 361:385
liver, 364:201, 368:203
liver cell, 365:555
liver microsome, 366:109
liver X receptor, 368:855
localization, 363:657
loop insertion, 363:403
loop-like conformation, 368:171
low-density lipoprotein receptor, 366:531
low-density-lipoprotein-receptor-related protein (LRP), 367:687
low oxygen tension, 364:449
low pH responsive element, 367:67
lung, 364:537
LY 294002, 368:565, 368:827
lymphoid, 366:447
lysophosphatidylcholine, 365:617
lysosomal disease, 364:747
lysosomal storage disease, 367:499
lysosome, 362:709, 363:417

macrophage, 362:155, 363:89, 364:329, 364:507, 366:689
macropinocytosis, 368:29
magnesium, 361:385, 368:137
magnetic circular dichroism, 364:807
maitotoxin, 363:117
malaria, 363:833, 368:923
malfolded protein response, 366:787
malondialdehyde, 364:711
mammalian target of rapamycin (mTOR), 367:475
mammary gland, 367:271
manganese, 362:253
manganese enzyme, 366:423
manganese inflow, 363:117
mannose, 367:817
mannose 6-phosphate, 368:845
mannosidase activity, 362:491
O-mannosylated protein, 361:153
mannosyltransferase, 365:441, 367:195
MAPK-activated protein kinase 2 (MAPKAP-K2), 366:737
MAPK/ERK kinase 5 (MEK5) (*see also* mitogen-activated protein kinase), 366:673
mass spectrometry (*see also* electrospray ionization MS, matrix-assisted laser desorption ionization–time of flight MS, tandem MS), 361:409, 362:481, 362:627, 363:105, 363:223, 363:619, 366:405, 366:777, 367:609
mastoparan, 363:289
matrilysin-2, 363:253
matrix, 362:643
matrix-assisted laser desorption ionization (MALDI), 362:173
matrix-assisted laser desorption ionization–time-of-flight (MALDI-TOF) MS, 362:155, 363:619
matrix metalloproteinase (MMP), 362:465, 362:627, 363:67, 366:807
maturity-onset diabetes of the young, 365:223
MCF-7 cells, 365:513
mechanosensation, 361:443
mechanotransduction, 361:443
melanization, 368:333
melanoma, 361:173
membrane, 361:119, 362:1, 364:795, 365:783, 368:41, 368:865
membrane fatty acid transporter, 367:881
membrane fusion, 366:1, 368:29
membrane insertion, 365:471
membrane integration, 365:693
membrane interaction, 363:563
membrane protein, 364:527, 364:613, 364:777, 365:721, 365:841, 368:895
membrane raft, 364:755
membrane remodelling, 367:137
membrane-surface expression, 363:473
membrane topology, 362:545, 368:721
membrane traffic, 365:173
membrane trafficking, 366:681
membrane translocation, 367:849
membrane transport, 362:507, 367:347, 367:533
membrane transporter, 367:561
membrane type 1 matrix metalloproteinase (MT1 MMP), 363:67
menin, 365:873
mesangial cell, 367:97
mesenchymal stem cell, 364:329
metabolic control, 364:385
metabolic control analysis, 367:41
metabolic control design, 367:41
metabolic regulation, 363:167
metabolic stress, 365:629
metabolic zonation, 365:223
metabolism, 365:561
metabotropic glutamate receptor, 365:329
metachromatic leucodystrophy, 368:845
metachromatic leukodystrophy, 367:499
metal, 362:119, 363:431
metal-catalysed oxidation, 367:255
metal ion, 361:547
metal ion homoeostasis and toxicity, 367:239
metallopeptidase, 363:697
metalloprotease, 367:761
metalloproteinase (*see also* matrix metalloproteinase), 363:253
metarhodopsin, 363:359
metastable–labile limit, 362:105
metastable zone, 362:105
metastasis, 363:137, 367:653
methaemoglobin, 362:239
methane mono-oxygenase, 363:677
methionine, 367:239
methionine metabolism, 361:307
methotrexate, 367:629
methylammonium permease, 364:527
2-*C*-methyl-D-erythritol 4-phosphate, 366:573
methylglyoxal, 364:1, 364:15, 364:711
methylglyoxal pathway, 365:391
methyl ketone, 364:25
metzincin, 367:31
mevalonic acid, 366:573
M16 family, 367:229
MG132, 368:565
MHC, 361:489
micelle-bound peptide fold, 368:171
microarray, 366:585
microcephaly, 367:195
microglia, 368:845
microinjection, 364:649
microsomal triacylglycerol transfer protein, 366:531
microtubule, 363:195, 367:137
microtubule-associated protein, 364:669
microtubule protein, 365:889
Mifl, 367:723

© 2003 Biochemical Society

missense mutation, 361:473
mitochondrial membrane potential, 368:817
mitochondrial outer membrane, 368:915
mitochondrial processing peptidase, 367:31
mitochondrial respiration, 368:341
mitochondrial swelling, 364:317
mitochondrial thiolase, 362:755
mitochondrial toxicity, 368:253
mitochondrion, 362:23, 362:137, 362:165, 362:635, 363:321, 363:547, 364:833, 365:249, 366:45, 366:129, 366:137, 367:321, 368:545
mitogen, 366:491
mitogen-activated protein (MAP kinase), 361:143, 361:621, 362:33, 362:305, 362:367, 363:211, 365:119, 366:165, 366:673, 368:101, 368:573
mitogenesis, 365:119
mitoplast channel, 368:817
ML-9, 364:431
molar volume change, 366:643
molecular chaperone, 364:857
molecular evolution, 363:609
molecular modelling, 363:609, 365:379, 366:343
molecular recognition, 361:317
molybdenum, 362:223
molybdoenzyme, 363:817
molybdopterin guanine dinucleotide, 363:817
mono-ADP-ribosyltransferase, 367:825
monoclonal antibody, 362:585, 367:801
monocyte chemotactic protein-1, 366:299
monomeric intermediate, 361:307
mono-oxygenation, 367:77
Mössbauer spectroscopy, 364:57, 365:343
motility, 362:443, 365:591
moult, 366:921
mouse, 364:81, 366:817, 367:703
mRNA, 361:689, 368:301
mRNA alternative splicing, 361:461
mRNA capping, 368:159
mRNA localization, 365:417, 365:817
mRNA stability, 363:449, 366:709
mRNA stabilization, 361:125
mRNA transcription, 367:833
mRNA translation, 367:475, 367:525
mRNA transport, 365:817
MS (*see* mass spectrometry)
mSin3A, 366:873
MSS4, 366:945
M13 subfamily, 363:697
mucin, 366:511, 368:41
mucosal gland, 364:191
mucosal immunity, 368:611
mucus, 362:289
multidrug resistance-associated protein-1 (MRP-1), 364:301
multispecific organic anion transporter B, 361:497
multi-subunit complex, 362:199
muscarinic receptor, 366:745
muscle contraction, 367:517
muscle wasting, 361:185
muscular hypotonia, 367:195
mutagenesis, 361:663, 362:281, 362:749, 363:745, 367:601, 367:841
mutant, 363:521, 364:587
mutation, 367:741
mutational analysis, 362:453
MutS ATPase, 361:87
myc, 365:765
mycobacterium, 363:305, 363:437, 367:279
myelin basic protein, 367:369
myeloperoxidase, 365:605, 367:467
myocardial ischaemia, 362:23
myocyte, 362:665
MyoD, 362:199
myofibroblast-like cell, 368:683
myogenesis, 361:621
myosin, 365:19
myosin dephosphorylation, 366:211
myosin II, 368:809
myosin II heavy chain kinase (MHCK), 368:809
myosin light-chain kinase, 364:431
myosin phosphatase, 366:211
myosin phosphorylation, 364:431
myotoxin, 362:89

Na^+/Ca^{2+} exchanger, 364:235
NAD^+, 361:379
NAD, 366:265, 367:163, 368:517
NADH, 361:379
NADP, 367:163
NADPH, 364:349
NAD(P)H autofluorescence, 368:817
NAD(P)H-induced conformational change, 361:577
NapC/NirT family, 368:425
native gel electrophoresis, 361:87
natural products, 362:685
natural resistance associated macrophage protein (Nramp), 363:449
Neisseria meningitidis, 364:613
nematode, 361:221
neoepitope, 364:181
nephropathy, 362:643
neurodegeneration, 362:253, 362:459
neurodegenerative, 366:97
neurofibromatosis 2, 365:783
neurogenesis, 361:621
neurological deficit, 366:265
neuromedin B, 366:521
neuron, 363:599
neuropeptide, 361:67, 366:521, 368:665
neuropeptide inactivation, 363:697
Neurospora crassa, 364:833
neutrophil, 362:725, 366:87, 366:689
neutrophil collagenase, 367:451
NF-Y, 364:571
N-glycosylation, 367:195
nicotinamide–adenine dinucleotide, 367:163
Niemann–Pick disease, 362:183
NitFhit, 365:731
nitric oxide (NO), 363:29, 363:89, 364:767, 366:137, 366:165, 366:203, 368:633
nitric oxide synthase, 364:211
nitrilase, 365:731
nitrite, 367:467
nitrite reductase, 366:883
nitrosative stress, 366:97
3-nitrotyrosine, 367:467
N-linked glycosylation, 364:497
NMN-adenylyltransferase, 367:163
NMR, 361:41, 363:7, 363:243, 363:457, 363:553, 366:415, 368:721
NMR spectroscopy, 364:725, 368:483
nociception, 361:443
non-AUG recognition, 367:359
non-homologous end-joining, 368:243
non-inhibitory serpin, 363:403
non-ionic detergent, 366:245
noradrenaline, 364:73
Notch, 363:633
novel isoform, 361:255
Nr-13, 368:213
Nramp, 363:449
^{15}N relaxation, 364:725
N-terminal, 365:881
N-terminal domain of tissue inhibitor of metalloproteinases (TIMP)-3, 364:227
N-terminal nucleophile hydrolase, 364:129
NTPase, 363:147
nuclear envelope, 362:675
nuclear export, 365:181
nuclear factor κB (NF-κB), 361:363, 363:273, 367:729
nuclear factor-Y, 363:53, 366:447
nuclear hormone receptor, 362:573, 364:475, 366:767
nuclear import kinetics, 361:287
nuclear localization, 366:491
nuclear localization sequence, 361:287
nuclear localization signal, 361:489, 366:549
nuclear protein, 366:367, 367:87
nuclear receptor, 362:173, 365:223, 365:481, 366:901, 367:907
nuclear 3,3′,5-tri-iodothyronine (T3) receptor, 361:391
nucleocytoplasmic transport, 362:675
nucleophile, 365:857
nucleoside analogue, 367:381, 368:325
nucleoside diphosphate kinase, 366:807
nucleosome, 368:611
nucleotide-binding domain 2 (NBD2), 366:541
nucleotide specificity, 363:825
nucleus, 366:549
nur77, 367:723
nutrient regulation, 364:201

obese diabetic (*ob/ob*) mice, 367:913
obesity, 361:629, 367:677
Obg-like protein, 362:579
occludin, 367:873
occluding loop, 361:613
ODN family, 362:579
oestradiol, 365:707, 368:783
β-oestradiol, 364:115
oestrogenic, 365:1
oestrogen receptor, 361:125
oestrogen responsive element, 366:165
O-glycan, 363:457
O-glycosylation, 367:609
oil fruit, 364:385
oil mutant, 365:577
oil palm (*Elaeis guineensis* Jacq.), 364:393
oleate, 364:309
oleate desaturation, 368:57
oleate response element (ORE) consensus, 365:109
oleic acid, 367:329
olfaction, 365:739
oligomer, 367:107, 367:801
oligomeric protein, 363:329
oligomerization, 363:547, 366:423, 368:555
oligomycin, 367:179
oligosaccharide, 363:137, 363:457
O-linked oligosaccharide, 366:511
olive (*Olea europaea L.*), 364:393
OmpF porin, 363:521
oncogene, 363:431
oncotrophoblast antigen, 363:137
on-line HPLC/ESR, 363:281
oocyte, 368:923

© 2003 Biochemical Society

operon, 361:221
opioid, 365:429
opsin, 363:359, 367:129
optical biosensor, 366:235
Orchestia cavimana, 361:327
organic anion, 361:673
organic cation, 361:673
origin binding, 362:395
ornithine decarboxylase, 362:149
orphan receptor, 361:391
oscillatory dynamics, 368:433
osteoarthritis, 362:367, 367:209
osteoblast, 364:329
osteoclast, 364:329
osteopontin, 364:465
ovary, 366:367
overexpression, 368:589
overlapping promoter, 368:835
overlay, 362:499
oxalic acid, 367:67
oxidation, 362:239, 367:107
β-oxidation, 363:801, 367:433
oxidative damage, 365:461
oxidative decarboxylation of pyruvate, 366:129
oxidative muscle, 368:341
oxidative phosphorylation, 364:317, 365:417
oxidative stress, 361:525, 362:401, 362:507, 363:483, 363:833, 364:349, 364:579, 364:617, 365:897, 366:97, 366:203, 367:541, 368:761
oxidized phospholipid, 365:649
oxidized protein, 366:825
μ-oxo bishaem, 362:239
oxyanion, 362:339
oxygen, 364:537
oxygenase, 367:571
oxygen consumption, 364:309
oxygen induction, 368:57
oxygen sensing, 367:571
oxygen sensitivity, 364:807
oxysterol, 364:475

$p16^{INK4a}$, 365:765
p21-activated protein kinase, 368:947
$p21^{WAF1/CIP1}$, 362:635
p38, 361:143, 367:525
p53, 362:635, 365:765, 366:613
p53 cleavage, 364:881
pair correlation, 366:343
pair-rule gene, 363:633
palmitate, 364:309
palmitoyloleoyl phosphatidylcholine, 366:245
pancreas, 364:219, 366:633
paracellular permeability, 368:471
Paracentrotus lividus, 365:833
parallel binding, 361:317
parasite, 364:703
parotid acinar cell, 366:745
parvin, 363:233
paxillin, 365:591
PC-3 prostate cancer cell, 366:831
PCR, 368:621
PDZ domain, 361:443, 368:1
pectin digest, 367:511
pectin methylesterase, 367:511
pentose phosphate pathway, 364:349
peptidase, 367:187
peptide antibody, 362:545
peptide library, 367:393
peptide mapping, 365:857
peptide mass fingerprinting, 363:105
peptide processing, 361:67
peptide substrate, 366:977
peptidimer, 363:717
peptidyl-chloromethane, 366:953
peptidyl-diazomethane, 366:953
perfusion chamber, 364:65
perinuclear compartment, 364:497
peripherin-2, 368:649
periplasmic nitrate reductase, 368:425
peroxidation, 368:597
peroxin, 365:41
peroxisomal adenine nucleotide transporter, 365:109
peroxisome, 363:801, 367:433
peroxisome proliferation, 363:483
peroxisome-proliferator-activated receptor α (PPARα), 364:687, 368:931
peroxisome-proliferator-activated receptor α (PPARα)-null mice, 364:687
peroxisome-proliferator-activated receptor γ (PPARγ), 364:739, 367:203
peroxo iron(III) complex, 364:57
peroxynitrite, 366:97, 366:399
Peutz–Jeghers syndrome, 368:507
P-glycoprotein-1, 364:301
pH, 362:709
phage display, 365:287
phagocytosis, 363:89, 363:95, 365:127, 366:689
pharmacokinetics, 363:619
pH-dependence, 365:303
phenylarsine oxide, 367:541
phenylephrine, 362:609
phenylethyl isothiocyanate, 361:371
phogrin, 363:73
phosphatidate, 361:653
phosphatidic acid, 362:665, 366:187, 368:809
phosphatidylbutanol, 366:187
phosphatidylcholine, 366:23
phosphatidylcholine biosynthesis, 363:777
phosphatidylinositide, 363:563, 365:791
phosphatidylinositol, 362:665
phosphatidylinositol 4,5-bisphosphate, 362:1
phosphatidylinositol 3-kinase (*see also* phosphoinositide 3-kinase), 366:57, 366:165
phosphocholine, 363:777
phosphodiesterase, 361:211
phosphodiesterase inhibitor, 367:881
phosphoenolpyruvate carboxykinase, 368:301
phosphoglycolipid, 367:287
phosphoinositide, 361:525, 363:657, 366:689
phosphoinositide-dependent kinase 1 (PDK 1), 363:537, 366:57
phosphoinositide 3-kinase (PI 3-kinase), 361:525, 362:665, 362:725, 363:19, 363:273, 363:537, 364:517, 367:791, 368:49, 368:581
phospholipase A_2 (PLA_2), 363:353, 363:727, 365:505, 365:649
phospholipase C (PLC), 364:33, 365:791
phospholipase D, 361:653, 362:741
phospholipase D isoenzymes, 367:751
phospholipid, 361:355, 364:317, 367:895
phospholipid biosynthesis, 367:157
phospholipid synthesis, 362:97
phospholipse C-γ1 (PLC-γ1), 365:157
phosphopeptide mapping, 362:481, 368:507
phosphorylation (*see also* tyrosine phosphorylation), 361:77, 363:127, 363:233, 363:395, 365:537, 365:677, 366:255, 367:335, 368:203, 368:223, 368:939, 368:947
phospho-specific antibody, 366:977, 368:875
phosphotyrosine, 365:591
phosphotyrosine phosphatase 1B (PTP1B), 368:137
photoaffinity labelling, 363:223
photoaging, 365:31
photoreceptor outer segment, 368:649
pH regulated promoter, 367:67
phthalate ester, 365:849
phylloquinone, 364:323
phytic acid, 362:297
phytohaemagglutinin, 364:245
phytol, 362:61
P_i, 367:901
PICK1, 365:329
PI3K (*see* phosphoinositide 3-kinase)
picolinate, 361:567
pillar-like structure, 365:205
pinocytosis, 364:403
Pip2p-Oaf1p, 365:109
pituitary, 368:905
pK_a, 362:339
planar bilayer, 363:521
planar lipid bilayer, 365:659
plant inhibitor, 365:773
plant protein, 367:817
plant-type asparaginase, 364:129
plasma membrane, 362:701, 365:259, 366:959
plasma membrane Ca^{2+}-ATPase, 364:235
plasmid-addiction system, 361:41
Plasmodium, 368:273
Plasmodium falciparum, 368:23
plastid, 366:557
platelet, 365:79, 365:287, 368:293, 368:535
platelet-activating factor, 367:287
platelet activation, 363:473
platelet aggregation, 365:617
platelet-derived growth factor BB, 368:183
PMA, 364:73
polyadenylation, 368:621
poly(ADP-ribosyl)ation, 361:451
polyamine, 364:767, 367:665, 368:673
polyamine oxidase, 367:665
polygalacturonase, 367:511
polymerization, 362:213
polyol-specific long-chain dehydrogenase, 367:13
polyoxyethylene 10-lauryl ether ($C_{12}E_{10}$) solubilization, 364:293
polyoxyethylene ether detergent, 366:565
polypeptide, 366:405
polyphenol, 364:121, 368:705
polysaccharide-degrading enzyme, 367:511
polytopic, 364:777
positional isomer, 365:617
post-transcriptional gene silencing, 363:1
post-transcriptional regulation, 361:125, 366:709
post-translational modification, 361:681, 366:777, 366:959, 367:809, 368:263
post-translational processing, 364:323
potassium channel, 361:409
preadipocyte, 365:181, 367:203
pre-mRNA splicing, 368:527
pressure relaxation, 366:643
pressure-responsive regulatory sequence, 362:693

© 2003 Biochemical Society

prion protein isoform, 364:81
prion protein polymerization, 364:81
prion protein unfolding, 364:81
probabilistic model, 365:701
processing, 367:817, 368:41
processivity and fidelity of DNA synthesis, 367:381
pro-domain, 362:191
programmed cell death, 362:709, 368:905
prohormone convertase, 361:67, 366:863
proliferating cell nuclear antigen (PCNA), 362:149
proliferation, 364:719, 365:561
proliferation inhibition, 367:413
proline-rich motif, 367:697
promoter, 364:89, 365:355, 367:97, 367:791, 368:415
promoter analysis, 368:741
promoter assay, 366:757
promoter element, 365:481
prostaglandin, 362:545
prostaglandin E_2, 362:367
prostaglandin G/H synthase-2, 362:367
prostaglandin I_2 synthase, 362:545
protease, 362:239, 362:339, 363:347, 364:629, 364:703, 366:595, 366:983, 368:357, 368:495
protease-activated receptor (PAR), 368:535
protease resistance, 361:547
proteasome, 361:473, 361:587, 368:349
20 S proteasome, 365:527
14-3-3 protein, 365:329
protein acylation, 361:663
proteinase, 368:273, 368:365
protein biosynthesis, 366:959
protein body, 362:659
protein breakdown, 361:185
protein characterization, 363:305
protein cross-linking, 363:529
protein cross-link, 368:377
protein crystallography, 362:223
protein degradation, 364:275, 368:357
protein denaturation, 365:841
protein engineering, 362:265, 367:433
protein folding, 361:27, 365:505, 366:585
protein import, 365:41, 366:989
protein interaction, 364:841, 365:279
protein kinase, 366:165, 366:175
protein kinase A, 361:211, 364:343
protein kinase B (PKB), 363:183, 364:517, 365:537, 368:565
protein kinase cascade, 363:167
protein kinase Cδ (PKCδ), 366:745
protein kinase C (PKC), 361:255, 361:653, 362:1, 363:95, 363:127, 363:537, 364:517, 365:329, 368:1, 368:223, 368:581, 368:809
protein kinase inhibitor, 366:977
protein kinase/phosphatase, 366:145
protein–lipid interaction, 365:471
protein microsequencing, 364:649
protein oligomerization, 363:619
protein oxidation, 365:897, 368:597
protein phosphatase, 368:349, 368:789
protein phosphatase 1, 365:79, 366:187
protein phosphorylation, 364:41, 364:343, 364:457, 365:629, 366:129, 366:929
protein–protein interaction, 361:347, 363:515, 364:377, 365:669, 365:773, 366:129, 368:777
protein secretion, 367:833
protein structure, 361:437, 363:81, 363:553, 365:739
protein synthesis, 368:49
protein targeting, 366:15
protein thermostability, 368:461
protein trafficking, 365:693
protein translocation, 368:777
protein tyrosine kinase (PTK), 368:137
proteoglycan, 362:465
proteolysis, 361:231, 362:627, 363:417, 364:41, 366:459, 367:31, 367:209, 367:451
proteolytic cleavage, 362:585
proteomics, 363:707, 366:777
prothrombin time, 363:387
proton, 363:817
proton leak, 361:49, 368:597
proton-translocating protein, 366:911
protoxin, 367:801
Pseudomonas aeruginosa, 362:619, 367:617
Pseudomonas sp.101, 367:841
psoriasis, 364:725
PtdIns(3,4,5)P_3, 362:725
PtdIns(4,5)P_2, 362:1, 366:945
PtdIns(4)P 5-kinase, 366:945
pterin cofactor, 362:223
purified organelle, 362:423
purine, 366:265
purine metabolism, 367:121
purine nucleoside phosphorylase, 361:1
putrescine, 366:663
pyrethroid resistance, 362:329
pyridoxal 5′-phosphate, 363:745
pyrimidine, 364:157
pyrimidine nucleoside phosphorylase, 361:1
pyrimidine nucleotide, 366:265
pyrrolidinedithiocarbamate, 361:371
pyrroloquinoline quinone, 367:483
pyruvate dehydrogenase, 363:769
pyruvate dehydrogenase complex, 364:687, 366:839
pyruvate dehydrogenase kinase, 364:361
pyruvate substituent, 363:7

quantitative reverse transcription–PCR, 364:89
quaternary structure, 361:1
quenched fluorescence substrate, 361:613
quinohaemoprotein, 367:483
quinolinate, 361:567
quinol oxidase, 368:425

Rab, 366:689
Rab27 binding, 366:681
radiation inactivation, 361:119
radical identification, 363:281
Raf-1 activation, 367:751
raft, 367:653
Rana temporaria, 368:91
RanBPM-binding protein, 367:87
rapid amplification of cDNA ends (RACE), 367:49
rapid-freeze quench, 364:57
Ras, 366:459, 366:501
Ras pathway, 368:415
reactive nitrogen oxide species, 364:625
reactive nitrogen species, 366:307, 367:467
reactive oxygen species, 364:787, 365:849, 367:771, 367:889, 368:517, 368:597, 368:705
reactive site, 365:311
reactive sulphur species, 364:579
reacylation, 364:695
reassembly, 363:329
RecA, 364:869
receptor-binding affinity, 363:353
receptor point mutation, 362:389
recombinant lipase, 366:603
recombinant production, 362:213
recombinant protein, 363:411, 364:587
reconstitution, 361:277
recovery of marker enzyme, 362:423
red blood cell, 364:841, 368:137
redox reaction, 365:865
redox regulation, 363:483
redox state, 368:517
redox titration, 364:807
reducing-equivalent transfer system, 364:101
reduction–oxidation, 368:705
regulation, 362:443, 365:677, 367:157
regulatory complex, 365:527
regulatory subunit, 368:789
c-rel, 363:175
relative activity, 365:213
relaxation, 361:41
renal dipeptidase, 364:211
renaturation, 367:483
reoxygenation, 362:561
replication complex inheritance, 364:857
replication-initiation protein, 364:857
reporter fusion-gene construct, 361:337
reporter gene, 365:99
repression, 366:459, 366:873
repressor activity, 361:641
resonance Raman spectroscopy, 363:571
respiration, 362:459, 362:749
respiratory chain, 363:321, 364:659, 364:833, 366:307
retinal degeneration, 368:649
retinitis pigmentosa, 368:649
retinoic acid, 362:61, 362:465, 362:473, 364:475, 368:621
retinoid X receptor, 362:61
retinol, 362:265
retinol-binding protein (RBP) receptor, 362:265
retinol esterification, 368:621
retinyl, 363:359
retrovirus, 361:557, 362:685, 368:325
reverse transcription, 361:557, 367:381
reverse transcription–PCR (RT-PCR), 367:49
RGS (regulator of G-protein signalling) protein, 365:677
Rho, 361:243
RhoA, 365:157, 367:57
rhodopsin phosphorylation, 363:359
Rhodotorula glutinis, 365:577
Rho protein, 366:721
ribosome, 362:675, 363:553
RNA-binding activity, 365:817
RNA-binding protein, 363:553, 363:793, 365:817
RNA-dependent DNA polymerase, 367:329
RNAi, 363:1
RNA interference, 367:209
RNA-ligase-mediated 5′-rapid amplification of cDNA ends, 367:459
RNA polymerase III, 362:375, 363:503
RNA processing, 363:793
RNase H, 367:381
RNA splicing, 362:71
RNA synthesis, 367:381
RNA triphosphatase, 368:159
RNA virus, 363:493
Rolled, 361:143
rottlerin, 366:187
RppA, 367:781
5 S rRNA, 362:375

© 2003 Biochemical Society

ryanodine receptor, 361:401, 363:59

S4048, 368:827
σ70, 361:347
Saccharomyces cerevisiae, 364:457, 366:63, 366:911, 366:945
salivary cell, 366:745
Sam68, 367:697
Sanfilippo B syndrome, 364:747
sarcoplasmic/endoplasmic reticulum Ca^{2+}-ATPase (SERCA), 366:255
sarcoplasmic reticulum, 367:423
SB 203580, 367:525
scaffolding protein, 361:525
scanning glycosylation mutagenesis, 368:649
scavenger receptor, 364:507
scavenger receptor class B Type I (SR-BI), 368:69
Schiff base, 363:359
scorpion toxin, 361:409
scramblase, 362:741
scrapie, 362:253
SDS, 366:245
secondary structure prediction, 361:119
second messenger, 363:537
secretase, 362:585, 363:211
secreted alkaline phosphatase, 368:605
secreted protein, 364:137, 367:271
secretion, 363:737, 367:791
secretory granule, 363:289
secretory pathway, 365:239
segmentation, 363:633
selenium-dependent glutathione peroxidase, 366:203
semi-quantitative reverse transcriptase PCR, 368:131
sensitization, 365:825
sepsis, 366:97, 366:399
sequence analysis, 368:589
sequential PCR mutagenesis, 366:35
serine endoprotease inhibitor, 366:863
serine kinase, 364:875
serine palmitoyltransferase, 363:183
serine phosphorylation, 364:875
serine protease, 363:387, 363:411, 363:707, 366:965, 368:233
serodiagnosis, 366:217
serpin, 363:403, 366:595
SERPIN A1, 365:555
Ser/Thr kinase, 364:457
sex-limited protein, 361:97
shedding, 362:585
SHP-2, 368:875
sialylation, 368:495
sialyl-Le^a, 366:511
siderophore, 368:641
signalling, 365:133, 365:537, 365:677, 367:697, 368:573, 368:875
signalling factor, 361:629
signal sequence, 367:483
signal transducer and activator of transcription (STAT), 362:693, 364:875, 368:885
signal transduction, 362:481, 362:533, 362:725, 363:95, 363:273, 363:395, 363:537, 363:633, 364:145, 364:377, 365:31, 366:73, 366:145, 366:721, 366:745, 366:937, 367:577, 368:665
silencing mediator for retinoid and thyroid hormone receptor (SMRT), 363:157
single-channel recording, 365:659
site-directed mutagenesis, 361:515, 363:189, 363:353, 365:303, 365:379, 366:603, 366:971, 367:263
site-directed mutant, 366:273, 367:295
skeletal muscle, 362:349
skin, 366:901, 367:715
skin cancer, 365:31
Slp homology domain, 366:681
small G-protein, 365:349
small GTP-binding protein (*see also* GTP-binding protein), 361:243
small interfering RNA (siRNA), 366:393, 368:679
small intestine, 366:817
SmB′, 367:697
Smf1, 362:119
Smf3, 362:119
smooth muscle, 367:517
smooth-muscle contraction, 366:211
SNARE (*see* soluble NSF-attachment protein receptor)
sodium-dependent transport, 368:371
soil protozoa, 368:57
solid phase peptide synthesis (SPPS), 365:505
soluble glycolipid mimic, 368:769
soluble NSF-attachment protein receptor (SNARE), 366:165, 366:689, 368:223
solute carrier, 364:497
solution structure, 368:171
somatostatin analogue, 364:881
sonochemistry, 366:705
spectral tuning, 367:129
spectroscopy, 362:281
spermidine, 363:761, 364:679, 366:663, 367:665, 368:673
spermidine/spermine N^1-acetyltransferase, 367:665
spermidine/spermine N^1-acetyltransferase gene, 362:149
spermine, 366:663, 367:307, 368:673
sphingoid molecule, 362:183
sphingolipid, 362:247, 363:365
sphingomyelin, 363:45, 363:645
sphingosine 1-phosphate receptor, 367:751
spin trapping, 365:605
spleen tyrosine kinase (Syk), 364:517
splice variants, 366:623
splicing, 361:489, 365:833
splicing complex, 363:793
Spodoptera frugiperda (Sf9) cells, 365:659
Src, 365:591, 367:145
Src homology domain 2/3 (SH2/SH3), 363:717
Src kinase, 361:297
Src-like tyrosine kinase, 366:73
Srp1 protein, 368:527
Srp2 protein, 368:527
stable isotope labelling, 363:243
Staphylococcus aureus, 367:393
staphylolytic protease, 362:619
starter substrate selectivity, 367:781
STAT (*see* signal transducer and activator of transcription)
stereochemistry, 367:587
stereo isomer, 363:753
steroid hormone, 366:757
steroid metabolism, 364:165, 365:213
steroid receptor, 361:97
sterol, 364:555
sterol regulatory element, 362:81
sterol-regulatory-element-binding protein 1c (SREBP1c), 368:931
sterol-regulatory-element-binding protein (SREBP), 364:361, 366:377
stomach, 364:191
stopped flow, 365:521
stopped-flow kinetics, 363:745
store-operated calcium channel, 364:641
store-operated calcium entry, 361:133
strain sensing, 366:643
streptavidin microspheres, 366:705
Streptomyces, 364:555
Streptomyces griseus, 367:781
stress-activated protein kinase, 368:447
stress fibre, 367:335
stress kinase, 367:577
stress kinase activation, 366:787
stress response, 361:371
stromal processing peptidase, 366:989
stromelysin, 364:181
structural integrity, 367:601
structure determination, 368:483
structure–function, 365:659, 367:433
structure–function relationship, 363:609
structure–reactivity correlation, 366:889
subcellular localization, 361:597, 363:563, 364:145
substrate binding, 367:841
substrate inhibition, 364:165
substrate *in vivo*, 361:597
substrate specificity, 365:317, 366:603, 367:157, 368:589
substrate-trapping, 368:885
subtraction method, 361:629
subunit c, 366:911
subunit conformational change, 365:527
subunit interaction, 364:293
subunit interaction determinants, 367:359
succinic semialdehyde, 366:847
sucrose metabolism, 367:295
sucrose synthesis, 367:295
SUG1, 368:191
sugar influx, 366:63
Sulfolobus, 368:357
sulphate activation, 365:497
sulphatide, 367:499, 368:317
sulphation, 362:359
sulphoconjugation, 363:263, 365:497
sulphonate donor, 365:497
sulphonation, 363:263, 365:497
sulphoraphane transport, 364:301
N-sulphotransferase, 362:359
sulphur protein, 364:579
sumoylation, 367:907
superoxide, 361:49, 362:253, 368:545, 368:597
superoxide dismutase-mimetic, 367:729
suppression subtractive hybridization, 367:723
surface epithelium, 364:191
surface plasmon resonance (SPR), 361:317, 361:347, 361:481, 364:173, 364:485, 366:491, 368:111, 368:145
surfactant protein C (SP-C), 361:663
surfactant protein D, 366:87
survival, 367:145
SWI1, 364:255
SWI/SNF, 364:255
symporter, 365:391
synapse, 366:1
synaptic vesicle, 362:651
synchronization, 368:433
synovial cell, 365:119
syntenin, 368:1
synthetic D-peptide, 366:863
synthetic peptide, 365:269, 368:721
synthetic substrate, 366:965
system ASC-like transporter, 368:371

tamoxifen, 365:707
tandem MS, 363:281
tandem repeat, 363:589
tandem tag, 368:17

© 2003 Biochemical Society

target amino acid, 362:717
targeted hormone delivery, 365:311
targeting recombinant proteins into urine, 365:7
Tat, 367:761
TATA binding protein, 363:503
T-cell activation, 363:175
T-cell receptor, 364:245
tear film, 366:511
teleost, 364:817
telomere, 361:451
testis, 361:211, 366:367
testis atrophy, 365:849
tetracosahexaenoic acid, 364:49
S-(1,1,2,2-tetrafluoroethyl)-L-cysteine, 368:253
tetra-haem cytochrome, 368:425
tetrahedral adduct, 366:983
1,3,6,8-tetrahydroxynaphthalene, 367:781
thale cress, 366:557
thapsigargin, 361:689, 364:245
thermal inactivation, 364:635
thermodynamic parameter, 364:635
thermodynamics, 361:35
thermogenesis, 361:277
thermophilic esterase, 367:857
thermostability, 365:685
thiamin, 366:557
thioacylating fragment, 368:253
thiohemiacetal, 366:983
thiol, 365:639, 366:983
thiolase, 365:41
thiolate p*K*, 361:577
thiolate reactivity, 361:577
thiol modification, 362:165
thiol protease, 368:365
thioltransferase, 364:617
thionin, 366:405
thioredoxin mutant, 367:491
third component of complement, 367:219
third-generation lentiviral vector, 364:747
three-dimensional structure modelling, 367:841
three-finger toxin, 366:35
three-hybrid system, 365:669
threonine, 363:785
thrombin, 368:183
thrombin receptor, 368:535
thromboxane, 368:535
thymine, 364:157
thyroid hormone, 367:459
thyroid hormone transport, 365:311
thyroid receptor, 368:191
tight junction, 368:471
time-resolved fluorescence, 366:435
tissue expression, 361:461
tissue factor, 363:387
tissue inhibitor of metalloproteinases (TIMP), 364:89, 364:227
tissue-specific, 361:371
tissue-specific calpain, 362:383
tissue-specificity, 367:629
tissue uptake, 366:225
3T3-L1 cells, 364:137
3T3-L1 preadipocyte, 365:181
T lymphocyte, 361:203, 361:255
tobacco BY-2 cell, 366:573
topa-quinone, 365:809
Top-Down Control Analysis, 364:393
topiramate, 361:437
topogenesis, 364:777
topoisomerase poison, 366:653
toxicity, 364:25
toxin, 367:601
toxin B, 362:33
transactivation, 367:907
transacylation, 364:695
transcript, 368:233
transcription, 361:97, 361:347
transcription (*see also* gene transcription), 362:41, 362:81
transcription, 363:127, 363:253, 364:89, 364:563, 365:229, 366:79, 366:459, 367:369, 367:629, 367:791
transcription activation, 366:787, 368:835
transcriptional co-activator, 362:173
transcriptional co-repressor, 362:173
transcriptional regulation, 362:199, 363:503, 363:667
transcriptional repression, 363:157, 368:555
transcription factor, 361:173, 361:629, 363:53, 363:195, 364:449, 364:537, 364:547, 365:561, 367:413, 368:121
transduction, 367:761
transfection, 366:623, 368:41
transferrin, 365:127
transformation, 366:989
transforming growth factor-β (TGF-β), 364:571
transgenic mice, 365:7, 368:931
transgenic rat, 362:149
transgenic wheat, 365:1
trans-Golgi network, 363:599, 365:369
transient kinetics, 367:19
transient knockdown-in, 363:1
transient transfection, 364:641
transition state, 366:889
transition-state stabilization, 365:303
translation, 365:417, 366:585, 366:767
translational control, 367:1
translation initiation, 362:539, 363:37, 363:493, 367:1, 367:359
translocation of fatty acid translocase (FAT)/CD36, 367:881
transmembrane, 364:137
transpeptidase, 361:635
transport (*see also* intracellular transport; membrane transport), 363:737
transport, 365:239, 367:307, 368:923
transporter, 362:513, 367:741
transposon, 364:555
tranylcypromine, 365:809
trematode parasite, 366:217
triacylglycerol, 364:361
triacylglycerol biosynthetic complex, 365:577
triacylglycerol production, 364:393
trichothecene, 365:1
trimethyl-lysine, 361:417
tripolyphosphate, 367:901
Triticum, 367:491
tRNA transcription, 363:503
$tRNA^{Trp}$-binding domain, 365:749
trophinin, 364:669
trout, 364:817
trypanothione, 364:787
trypanothione biosynthesis, 364:679
trypsin proteolysis, 363:243
tryptase, 368:495
tryptophan, 365:649
tryptophan indole-lyase, 363:745
tryptophan–niacin conversion, 361:567
tuberculosis, 365:89
tubulin complex, 365:889
tumour, 368:371
tumour-associated antigen, 363:137
tumour marker, 364:563
tumour necrosis factor-α-converting enzyme (TACE), 364:227
tumour necrosis factor (TNF), 366:709
tumour necrosis factor (TNF)-α, 361:185
tumour progression, 366:299
tumour suppressor, 365:639
tumour suppressor gene, 362:401
turn motif, 361:255
two-dimensional electrophoresis, 362:627, 366:825
two-dimensional PAGE, 363:105
two-hybrid analysis, 365:51, 368:527
two-hybrid interaction, 368:657
two-substrate reaction, 368:947
type-2 copper site, 363:677
Type II diabetes, 368:309
type II fatty acid synthase, 364:423
type III repeat, 365:287
type II secretion, 365:205, 367:865
tyrosine aminotransferase, 361:97
tyrosine kinase, 361:105, 364:377, 368:203, 368:471
tyrosine nitration, 366:399
tyrosine phosphorylation, 361:297, 368:49

U0126, 367:873
ubiquitin, 361:587
ubiquitination, 363:737
ubiquitin C-terminal hydrolase on the X chromosome (UHX1), 367:87
ubiquitin-specific protease, 367:87
U box, 361:587
UDP-glucuronosyltransferase, 367:505
ultrasound, 366:705
uncoupling protein (UCP), 361:49, 366:565
unfolding, 364:635
untranslated exon, 362:609
3′-untranslated region, 366:709, 368:621
5′-untranslated region (5′-UTR), 363:37, 367:1
unwinding activity, 363:147
upstream AUG (uAUG), 367:1
upstream open reading frame (uORF), 367:1
uracil, 364:157
urea cycle, 364:825
urea + denaturant gradient gel electrophoresis, 366:245
urea denaturation, 363:329
urea-gradient PAGE, 363:329
urokinase-type plasminogen activator (uPA), 363:67
urokinase-type plasminogen activator receptor (uPAR), 363:67
uromodulin promoter, 365:7
uterus, 367:271
UTP, 364:235
UVB, 365:31
UV rays, 365:133

vacuolar serine protease, 363:707
valproate metabolism, 362:755
valproic acid, 362:755
vascular endothelial cell, 362:413
vascular smooth muscle, 362:13
vascular smooth-muscle cell, 362:413, 368:183
vasopressin, 362:13
veratraldehyde, 361:163
vesicle, 361:451
vesicle trafficking, 365:349
vesicle transport, 361:653
video microscopy, 365:337
Vipera ammodytes ammodytes, 363:353

© 2003 Biochemical Society

viral fusion, 365:841
virulence, 367:279
visinin-like protein, 363:599
vitamin A (*see also* retinioc acid, retinol), 362:265
vitamin C, 362:507, 364:441
vitamin E, 363:753, 364:625
voltage-dependent anion channel, 367:169
voltage-gating, 363:521
von Willebrand factor, 361:297, 363:589, 364:65

WD40, 365:41
Western blotting, 366:953
Wnt target gene, 367:723
worm, 368:263
wortmannin, 368:827

xanthine derivative, 361:185
xenobiotics, 366:817
xeno-oestrogen, 368:783
Xenopus, 368:923
Xenopus oocyte, 364:285
X-link domain, 362:155
X-ray crystallography, 364:173, 368:23
X-ray diffraction, 363:45

Y-27632, 364:431
yeast, 363:515, 363:737, 364:617, 367:347
yeast cell expression, 363:297
yeast two-hybrid screen, 361:597
yeast two-hybrid system, 365:369
Yoshida sarcoma, 361:185
Ypr128cp/Ant1p, 365:109

zinc, 361:363
zinc-finger protein, 362:375, 366:873
zinc gene, 364:105
zinc metallopeptidase, 362:191
zinc transport, 364:105
zipper-interacting protein kinase (ZIP kinase), 365:79
zymogen, 362:259, 364:629
zymography, 365:873

© 2003 Biochemical Society

Microscopy and Histology for Molecular Biologists: A User's Guide

NOW AVAILABLE IN PAPERBACK

Edited by JA Kiernan and I Mason
University of Western Ontario, Canada and University of London, UK

***Microscopy and Histology for Molecular Biologists: A User's Guide* informs research workers how to prepare cells and tissues for examination by traditional and modern types of light microscopy, and how to obtain and analyse images.**

The authors provide reasoned accounts of mechanisms and procedures, with selected references to original sources, review articles and textbooks. In addition, detailed technical instructions are provided for many important and frequently used methods. The theoretical background is also presented in sufficient detail to allow intelligent modification of these techniques to suit particular investigations and to solve unexpected problems. Chapters begin with an explanation of the method (or group of methods), including how it works and, why to use it and when. This is followed by detailed technical instructions, including troubleshooting advice.

Essential Reading

The chapters are written by experts in their fields (histochemistry, histotechnology or microscopy) for readers who are (or aspire to be) experts in biological or biochemical research.

The book is also aimed at research workers in other fields who need to prepare materials for various types of microscopic examination and to interpret the results intelligently.

Contents

- **Methods of light photomicroscopy**
- **Digital and confocal photomicrography**
- **Three-dimensional microscopy**
- **Photomicrography**
- **Fluorescent staining of living cells**
- **Freezing and fixation**
- **Tissue processing and sectioning**
- **Staining and counterstaining to show structural features**
- **Immunohistochemical methods**
- **Staining skeletons of whole animals**
- **Metabolic mapping by enzyme histochemistry**
- **Detection of cell division and cell death**
- **In situ hybridization to RNA in tissue sections**
- **In situ hybridization and sectioning of whole embryos and tissues**

Send orders to:

Portland Customer Services
Commerce Way
Colchester CO2 8HP
☎ 01206 796351
01206 799331
sales@portland-services.com
www.portlandpress.com

June 2002 400 pages Hardback 1 85578 141 7 £110.00
Paperback 1 85578 156 5 £49.95

Please quote ref: ZPPA 1646 when ordering

Essays in Biochemistry

ISSN: **0071-1365**

Essays in Biochemistry Volume 38: Proteases in Biology and Medicine

Edited by NM Hooper, University of Leeds, UK

1 85578 147 6 Paperback September 2002 200 pages £19.00

Proteases in Biology and Medicine **aims to provide a wide-ranging overview of the many and varied roles of proteases in biological systems, to highlight some of the more recent developments in this area and to provide an insight into future research in the field of proteases.**

For many researchers, proteases are often considered to be unwanted biological pests, however, more and more researchers are recognizing that proteases are often key players in a wide range of biological processes, such as cell cycle regulation, cell growth and differentiation, antigen processing and angiogenesis. In addition, it is becoming apparent that the aberrant functioning of certain proteases may underlie several disease states, including Alzheimer's disease, cancer metastasis and inflammation. An understanding of the role played by proteases in these processes may provide the opportunity for therapeutic intervention.

Aimed at final year undergraduates, early postgraduates and lecturers, this series of short, punchy and well-illustrated articles written by experts in the field is the first book of its kind to deal with so many aspects of proteases at this level.

Essays in Biochemistry Volume 37: Regulation of Gene Expression

Edited by K Chapman, The University of Edinburgh, UK

1 85578 138 7 Paperback April 2001 132 pages £19.00

In all organisms, precise and exquisite control of the expression of the many thousands of genes comprising their genomes is essential for correct development, growth and function. The Essays in this volume have been written by international experts working at the forefront of current research. They provide insights into current work and concepts which are elucidating the mechanisms which lead to protein synthesis in the correct cell, at the precise time and in response to appropriate signals.

The Essays contained in this volume are thought provoking, clearly written, well illustrated and accessible and will enable senior undergraduate and junior postgraduate students to appreciate the amazing subtlety and diversity of gene regulatory mechanisms.

Essays in Biochemistry Volume 36: Molecular Trafficking

Edited by P Bernstein,
The Journal of Experimental Medicine, New York, USA

1 85578 131 X Paperback October 2000 200 pages £19.00

This volume of Essays in Biochemistry is a collection of review articles describing how molecules (proteins and nucleic acids) are targeted to, and transported across, various membrane-bound organelles within eukaryotic cells.

The 1999 Nobel Prize in Physiology or Medicine was awarded to Dr Gunter Blobel "for the discovery that proteins have intrinsic signals that govern their transport and localization in the cell". The award acknowledges the importance of the study of how newly synthesized protein and RNA find their correct destination within the cell. This volume summarises advances being made in this field of research.

Students (and their teachers) who are undertaking advanced studies in cell biology will find this book extremely useful.

Essays in Biochemistry Volume 35: Molecular Motors

Edited by SJ Higgins, University of Leeds, UK
and G Banting, University of Bristol, UK

1 85578 103 4 Paperback June 2000 200 pages £19.00

Biological systems abound with examples of molecular motors — biological machines for converting the chemical energy of ATP into mechanical movement by cells — they play pivotal roles in diverse cellular function. This volume covers many of the most exciting developments in the field.

- All of the main motor systems are featured, giving wide coverage.
- Consists of short punchy review articles, making it easy to read.
- The application of gene-cloning methods and the recent advances are described.
- Human disorders involving defects in molecular motor systems such as hearing loss and heart disease are covered.

The Nobel Prize for Chemistry was awarded to John Walker and Paul Boyer in 1997 for their work in elucidating the mechanism of the rotary generator of ATP in the mitochondrion, the F_1-ATPase. This brought the new developments in the field of molecular motors to the attention of the whole scientific community and, via the media, to a wider world audience.

This volume aims to inspire young scientists to want to work in this area.

Biochemical Society members save 25% - only £14.25 per title!

Orders: Please quote reference ZPPA1646 when ordering

Portland Customer Services, Commerce Way, Colchester, CO2 8HP, UK
t: 01206 796351 f: 01206 799331 e: sales@portland-services.com
***Please add £2.50 per book to a maximum of £7.50**

Published by Portland Press on behalf of the Biochemical Society

www.portlandpress.com/books

Printed in Great Britain by the University Press, Cambridge